Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



U. S. Department of Agric RARE AND POPULAR FLOWER SEEDS VEGETABLE AND GRASS SEEDS

GARDEN BULBS- ALL KINDS

OVER 4.000 SPECIES & VARIETIES

GARDENER'S SUPPLIES

DIMONDALE, MICHIGAN,

10c Copy - 12 Issues \$1.00

FEBRUARY, 1950

As Issued - Number 50-16

The Acidity Requirement Of the Franklinia Tree

PIONEER SEED COMPANY

Rarest of American flowering trees, until 1790 plentiful along Georgia banks by the peaty brown Alatamaha River, Franklinia was saved from the unkind fate of the passenger pigeon by John Bartram of Philadelphia, and named in honor of his friend, Benjamin Franklin, From a single cutting taken by Bartram on a botanical exploration of the back woods South and transported via saddle bag to his Philadelphia garden, legend has it we are indebted for the beauty and pleasure of this autumn flowering rarity. For, though men have sought the tree in its native haunts, it has vanished, the complete disappearance being one of our great plant mysteries.

Hardy on Long Island it is a worm of the sun to fleaf buds was slow, with warm spring days bourger care.

Hardy on Long Island, it is a small tree immediately recognized

A Forest **Paradise**

We have just received a letter of a clipping from the Atlanta

We have just received a letter and a clipping from the Atlanta Journal, which says in part:

"A disabled Navy veteran of both wars and a one-armed Army captain of World War I have settled down near here in a woodland paradise to listen to the singing waters of Feach Stone shoais.

"After 21 years in the Navy, Duke Howard, 49, found the land he had dreamed about at sea — 90 acres of woods, springs, and flowers. It runs two miles along South River, about four miles from Convers (Georgia) on State Highway 20. ** *

"Together Duke and Capt. Ted

"Together Duke and Capt. Ted Brown plan to clean out the springs and wells on the 90 acres, reopen the trails, and keep the woods as they are. On five acres mountain laurel and wild azaleas bloom in thick clusters, sweetshrubs have sprinkled themselves across the path, and there are two acres of pure sand along the river "The holly trees rise almost as thick as the dogwood."

Mr. Duke has written asking suggestions for further planting to add to the beauty of the place. Lacking familiarity with his climate and soil, we can offer only long-range advice. Perhaps some of our readers will be interested in making suggestions, especially those who garden in similar climatic conditions.

The beautiful woodland is open

The beautiful woodland is open to the public, and Mr. Duke will welcome visitors.

STARTING SEED OF RHODODENDRON

as uncommon, worth infinite care to insure its contentment and healthy growth in the small, cared for garden. Choose an "always in the eye" location for its planting, where it may be visited and enjoyed at all seasons.

Two six foot, matched specimens were received by the writer in April, 1941, and planted in careuflly predug holes by a small pool. Drainage was accomplished by a base of gravel, and a specially prepared soil mixture of humus, sand and peat moss used to fill in and cover the roots.

Their sleek, smooth fitting grey bark has all the grace and appeal of a conditioned, meticulously groomed thoroughbred horse. The growth of leaf buds was slow, with warm spring days, however, came the color effective eruption of pinpoint crimson leaf buds, burtsing to unfold vivid green lustrous leaflets. Mature leaves are large and subject to damage from driving spring rains and strong winds. The whorled arrangement of leaves

In The Mail

Our catalog has been delayed a month this year due to the late ar-rival of several hundred different flower seeds, which has been ex-pected for some time. The failure to make delivery in many cases, cauess considerable expense in cauess considerable expense in handling orders, not to mention the disappointment and delay with our customer; therefore, this short delay in getting the catalog out this month should prevent many of the "short" items.

No Names

Quite often orders and letters Quite often orders and letters arrive without the name or again without an adress. Mrs. Nathalie R. Cook, sends in an order in May without an address and we presume she is wondering why we don't mail her her seeds. Names in our filter of the state of the seeds. files come first under states, then the cities, so you see when only the name is given, its impossible to locate the customer. Write us Mrs. Cook.

Liberty Hyde Bailey

subject to damage from driving spring rains and strong winds. The whorled arrangement of leaves along the length of new growth is perfect for effective display of the blossoms, which make their appearance in early August as tiny green cooled white marbles. By mid-August, the curious guard petal relaxes to allow the unfolding of the splendid carrara bowl with its (Continued on Page 21)

Liberty Yuke Balley Saley We were very pleased to have Dr. Bailey call upon us in the fall. The writer considers him the

The Penstemon Hirsutus New Gladwyne Varities

About fifteen years ago I started many enchanting shades of pink growing Penstemons. The opoprtunity came when Dr. Pennell gave me seeds from his herbarium sheets.

The members of this family are these color forms, especially in winter.

The members of this family are ndeed a fascinating tribe to grow; there is much beauty and great variety in the different speciaes.

With the war years, I, and indeed many others, lost many of our rar-er and more difficult plants through unwilful neglect. Maybe the lesson was a severe one, but in many cases it served to show where true value lay. Of over a hundred species of Penstemons, only about twenty-five remained.

Penstemon hirsutus stood ever Penstemon hirsutus stood every kind of neglect and indeed seemed to thrive on it, a rare trait for a Penstemon. The beautiful color forms that I had collected a few years previously in Pennsylvania, not far from my home, greatly increased their numbers. Self-sown receiving a proceedings as a constant of the process of t garden. Best of all they throve in heavy clay, in sandy peat and in the crushed limestone section. This awakened me to their great value.

winter .

I will be very happy if P. hirsu-tus "Gladwyne varieties" gives to others as much pleasure as they give to me

Mary G. Henry, Gladwyne, Pa.

In the past this particular strain of Penstemon hirsutus has not been definitely named in seed lists but we are now glad to know that Mrs. Henry has decided to call them "Gladwyne Varieties" and we will in the future list this beautiful and valuable strain under this name. Those of our readers who have not yet tried this strain have a surprise in store for them; you will find it listed in the Penstemon (Continued on Page 27)

Amaryllis Germinating

Mrs.) Clara Bangs writes about her success with Amazyllis and her remarks on germinating them may be of interest to many of our readers.

be of interest to many of our readers.

She writes, "I have learned an easy way to germinate Amaryllis seed. A package of seed which I forgot to plant in the fall, was used in December when I was putting slow type Lily seed into glass jars containing vermiculite; I put the Amaryllis seed into one, just to see what it would do.

Yesterday, Jan. 4th. (30 days after). I was surprised to see some had sprouted, so I sifted out the vermiculite and planted the seed in a mixture of the vermiculite and soil, with a layer of the vermiculite over the seed and this morning some are up thru it and I believe all the seed is now ready to sprout." sprout."

sprout."
She states she also is trying Homerocallis and Iris, but we would think the latter would be best if planted in soil outdoors.

RAISING HERBACEOUS AND ALPINE PERENNIALS FROM SEED

In the numerous group of perennials, such as the Delphiniums and the herbacious Paeonies, which do not bloom the first year from seed, little is gained by starting them under glass, and especially is this true of the slow germinating perennials such as the Paeonia.

germinating perennials such as the Paeonia.

However, those whose seed may lose their vitality quickly or where the vitality is suspected due to the age or other causes, to be below average, it may be an advantage to start the seed indoors. This is also true of expensive seeds or those which are in very small quantities. One is more liable to raise a larger percentage, when handled under glass.

There is also a class of perennials such as many of the Penstemons, the late blooming Phlox, some Salvias and many others that will bloom the first season if started early under glass. A year would be saved in this class if started indoors early in the spring.

would be saved in this class if started indoors early in the spring. And again, when only limited quantities are wanted, the best way may be to start them under glass.

New California Giant



FLOWER SEEDS SAIER CATALOG OF RARE THE

ABBERVIATIONS USED

ABRONIA (ah-BROH-ni-ah)

ABUTILON (ah-BEU-ti-lon)

hybridum, Mixed. ABUT-1. Pkt. 35c Legyes spotted flowers various colors;

ACACIA (ah-KAY-shah)

ACAC-3. Pkt. 50c ACAC-6. Pkt. 20c

Bailevana. ACAC-2. Pkt. 50c

ACAC-5, Pkt. 50c

farnesiar.a

ACAC-1. Pkt. 50c

ACANTHUS (ah-KAN-thus)

ACHILLEA (ak-i-LEE-ah)

or Yarrow). Hardy herbo seasily grown in any good

ACH-4. Pkt. 25c woolly foliage HP, 9 inches

ACH-11. Pkt. 250

filipenduling. ACH-5. Pkt. 25c

Parker's Variety ACH-5b. Pkt. 20d

ACH-8. Pkt. 25c -Crimson Beauty.
beautiful bright col:

Pkt. 15c; 1/4 ox. \$1.25 ezewort). A protty double white

ACH-9. Pkt. 50c

ACONITUM (AK-oh-nyt-um)

ACD-1. Pkt. 20c ACD-3. Pkt.

-Barker's Variety. ACD-2. Pkt. 60c

lycoctonum ssp pyrenaicum. ACD-L3m. Pkt. 35c rotundifolium v par

ACD-R1. Pkt. 35c

ACROCLINIUM

(ak-roh-KLIN-i-um)

name, Helipterum— eum). An annual s dried flowers, it be-st "everlasting". For before fully open; they years. Flowers daisy-iss, double and semi

ACR-3a. Pkt. 20c owers, HHA, 1 ft. ACR-2. Pkt. 15c hite. white flo everlasting flower; vellow disk, HHA,

ACR-3. Pkt. 15c

uble Rose. ACR-2a. Pkt. 20c -Sensation Giants. ACR-1. Pkt. 15

wers fully halt again type, medium rose to beautiful cut flowers

Double Mixed. - All Mixed.

ACROGEPHALJS

ACRO-1. Pkt. 50c

ACTAEA (ak-TEE-ah)

-arguta. Has red berries; 2 ft

ADENOCARPUS

(ad-e-NOF-oh-rah)

ADEK-1. Pkt. 40c

ADENOPHORA

(ad-e-NOF-o-rah)

ADEN-C1. Pkt. 25

ADLUMIA (ad-LEUM-i-ah)

nk flowers. ADLM-1. Pkt. 25e

ADONIS (ah-DOH-nis)

or under trees. Foliage, and any one and any or until a dark ary-ine. The perennial showers or scarlet with a dark ary-ine. The perennial white foliage and large as slowers, HBb, 2 ft. a border plant; yellow fune. About 1-ft. tail. naucla outdoors in late the earlier indoors; the may be sown in spring

aestivalis. ADON-2. Pkt. 15c

ADON-1. Pkt. 15c

ADON-3. Pkt. 200 llis. 1½ ft., 3" yello

AGAPANTHUS

Beautiful flowers g in late summer, good garden soil, in N.; should be They form beauti sturbed. so. Af. blooming

AGAP-2. Pkt. 30c

e flowers, orientalis. AGAP-3, Pkt. 30c

nbellata maxi GAP-1. Pkt. 40c

AGROSTIS (ah-GROS-tis)

AGRO-1, Pkt. 15c

pulchella. AGRO-2, Pkt. 20c

AGERATUM

A most popular half hardy annu-ecially used for borders, edgine edding. It also makes an easily adoor plant. All are free flowering lants covered with flowers from up a few of the smallest plants, cutting them back, and grow on indoors for winter plants. The taller varieties, about 12 in tall, make good out flowers. The dwarf sorts make ideal rockery plants. When seed is sown outdoors in May, plants flower in August. Rain does not damage the flowers.

-lasseauxi.
Delightful rosy mau AGER-1. Pkt. 15c:

A. MEXICANUM AGER-2. Pkt. 15c

Blue Ball. A deep b re type. Blue Bedder

lants: very pretty.

-Blue Cap.

Rich blue in clo
lants, fine for roo AGER-4. Pkt. 20c

AGER-4m. Pkt. 20c AGER-5. Pkt. 10c; -Blue Stor. 1/2 oz. 550 from Hol

A splendid deep Fairy Pink. AGER-6. Pkt. 20c

. Pkt. 25c AGER-6 -miniature type. I Dwarf Imperial, Blue. AGER-19b Pkt. 15c Pkt. 15c AGER-19w. Pkt. 15c AGER-18. Pkt. 20c White. Kingof the Blues. A very low compound of the com AGER-20b. Pkt. 10c

-Midget Blue Rich blue in AGER-7. Pkt. 20c or bedding, 2-3 in

AGER-7m. Pkt. 25c AGER-8. Pkt. 15c; -Purple Perfe

AGER-9. Pkt. 15c

White Quee AGER-11. Pkt. 15c

-White Be AGER-12. Pkt. 15c AGER-13, Pkt. 15c

AETHIONEMA

(ee-thi-o-NEE-mah)

varf and sometimes woody plants of Mustard Family, called Stonecress and des annual, biennial and perennial ies. They should be grown more, be-very similar to the perennial Candy, but lasting longer in flower. They y a hot dry situation, do best in a ty gr.. soil. They have little four-ied flowers usually in charming less of pink, lilac or purple and white, om yellow.

AETH-4. Pkt. 35c

AETH-2. Pkt. 40c ulchellum AETH-1, Pkt. 250

AETH-3. Pkt. 50c ush to 10 ft., no Erect plant, 2" rs, HP. d flow

ALLAMANDA (al-ah-MAN-dah)

Shrubs and climbers native of Brazil and rown in the greenhouse in the N. but in r. S. they can be planted in the open;

ALLA-1. Pkt. 35.

ALLA-1. Pkt. 35.

Across, very pretty

ALLIUM (AL-i-um)

A genus of bulbous flowering plants of the Lily family of which the flowering nonion is especially listed here. Most are mardy perennials having flat or tubular eaves, similar, but smaller, to those of the nonion. The flowers form at the end of the stems in spherical clusters or stendes clusters or slender ors and shades. They camy soil and easily which can be planted just. Space plants I ft.

the end of the stem. flowers, 1-ft. tall, ALUM-15. Pkt. 35c desirable RG species; flat on the ground purple flowers on a HP.

ALUM-11. Pkt. 25c

rden; umbels of few to

ALUM-1. Pkt. 20 ALUM-20. Plat. 25c

ALUM-9. Pkt. 30c

ALUM-21. Pkt. 25 ALUM-18, Pkt. 25c Large petals w 12-18".

ALUM-25, Pkt. 25c

ALUM-S. Pkt. 25

ALUM-10. Pkt. 25c purple

ALUM-7. Pkt. 35c Umbels of ly. HBb. 1 ALUM-23. Pkt. 25 seasoning and flavoring; flow excellent for cutting ALUM-13, Pkt. 250

ALUM-24. Pkt. 30

ALUM-14. Pkt. 25 griquetrum ALUM-16. Pkt. 35 cum. blue flowers fr

Allium Blend ALUM-4. Pkt. 15c and of great value to those wishing to ow man; types and colors for display

ALNUS (AL-nus)

The Alder: trees or shrubs with attr ve toliage and handsome catkins in ea pring. Seed should be sown in spri some catkins in early
be sown in spring
and kept moist and
edlings appear; the

ALNS-1, Pkt. 25c ALOE (AL-oh)

Peremial succulent plants native to the Cape of Good Hope belonging to Lily mily. Leaves are spiny along edge, tiff and fleshy, often in rosettes, making tem ornamental pot plants; flowers show, spikes; in some cases as high as 20 ft.

ALOE-E1. Pht. 25c

ALONSOA (al-on-SOH-ah)

(Mask-Flower). Plants mostly from it cal America and grown in the N. lender and half-hardy annuals, also indoor plants. Foliage dark green sender plants and plants foliage dark green sender in the sender of 2-lipped scales and the sender of the first damper is passed and growing the first damper is passed and growing the first damper is passed and growing the first damper in foots early in fadl; when thus moved they become show and bloom a long time.

-- cautifolia damper in the first damper in the fi

acutifolia.
A robus ALON-2. Pkt. 25c ALON-3, Pkt. 256 This is a pretty species owers in profusion, HHA ALON-5. Pkt. 25c

Fine compact habit and a: bright searlet, HHA. Very pretty; delicate pink with miters, HHA, 1 ft.

Very shown, bright scarlet flowers, operennial if grown under glass. A bush type, 1-2 ft.

ALSTROEMERIA

(al-stre-MLF-ri-ah)

South American greenhouse plants be-aging to the Amaryllis Family and grown in tuberous roots, treated as bulbs, ant roots deep in rich soil and give a may position; they can be grown out-de but must be brought indoors before old weather arrives. Usually seed can be anted in Aug. or later, in pots, which ill bloom the following summer in the arden. Sometimes called Herb-lilles.

ALST-1. Pkt. 25c ALST-6. Pkt. 25c

Large shall-pink floor in cold climate ALST-3. Pkt. 25c

ALST-3b. Pkt. 25c tall, perennia Pink or rosy

ALST-5. Pkt. 25c

ALTHAEA (al-THEE-ah)

-Bicifolia.

ALTH-1. Pkt. 25c
The true fig-leaved Hollyhock, a fine
ant with deep yellow flowers, HP, 6 ft.

Hollyhock, a fine flowers, HP, 6 ft. ALTH-2. Pkt. 25c

A mixture of colors of this line started as of Hollyhocks, HP, 6 ft.

ALTH-3. Pkt. 25c.

ALTH-3. pkt. 25c.

ALYSSUM (ah-LIS-um)

(Madwort). They come in h

varieties of Sweet A nuals, known botani (loh-beu-LAY-ri-ah) m

ALYS-1. Pkt. 15c; flat compact mass of wers and are ideal for ging; this is a superior

-Snow Cloth.
A flat compact vo
owers that give the ALYS-2. Pht. 15c; riety of pure white the appearance of a L. Space plants about ALYS-3. Pkt. 10c;

ALYS-4. Pht 15c;

ALYS-6. Pkt. 20c Violet Queen

y fragrant, for which it is especially d. flowers pure white, growth ding, 12-in., make sweet plants ir or baskets.

ALYS-II, Pkt, 10c; 1/2 or, 35c

compactum,
ompact masses of single yellow
April-May, 1 ft., HP.
ALYS-ta Pit. 15c

ALYS-13. Pat. 25c with silvery foliage, HP.

ALYS-22. Pkt. 50c

%, 6" tall. ALYS-18. Pkt. 20c Creamy-ye

HP. 1/2 ft.

ALYS-10. Pkt. 20c: 1/4 oz. \$1.50

AMARYLLIS (an:-gh-kil-is)

-belladonna. AMRL-2. 15 bulblets 35c

at Indian Hybrids, AMRL-1, Pkt. 50c ta hybrids, Mixed.

AMARANTHUS

(am-ah-RAN-thus)

AMAR-1. Pkt. 100

AMAR-2, Pkt. 10c

AMAR-3. Pht. 15c variety, height 3 its us but with white A yell Same

2 ft. AMAR-14, Pkt. 150 A low AMAR-4. Pkt. 10c

Pygmy Torca.

Pygmy Torca.

Dork Crimson flow AMAR-11. Pkt, 15c ers, compa-ad borders, annua. AMAR-5

Dark Crimson flowers, compact habit and fine for beds and borders, annual.

-paniculata, Osschberg, AMAR-3.

-paniculata, Osschberg, AMAR-13.

-saniciolius, AMAR-13.

-sanguineus nam: A-AAR-14.

-paniculata plant.

-paniculata

r. Scoat. This is the regular the tropics for greens, the tropics for greens. Scarlet-crimsor and scarlettricolor. tricolor spiendens. AMAR-6. Pki (Ioseph's Coat). Rich scarleter liage prettily variegated yellow conze-green; striking in the border,

Contains all the above sorts with other received. They should make a good owing in a waste place, that is high, du of good soil, such as rubbish dump

AMBERBOA (am-bur-BOH-ah)

Annual plants with jaggedly cut or dided leaves and flower heads in purple use or pink. They resemble Bachelo uttons. Very easily grown from seemble should be sown where plants are flower, HHA. Natives of Spain and corocco.

AMBR-1, Pkt. 200

AMMOBIUM (a-MOH-bi-um)

These are annual Australian plants grown as everlastings. They prefer definitely a sandy soil. Very easily grown; sears a profusion of small white flowers are profusion of small white flowers aroung yellow centers which brighten the garden. Seed can be sown in spring only or in foll for early start. If cut become yellow the flowers that the search of the search of

AMOB-1. Pkt. 20c; 1/4 oz. \$1.00 Flower heads 1-2 in. across, pearly thite, the plant white cottony, 3 ft., HP.

AMPELOPSIS (am-pe-LOP-sis)

Tendril-climbing deciduous shrubs be longing to Grape Family. Not particular as to soil, few not real hardy.

veitchii.
Boston ivy. (Parthenormefolia. AMPL-1. Pkt. 20 -quinquefolia. AMPL-2. Pkt. 20c Virginian Creeper. American Ivy. (Par lenocissus quinquefolia).

AMSONIA (am-SOH-ni-ah)

Perennials, 1-3-ft. tall, having bluish owers followed by rather attractive milk reed-like pods. Can be planted in border amongst shrubs. Easily grown from

AMON-1. Pkt. 150 very desirable perennial tolerant to sun and shade; has good foliage and sis; stems willowy, each ending in panicles of starry blossoms in soft Use some winter protection north of May-june.

ANACYCLUS

A race of duisies from the Med. regions selected to Pyrethrum; a few species are very desirable dwarf perennicals with fine by out foliage and large white or yellowing with brilliant red. They like sunny, stony location and are particularly suitable for the rock garden; will need to the results of the results of the results of the rock garden; will need the results of the rock garden. A. A finer plant reyer leaves are ore brilliant red

ANCH-8. Pkt. 350

ANAC-4. Pkt. 150

-grandin.
-Annual, gentus.
-Scarlet.
-Scarlet with pretty ANAC-5. Pkt. 15c

- Mixed.
- maroccanus.
Similar to A. d.
rowing, 2" tail, Hi ANAC-3. Pkt. 150 ANAC-3. Pkt. 500

ANAC-74. Pkt. 150

ANAGALLIS (an-ah-GAL-is)

Low growing annuals, biennials and perennials having prefty little star-like flowers in red, blue or white which grow out of the axile of the leaves on hair-like stems; very free flowering, and some species are especially fine for the rock garden. The annuals can be sown where they are to grow, and the perennials any time up to August. They do best in a loose warm soil.

time up to August. They do best in a loose warm soil.

—Giant Flowering Missed. ANAG-1.
Pkt. 10c
A large flowering strain in all the solors and fine for the rockery, beds or baskets, HA, 6-in. tall.

—grandiflora, Red.
A. limitolia.

—grandiflora Missed. ANAG-2. Pkt. 10c
A hardy annual having delightful little

hardy annual having delightful little like flowers in vivid blue, brick red let, lavender and flesh color. Excel-for rockery, low beds, borders or no dow boxes and pols; grows in any d soil, sow directly to garden, free ering, 9:in.

ANAPHALIS (ah-HAF-al-is)

Hardy herbaceous plants of which A targaritacea has been most popular. cri. Pearly Everlesting). Hardy her ous peremial plant with wooly foll. They are highly valued for driec rs. Cut flower stalks just before rs mature. Grows 2 ft. tall and thei stems and wooly appearance make excellent plants for the border or

ANAP-2. Pk. 25c ers, found at 12,000 feet in Should be a find for the

ANCHUSA (an-KEU-sah)

(Alkanet, Sea Bugloss). They are ent perennials for the summer bor namy positions; hardy, easily Eowering mid-July-September or ever

un or shade, but plenty of well rotted canure produces extra fine flowers. Hav-ag a tap root, care must be used not to reak if in transplanting; after blooming ut off flower stems, give some liquid canure to stimulate new growth for sec-nd blossoms till frost.

capensis, Blue Bird. ANCH-1. Pkt. 156 Biennial with indigo-blue For-Get-Me-No owers on well branched plant, HP, 4-5 ft

-Dropmore Variety. ANCH-2 Perennial with light blue flowers, especies on well branches plant, HP, 4-5-ft

- Lissadell. ANCH-3. Pt. 15:

Perennial with pretty gentian-blue owers, 6 it.

- Opal. ANCH-4. Pt. 15:

- —Opal. ANCH-4. Pkt. 15c Perennial with light blue flowers, espe-ally pretty in the border. His

iked Anchusas. ANCH-6X. Pkt. 10c ill of the above kinds and others as sived. Grown in your nursery planting, eautiful plant group of Anchusas can

ANDROSACE (an DROS-ah-see

(Rock Jasmines). A genus of true alpine muud and perennial plants, growing in ocky places above timber-line. Many require special handling in the alpine of ock garden. Leaves are usually tuited or nosette and often very wooly. Flowers mall, in red, pink or lavender, usually oone in rather lattened rounded clusters, lequires a dry gritty soil, good drainage ut not suffer from drought.

-cylindrica. ANDR-7. Pkt. 75c Tight cushions, l" tall, a fine Androsace, ut not easy, HP.

ANDR-8. Pkt. 750 ANDR-2. Pkt. 25c

nt not easy, HP.

-hirtella.
Similar to A. cylindric
ore hairy, 1" tall, RG,

-Hookerl.
A pretty little stoloned
ag on sandy peaty soil
are, brilliant pink, HP.

-sarmentosa. ferous plant il, flowers in

ANDR-4. Fat. Andrews of the easiest and best RG plants, acking wide mats of hairy aper-green osettes; umbels of small rose flowers on hort stems. HP, 3".

——chumbyi. ANDR-5. Pkt. 35c. A compact form, perhaps a hybrid, 3".

A con sempervivoides. ANDR-3, Pkt. 40

cosettes and spray: 3-6 in. tall. A good e choicest alpines ANDR-9, Pkt. 35c

ut self sows
3" HP, densely white or rose; easy
yunnanens ANDR-6, Pkt. 50

ANEMONE

CORONARIA: (Poppy-flowered Ane The spring flowing species are ve-tiful in both single and double flower ne). The spring flowing species are very secutiful in both single and double flowers are \$2.2½ inches are the spring flowers are \$2.2½ inches are the spring flowers are \$2.2½ inches are the spring flowers are the spring flowers are the spring flowers are spring flowers. They are no severe heat as well as severe cold; in allow sections of the East, South an outling the winter, but in the North they tended they are the spring flowers are the spring flowers. The spring flowers are the spring flowers are the spring for the spring seed should be sown in a cold frame, they erminde slowly. Plants are 1-1½ ft tall.

-Monarch. ANEM-2. Pkt. 15c A new Swiss variety of spring flowering

-Single Giant French Mixed. ANEM-3 A beautiful strain received the room France, having large single in the colors.

fine colors.

French Caen.

ANEM-6. Pkt. 15c

Single gight flower type in best colors Single giant flower type in best colors

-Hollandia, ANEM-41. Pkt. 20c
Very pretty bright red flowers with decimaters

centers.

—japonica.

Autumn flowering or lines flowers white or tipurplish to 3-in. across 3-ft. tall. ANEM-9. Pkt. 25 te or tinged with rose or across, Sept. to frost; to

St. Brigid. ANEM-7. Pkt. 20c

This is a true Irish strain of this very popular Anemone; flowers are double and semi-double, in a rich and brilliant color clend of white, shades and combinations of purple, red and blue. Is not hardy north of D. C. but a very popular type to the greenhouse for forcing.

— Creagh Castle Strain.

ANEM-7a.

A splendid mixture of this excercin. The Admiral. ANEM-7b. Plot. 20 couble carmine-rose flowers. Do ANEM-7c. Pkt. 20c -The Governor.

— The Govern Annual mixed. Double bright scarlet flowers. — His Excellency. ANEM-7d. Pkt. 20c An excellent scarlet variety. — Sylphyde. ANEM-7e. Pkt. 20c Single brilliant purple flowers. ANEM-3x. Pkt. 15c

Single brilliant purp Mixed Coronarias.

ROCK GARDEN SPECIES:

-albo-violacea. Al.EM-27. Pkt. 35c Small species from Anatolia, relative of pulsatilla; shallow white flowers with use reverses for weak natolia, relative white flowers with acrden. HP.

ANEM-1. Pkt. 20c ANEM-48. Pkt. 50 ANEM-31. Pkt. 25c

-biflora. A rare ad white ed. HP, ANEM-40. Pkt. 20c

Yerba Mansa ruatic; yields snowy 2½"

natu

HP.

demissa.

A most variable
in, to 3 ft. in height,
into to 3 ft. in height,
into the shady places in
border. It is impossible to pawill come of the seed, for not one,
the plant vary in height but has floweeither borne singly or in large bunches;
small flowers or large, ranging in color
rough white, blue, violet-purple, pink,
rough white, blue, violet-purple, pink,
in and golden yellow. It likes rather
soil, with light shade. Seed
in germination, HP.

drummondi, ANEM-32. Pkt. 50c A rarity for moist stony soil in a choice position in the rock garden; quite large white or soft blue flowers over finely cut leaves. Hp. 3".

Aves. 11. Round seed 12. Round seed

halleri.
Pulsatilla Halleri.
Pulsatilla Halleri.
Pustatilla Halleri.
Povered with silky lace, in June.

lesseri.

ANEM.35. Pkt. 50c
For sunny places, 5", white hairs; flowers lace, in June.

ANEM.35. Pkt. 50c
ANEM.35. Pkt. 50c
G.

——magellanica. ANEM-21. Pkt. 25c
A charming species from the Straits of Magellam having sulphur-yellow flowers, HP, 2 ft.
——Giant Form. ANEM-21. Pkt. 30c
A giant form, creamy white flowers and woolly seed heads, very hardy, 1 ft., HP.
—montana. ANEM-29. Pkt. 35c
Allied to A. pulsatilla, dark green folige and deep purple flowers, 1 ft., HP
multifida. ANFPAC ft., HP
multifida. ANFPAC ft., HP flowers, 1 ft., HP.
ANEM-34. Pkt. 35c
ifica. ANEM-42.
Pkt. 50c

Lemon-yellow flowers, 1" ac several raigricans. ANEM-43. Pkt. 50.

ANEM-43. Pkt. 50.

ANEM-43. Pkt. 35.

Flowers purple-black, belonging to the ulsatilla Group, 12" tall.

-occidentalis.

ANEM-33. Pkt. 35.

-occidentalis. AREM-33, Pkt. 35c
-patens nuttalliana. ANEM-13. Pkt. 25c
Good. Pasque Flower. Purple flowers in
arly spring before even its own wooly
aves unfold; easy as it is good, 6-10-in.
rll. April-May.

-pulsatilla v. Gayeri.

Pkt. 25c

ANEM-46, Pkt. 25c -pulsatilla, v. prater ANEM-44 pulsatilla v. a Pkt. 35c ANEM-10c

Pkt. 35c ANEM-10d. pulsatilla v. patens. Pkt. 35c ANEM-45. Pkt. 25c ANEM-10. Pkt. 20c

— pulsatilla. ANEM-10. Pkt. 20c
Violet flowers, likes chalky soils, pretty
spring flowering: April-May; 1 ft., dwarf
habit, plant in spring or fall.
— coccinea. ANEM-10a. Pkt. 50c
— Mrs. van der Elst. AREM-22.

A very rare form of this species in a ceautiful rose color, HP, 1 ft. — pulsarilla alba. Anem.38. Ptt. 50c Beautiful white form, 9" tall, HP. — rubca. A NEM.25. Pkt. 25c A very fine English form with deep redurple flowers, HP, 1 ft. — styriaca.

ANEM-28. Pkt. 35c

ANEM.25. Pki
purple flowers, HP, 1 ft.

styriaca. ANEM.28. Pkt
An early flowering form, very poin England, HP. Good deep purple.

privuleris.

One ft. plant with white flowerblue anthers, very free flowerdesirable. ANEM-24. Pkt. 30 white flowers and e flowering and ver

sulphurea. ANEM-8. Plet. 20c Pale yellow flowers;
-sylvestris.
Snowdrop Windslowe alpine type.

ANEM-37. Pkt. 50c wer. 12" tall, HP.

ANEM-17. Pkt. 25c

Pkt. 10c; ½ oz. 40c

for the cool border

wers. It is very similar

ora of the Alps and

virginiana. cylindrical woolly seed s or woods, 2 ft., HP

ANODA LAVATEROIDES

ANOD-3. Pkt. 30 -hastata.

In continuous inkly lustrous ps in opalir ue and pink. It. tall, HA.

-Snowcup.
Flowers shining ne
hiter flower. Plants
ense and formal in
all summer bloom ANOD-2, Pkt. 15c

ANTENNARIA (an-te-NAY-ri-ah)

(Everlastings or Pussy-Toes). Perennials planted in the wild or rock garden and also for dried winter bouquets. Grow in poor soil and easily propagated by seeds. The white-wooly leaves are clustered at the base of the stem and flowers are in

aprica. voolly leaves with or pink heads

less. ANTA-1. Pkt. 25c

ANTHEMIS (AN-the-mis)

(Golden Marguerite, Chamomile). Very tree flowering perennials with daisy-like flowers, blooms June-Sept. Does well or dry sandy solls and in full sun. Especially good for cut flowers. Sow seed in Ret April or early May, outdoors, or hey car be started earlier indoors. Thin plants it garden to ID-in. apart. Profuse bloomers from June-Sept.

-arabica.
A first class ANTH-3, Pkt. 20c

ellow now.
-kelwayi.

Pure golden yellow ANTH-1. Pkt. 10e -Reiwayi.

Pure golden yellow ost, slightly aromatic or go; fine cut flower, 2!

-montana.

Charming specimen white flowers in abuncowers, HP, 1 tt.

-nobilis.

(Charmomile). The we see by white flowers, F ANTH-4. Pkt. 25 dance, HP, I ft.

ANTH-6. Pkt. 30 red variety of this re for cut flowers

ANTH-5. Pkt. 25c

-Sancti-Johannis. HP, 3 ft. tall, de heads. A distill A. tinctoria; fro ANTH-7, Pkt. 15c

ANTHERICUM (an-THER-i-kum)

Tuberous-rooted herbs of the Lily Family aving racemes of small white lily-like lowers and long narrow grassy leaves. long narrow grassy les, St. Bernard's L le the North they mon nam

ANTIRRHINUM

Snapdragons are popular cut flo
toth in the garden and the greenle
tarly flowers can be had by starting in
doors in February or later on til
tyril. They are lender perennials
ust be grown as annuals. The
seing small, care should be used in
initiating them, they may be slow,
agus, known generally as the S
targon is the most important species,
lants outdoors as soon as frost da
s past. For winter bloom indoors
eed in the open in August and trans;
eedlings into pots: in more mild clim
eedlings into pots: in more mild clim
eedlings into pots: in more mild clim cut flowers

TETRA SNAPDRAGONS

tetraploid, Mixed, ANTR-14. Pkt. 25c
For the professional cutflower grower its is the most satisfactory Snapdragor is the most satisfactory Snape for outdoor growing; vigorous, never crippled with rust, big husky that sell quickly from flats. Stem strong and keep the flower stem and tips straight. Spikes 12" lon you have never grown "Tetra S do so this year.

MAGUS GRANDIFLORUM:

These are the tall large flowers they make execellent plants for door garden -Firefly.
Crimson and yellow :
-Primrose Queen. ANTR-la. Pkt. 15c ANTR-15, Pkt. 15c flowers in rich soft primrose.

ANTR-1c. Pkt. 15c Very large flowers Prince of Orange. In a beautitui o ANTR-1d. Pkt. 15c Pure white.

The Sentingl. ANTR-1e, Pkt. 15c A very bright crimson-scarlet with white throat.

A very bright crimson-scarlet with dark bliage. - Yellow King. ANTR-1g. Pkt. 15c
- Blend of above varieties. ANTR-1x.
- Pkt. 15c
- majes gr. fl. Giant Flowered Hybrids.

ANTR-1. Pkt. 25c; 1/16 oz. 40 This is a special strain of exceptionally ice flowers and colors, on robust plants

—Large Flowered Hybrids. ANTR-2 Pkt. 20c; 1/16 oz. 35c Pkt. 20c; 1 2½-ft. in brilliant colors. -California Giants, Mixed. Pkt. 20c; 1/16 oz. 35c 23/4-ft. tall, taller than majus group and individual flowers larger. ANTR-3

MAXIMUM:

Appleblossum. ANTR-2a. Pkt. 20 Canary Bird.
ANTR-2b. Pkt. 20c
A pure, soft canary yellow.

ANTR-2c. Pkt. 20c Copper King. ANTR-2d. Pkt. 20c

Old Gold. ANTR-2e. Pkt. 20c Purple King. ANTR-2f. Pkt. 200 A velvely adda.

Snowflake.

Snowflake. ANTR-2q. Pkt. 20c

ANTR-2h. Pkt. 20c
ANTR-2h. Pkt. 20c
A beautiful deep pink.
Blend of Above.
ANTR-2x. Pkt. 15c
A careful hand blend of the above
rieties. 1/2 oz. 70c.

FORCING VARIETIES:

flowering.

ANTR-F1. Pkt. 25c Afterglow. -Cheviot Maid Supre ANTR-F3 -Lucky Strike. ANTR-F4. Pkt. 25c The best pure white variety.

-Lucky Strine.
The best pure white value.
-Rose Queen.
ANTR-F5. Pkt. 25c
-Sunlight.
An improved Suntan; orange-bronze.
ANTR-F7. Pkt. 25c
ANTR-F7. Pkt. 25c

Yellow Wonder ANTR-F8. Pkt. 25c extro ANTR-F9. Pkt. 25c

Glorious. Blend of Greenhouse Snaps. ANTR-FX.

Pkt. 25c This blend is not a mixture, but a careful blend for the right colors for cutflowers. 30c.

otection and they also make fine co eenhouse plants or for use in law ses in the summer. They require entiful supply of water when bloomin ANTE-I. Pkt. 50c

-liliago.
A very neat species owers, HP, 18 in. liliast ANTE-2. Pkt. 50c (St. Bruno's Lily). Pu

NTE-3. Pkt. 50c -ramosum,
Perennial, 2½ ft.,
order or RG.
-undulatum.

ANTE-4. Pkt. 25 vnite flowers ive of S. Af. tection in N. o

ANTHOLYZA (an-il:ot-LY-zah)

A South African genus of leafy stemme clants of the Iris Family, growing from ANLZ-1, Pkt. 40c

paniculata.

ANTIGONON (an-TIG-oh-non)

A tendril climber grown in the N. as a lar hardy climber where it has a long blooming season, grows 30 ft. its good soil. In greenhouse it requires plenty of light and not too much root room. During summer it requires plenty of water and liquid manure it confined to tubs or pots. The tuberous root must be kept dry during its resting period during winter.

MAJUS NANUM

Black Prince. ANTR-3q, Pkt. 20c -Cottage Maid ANTR-3b. Pkt. 20c with v ANTR-3c Pkt 20c ANTR-3c Pkt. 20c Flame. -Golden Queen. ANTR-3e. Pkt. 20c

Rose Eclipse. ANTR-3f. Pkt. 20c

ANTR-3g. Pkt. 20c Pkt. 15c

MAJUS NANUM GRANDIFLORUM:

Semi-dwarf type with giant flower hed specially good for outdoor beds as v s for cut flowers.

Bonny Lass.

ANTR-4a. Pkt.

ANTR-4a, Pkt. 20c color Exquisite. ANTR-4b. Pkt. 20c

Golden Monarch. ANTR-4c. Pkt. 20c Lady Bird. ANTR-4d, Pkt. 20c

-Improved Nelro An extra ordinar ANTR-4e. Pkt. 20c

Orange Glow, ANTR-4f, Pkt. 20c St. George. ANTR-4g. Pkt. 20c -St. George.
Orange-cerise, a beautiful striking color.
Blend of above varieties.
ANTR-4x.
Pkt. 15c

MAJUS NANUM MAJESTIC:

An all around type, 2-21/2 ft. tall, making excellent flowers for both bedding and cutting; giant flowered. Avalanche.

Avalanche. ANTR-5a. Pkt. 20c The best pure warm.
Fire Dragon. ANTR-5b. Pkt. 20c

Orange King. ANTR-5c. Pkt. 20c A rich terrang into a dee

Pink Jewell. ANTR-5d. Pkt. 20c

Rose Marie. ANTR-5e. Pkt. 20c
A pretty salmon-rose with a golden

-Rose Beauty.
A brilliant pure rose ANTR-56. Pkt. 20c unset. ANTR-5q. Pkt. 20c A bright Twilight. ANTR-5h. Pkt. 20c

Blend of Majestics.

nanum, gr. fl. Mixed ANTR-5x. Pkt. 15c Large flowered, half dwarf plants, ex-ellent for bedding or cutting.

Super Majestic Mixed. ANTR :

This cannot be equalled for all around so. If is a fine strain in half dwarf arms with as many as 20 spikes per lant, 2-2½-tt. tall, cutting and garden isplay.

An excellent dwarf dad for bedding.

Amber Queen.
Light orange tinged with amber.

ANTR-6b. Pkt. 20c

Light orange unge.
Apricot Queen.
* heautiful apricot su

Apricot Queen.
A becutiful apricot statement of the commine King.
A deep carmine.
Orange Queen.
Glowing orange with
White Queen.
The finest white becomes ANTR-6d. Pkt. 204 ANTR-6e. Pkt. 20e Biend of Pumilum. Varietie

asarina,
ANTH-12. Fat.
Trail habit, large pale yellow flowers and cordate foliage, HHP*, best grown as

ANTR-6x. Plet. 15e

n annual, 6 in.

Rock Garden Hybrids, Magic Ca
ANTR-6. Pkt. A wonderful collection inches tall, in every nd suited for edgin color combination

Rock Hybrids ANTR-13. Pkt. 50e This is an English grown strain or blend nd of reselected types, coming highly ecommended, HP, 6 inches.

-leptopus. ANTI-I. Pkt. 15e

APHANOSTEPHUS

skirrobasis. APHN-1. Pkt. 25

AQUILEGIA (ak-wi-LEE-ji-ah)

(Columbine). One of the most valuable

LONG SPURRED SORTS:

—Blue Shades.

This is the finest st and in α most pleasir shades, 3-ft. long, spurr AQUI-3b. Pkt. 20

shades, 3-ft. long, spurred.

—Copper Shades. AQUI-3c. Pkt. 20e
A beautiful copper s. 1 and straw corella, 21/2 ft., a beautiful new strain.

AQUI-3h. Pht. 20c A very large flowered blue.

- Mrs. M. Nicholls. AQUI-3n. Pkt. 25c
A glorified caerulea with large flowers
and long spurs, especially good in blue.

Mrs. Scott Elliott Strain.

auster snades predominating, spurs and flowers very large.

—Rose Queen.

AQUI-3r. Pkt. 20c
Pkt. 25c
All pink shades in long spurred flowers;

Orange and Scarlet Shades

AQUI-3s. Pkt. 20c Selections of beautiful shades urred flowers

ed flowers, very choice.

Pink Shades.

AQUI-3p. Pkt. 20c

AQUI-3sq. Pkt. 20c

AQUI-3sq. Pkt. 20c

In graph of the control of

Dobbie's Imperial Hybrids. AQUI-9. Pkt. 20c

AQUI-19. -Mac's Long Spurred.

a strain grown by one of the eed growers in this country and ghly recommended for brillian

-Saier's Long Spurred Blend. AQUI-11

This is a carefully hand made blend of all the best long spurred varieties, and it will produce the most wonderful display of Columbines you have ever seen. AOUI-I. Pkt. 20c

—alpina. AQUI-I. Pkt. 2uc Excellent rock garden species, deep blue flowers in summer; 1½-ft. short spurred. —canadensis. AQUI-26. Pkt. 15c Yellowish or red sepals, spurs red; May-June; 2½ ft. The common American Columbine, HP.

chrysantha. AQUI-2. Pkt. 20c 1/16 ox. 40c (Golden Columbine). Tall branching, yel w flowers, with long spurs, May-August

Silver Queen. AQUI-4. Pkt. 20c rge flowered, white flowers. ematiflora hybrids. AQUI-13. AQUI-13. Pkt. 50c

Distinct in petal formation and something different; comes in bright colors, HP. 1½ ft.—

-coerulea. (Colorade or Rocky Mountain Black Columbine). 2-ft. tall, large, showy blue flowers, April, needs acid soil and deep shade. AQUI-6. Pkt. 25c

long-spurred crim HP. 2½ ft. AQUI-15, Pkt. 35c

AQUI-22. Pkt. 50c

AQUI-5. Pkt. 200 AQUI-30. Pkt. 50c TRUE, very large and white, 8". HP.

magnificent hybrid of rare and au-A. Alpina, easy, with lovely blue, hardy and easy to naturalize, 11/2 ft.

AQUI-12, Pkt. 256

alpina, 6", HP.
e. AQUI-31. Pkt. 50 rulgari erecta Edelweiss. AQUI-27 Pkt. 20

now-white flowers; makes a dandy rock arden Aquilegia.

-stellata simplex. AQUL-20. Ptt. 50c
A spunless species, similar to Clemati-ora and in various colors. EP. 1½ ft.

-Skinneri. AQUI-21. Pkt. 30c
A very distinct and desirable species tith crimson-red flowers having a green-h mouth, HP. 2 ft.

Torkington Dcuble AQUI-M. Pkt. 75c

A beautiful selection of double flowers in a great variety of colors; an English grown variety, highly recommended, HP, 2½ ft.

ARABIS (AR-ah-bis)

RABIS (ARCUPULS)

(Rock Cress). Annuals, biennials, and rerennials including many very pretty we growing border and rock garden lants all easily grown. They flower sery seely in pink, white or purple flowers in piril. May and into early summer. Prefer t summy place but tolerates some shade gird sandy soil is best, and bone meal ton-sed around the plants benefits the prefer of a country to the set of the

in apart--albida. ARAB-1. Pkt. 30c. -alpina. ARAB-1. Pkt. 15c: ½ oz. 30c This is a dwarf compact strain, forming reading utils covered with sheets of the write showers soon after show disco-quasy ones of the earliest plants to flower

grandiflora. ARAB-6. Pkt. 25c strain and a great

isition. HP, 6 inches.

-nana Compacta, ARAB-1c. Pkt. 15c
ry dwarf free flowering white, HP.

-rosea. ARAB-2, Pkt. 25c
very pretty bright rose colored strain

ARAB-10. Pkt. 25c

ARAB-3. Pkt. 250

mila. Snow Cap. ARAB-7. Pkt. 20c fuse white flowers over grey leaves ensable RG plant, 6", HP.

ARAB-9. Pkt. 50c

purpurascens.

igh; wants poor stony soil, full sun,
-Schneehaube. ARAB-4. Pkt.
A white strain from Switzerland,

-Saier's Arabis Blend. ARAB-5X. This is a carefully hand made blend the above with others included. A beciful collection of plants can be secur rom this blend with little cost.

ARACHNANTHE

(ah-rak-NAN-the)

Very showy climbing orchids, with large owers borne in drooping panides up it, it in length, with as many as 50 blooms red, orange, crimson or yellow flowers eey require same treatment as Vandaz e crchids for proper culture.

ARAC-1. Pkt. 75c ed flowers, banded

ARALIA (ah-RAY-li-ah): see Fatsia.

-sericofera.

-sericofera.

Silk Vine. White or pinkish flowers, 1" cross, start seed indoors early: keep ourm. Rapid growing, hardy to 15°; ever-reen.

ARAUIIA

—sericolera.

Silk Vine. Evergreen, rapid growing inte, hardy to 15"; white, fragrant flow.rs, abundant, 1" wide, all along the tem, resembling Stephanotis.

Schreibers Orange. PANS-23. Pkt. 50c.

ARBUTUS (AHR-beu-tus)

Evergreen trees and shrubs of Heath amily, attractive in the South but green touse plants in N. Red barked branches and dark green foliage.

—unedo.

Strawberry Tree, Best known, native of

ARBU-1. Pkt. 40c when y ree. Best known, native c with drooping clusters of white of flowers in fall, along with riperry-like berries, edible.

ARCTOSTAPHYLOS

(ark-toh-STAF-i-los)

-tomontosc. ARTO-1. Pkt.. 20c
Woolly Manzanita. White or pinkish
owers, grows to 15 ft.
-hicolor. ARTO-2. Pkt. 20c
Grows 6 ft., with rose colored flowers.

ARCTOTIS (abrk-TOH-tis)

Attractive daisy-like halt hardy annuals had one especially volucible for cut flowers. The flowers close during the night hey can be planted in any part of the auden and grow luxuriously in good soil and a sunny position. They are quick eminate and grow, producing flowers ill summer and fall; when cut they last 100 days with the bade sums.

-grandis. ARCT-I. Pkt. 10c: ¼ oz. 30c (Blue-eyed African Daisy). Flowers ray-ike are white on upper surface and lilac-olue beneath with the center or disc a teel blue. 2½-3-ft. July till frost.

ge Flowered Hybrids. ARCT-2

shades of yellow, orange, braze, lavender; almost constantly in lorful in beds or borders. I-ft. era. ARCT-3. Pkt. 20c d orange shades. scapigera.

Arctotis. ARCT-4. Pkt. 10c; of above kinds and others as

ARDISIA (ahr-DIZ-i-ah)

ARENARIA (ar-e-NAY-ri-ah)

(Sandworts). So called because they refer a sandy soil; a large group of low rowing annuals and perennials include growing annuals and perennials includ-ing mony high altitude perennials includ-ing mony high altitude alpine plants. Hothied growth is in dense mais, pictur-ficial to the property of the property of the which are excellent for carpet bedding or in the rock garden. The soil should be light and well drained.

junipering. AREN-4. Pkt. 30c White flowers very freely produced, IP, 4 inches. laricifolia. AREN-5. Pkt. 200

AREN-1. Pkt. 25c

4 ox. 30c

of Mont., white Very good, native owers, 6-8-in. tall, Ap

montana. AREN-2. Pkt. 200 Pure white flowers, HP.

Purpurascens. AREN-6. Pkt. 20c Rose-lilac flowers, tufted, decumbent owth, RG. -Mixed Kinds. AREN-X. Pht. 15c

ARGEMONE (ahr-je-MOH-ne)

(Mexican or Prickly Poppy). A free lowering hardy annual with large Poppy-like flowers in white, yellow and purple Poppy-like flowers have been been an expert for a hedge which is very pretty when topped with its beautiful flowers. Sood in any soil in a sunny position. They excent transplanting, so sow seeds where they are to grow during April. They flower all summer.

I summer.

-grandiflora alba. ARGE-2. Pkt. 15c
Very large flowered pure white, foliage
thite marbled. They would look fine in
hedge or large group.

-hybrida, grandiflora, Mixed.

ARGE-4. Pkt. 20c would look fine in

claryceras rosea. ARGE-1. Fit. 156 in easy annual in bloom for months h big Poppy-like flowers that range made blush, thru rose, to smoky crim the rist as a hedge or as plants in the other. with rom pale branch. Try it as

-Argemone Blend, ARGE-3X. Pkt. 15c;

fringed flowers. Note particularly the range of coloring in our strain, exceeding

ARISAEMA (ar-i-SEE-mah)

oup. A

peautiful ornamental flowers, spathe uss and beautifully netted white on ground; 18" tall, tuberous rooted, iosum. ARIS-1. Pkt. 25c as glossy purple, greenish and

ARISARUM (a-ris-AY-rum)

Arum-like plants differing from Arisaemanly in purely botanical characters; some pecies are quite hardy, all interesting to are and easy; partial shade or full sunparties.

-species.
ASAR-1. Ph. 50c
Collected by Dr. Hu in western China;
andsome leaves, scarlet fruits, shade
nirly hardy.

andsone activities and an indian plant of which we have no

ARISTEA (ar-is-TCE-ah)

Iris relatives with roestles of basal eaves and spikes of flowers with nearly qual segments, somewhat similar to isyrinchium. Greenhouse plants, except

ARIT-1. Pkt. 30 ckle

ARISTOLOCHIA

(gr-is-toh-LOH-ki-gh)

Birthwort. Mostly twiners, many grown greenhouses in rich soil. The flowers we an unusual shape and commonly was a Dutch-pipe. Easily grown from id. ARST-1. Pkt. 20c

er. Well known greenhouse acrdy south of D.C. Flowers with white markings, 3" ac

ARMERIA (ahr-MEE-ri-ah)

Thrift, Sea-pinks. Dwarf personal cally with narrow leaves and flow heads. They make excellent borrock garden plants doing best in positions, and well drained soil. See be planted in early spring till Aug

ritima. ARME-2. Pkt. 15c.
tall, flowers white to deep roseThere are many varieties of this
s, HP. na, v. alpina. ARME-2a. Pkt. 15a

ARME-3. Pkt. 15c 11/2 ft. tall. HD osa hybrids. -Lge. Flowered Hybrids. ARME-3a

Pkt. 25c

ARME-5. Pkt. 20 Welwitshcii, v. ster

ophylla. ARME-1. Pkt. 50

Perennial plants of Composite Family with clustered basal leaves and bright reliably flowers on long spikes, they are iffective in colonies in the wild garden growing rapidly in any acid soil and nultiplies rapidly.

nontana.

ARNII. Pkt. 15c
An old world plant,
tall and source of the medicinal tine
of arnica. Large heads of yellow ray
disc flowers, 34-in. clusters, thriving
anny position.

ARTEMISIA (ahr-tee-MIZ-i-ah)

(Wormwood). Hardy aromatic plants, mostly perennials or small shrubs. The flower is in heads and composed entirely of rubular disk flowers. Grown mainly for their aromatic and medicinal qualities and many fine for background planting in border or as au flowers. Species vary greatly but do well in average soil, fleights 6 inches to 12-ft. Flowers August thru September.

aru September.

-sacrorum viridis. ARTE-1. Pkt. 20c.

(Summer Fir). Fast growing foliage plant it in leaves and close pyramidal rowth 3-5-ki., splendid for groups or specien plants. Hardy Annual.

-REFEG. 20. 4.00

vulgaris. Antic. Pkt. 20c Erect growing, with leaves green chove ad white cottony beneath; heads of yel-wish flowers freely produced.

ARTHROPODIUM

(ahr-throh-POH-di-um)

Tufted perennials of Lily Family; growing greenhouses in N. and in open in the Easily grown; flowers in clusters leaves grass-like.

leaves grass-like.

—cirrhatum.

rom New Zealand, lily-like; flowers stems 3 ft., well bronched; carrying hundreds of small white flowers, excellent for nutting, NEW and well worth trying it shady border or pot, tender in N., May-lune.

ARUM (AY-rum)

They have large leaves and variously colored spathes. Some are hardy but many ender and require greenhouse terulment, cleant in rich soil, plenty of moisture and carried shade and if left undisturbed will produce better flowers from year to year. They form tubers.

-italicum.

Juckoo-Pint.

Creamy white flowers in spring; highly ornamental marbled foliage, evergreen in mild climates. 10".

in border or wild garden.

st in light rich loamy soil
than otherwise, well drained
Excellent for open woods.

nower. 1½-ft. tall.

—syriaca. ASCI-2. Pit. 20
Virginian Swallow-wort. Flowers in umpels in axils of the leaves, purplish-red
and pleasingly odorous, July-Aug., 3-4 ft.,
HP.

ASCL-3. Pkt. 20c tuberosa. Butterfly Plant. One native plants; large l orange-scarlet flowers, HP.

ASPARAGUS

The decorative species are easily grown out are tender plants in the N. Those isted below are grown for their green

-asparagoides. ASP-I. Pkt. 20c
-asparagoides. The Smilex of the Florist. A tender vine
rown in the GH. Seed can be sown
y time for this purpose.
-plumosus namus. ASPG-I. Pkt. 25c;

The most satisfactory for a house plant, easily glown from February sown seeds, taking about 30 days to germinate. Old established plants produce open recemes of small pinkish, fragrant flowers in May or June and cord-red berries about Xmas time. C/cos.

-rocemesc. ASPG-3. Ptt. 25c
Tall climbing under shrub with handome foliage. dense sprays of flowers.
-scandens, v. deflexus. ASPG-4, Ptt. 25c
A smaller form with deflexed branches;
owers nodding greenish white, scarlet
erries, 4 ft. vine.

ASPERULA (as-PER-eu-lah)

Used mainty in the rock garden or for expeting shody places, growing best in noists locations; easily grown. The leaves are in whortes and the flowers small lily-haped, in white, blue or pink.

Aspc-4.
An extremely graceful variety with long arthery sprays; makes ideal pot plant rowing as climber or in variety ordinary—inctorio.

ASPR-2. Pkt. 25c
Procumbent growth; flowers white, redutside, HP, I ft.

ASPHODELUS (AS-foh-del-us)

Member of the Lily Family and closely eloted to Asphodeline, having fleshy nots, narrow leaves and illy-like flowers, and Experimental and the control of the angle of the control of the control of the tems, with the leaves clustered at the case.

large white be, HP, 5 ft sp. from yranees. ASPH-2. Pkt. 50 Has tall spikes of whitish flow

ASPHODELINE

Asphodelus differs only in the flower tems being leafless and the folioge being lustered at the base; culture the same-lutens, "ASPD-1. Pkt. 25c. (King's Spean. Grows 2-4-tt., leafly ower stems and fragrant yellow flowers a racemes, 6-18 inches long; thrives in artial shaded border, ornamental seed ods.

ASTERS

CHINA OR COMMON GARDEN ASTER

Sow seeds indcore 6 weeks before time to set out in their beds which is after danger of frost has passed. Do not crowd, usually a foot apart and use care that they do not suffer a set back thru over watering, crowding or draught. It is best to transplant the seedlings cace, As the roots of Asters are shallow, use care it cultivating. Make succession plantings for continuous flowering periods, but when possible use different types which flower at different times. All strains offered are wilt resistant unless especially noted.

AMERICAN or VICK'S BRANCHING:

CREGO:

Plants robust, branching arge, double, blooms migeneral purpose type.

Enchantress (WR).

Lively salmon-rose, NEW ing, 21/2 ft., flowers mid-Aug. A good AST-40. Pkt. 150

Lively salmonrose, NEW.

AST-4b. Pkt. 15c

Peach Blossum (WR).

AST-4p. Pkt. 15c

Blend (WR).

AST-4x. Pkt. 10c

Oz. any above, 70c; (Oz. 1s; 1b; wss).

EARLY BEAUTY:

Planted at same time, will flower with fregos and American Branching, or early ept. till frost; plants 2½-3 ft., large well pamed flowers of excellent keeping audi-Azure Fairy.

Crimson.
Deep Rose.
Purple.
White. AST-6r. Pkt. 15c

GIANTS OF CALIFORNIA

Non-resistant strain.
of the Crego type, curis
make a fine cut flower

AST-14b. Pkt. 25-Finest Mixed. AST-14x Pkt. 25e
Any above, Oz. \$1.80; (Oz.

-Cal, Giant Sunshine, AST-3, Pkt. 15

-Crims

IMBRICATED POM POM:

Heart of France (WR). AST-116 P Wilt resistant. Brilliant red, n sized flowers, 14-2-tt. tall, late Au

Pyramidal 18" pl map double flower rulture or for cutting -Dark Bi

OSTRICH FEATHER:

Plants 2-21/2 ft., branching, bloomis nid-Aug. Plowers feathery double, in all-purpose flower. Wilt resistant.

AST-2r. Pkt. 15a AST-2r. Pkt. 15a AST-2p. Pkt. 15c AST-2p. Pkt. 15c AST-2v. Pkt. 15c AST-2x. Pkt. 15c -Bright Rose.
-Crimson.
-Malmaison Pink.
-Pure White.

PRINCESS: Wilt Resistant. Afractive new cut ype, 2-2½-ft. tail, branching, early, 3 inch flowers on strong stems and with

white of special importance

AST-16s. Pkt. 20 SUSAN. NEW. True deep blue

AST-16n, Pkt. 20c

AST-16s. Pkt. 15c 2.00. (Oz. ces). ARKET:

Balet Queen.
A fascinating of AST-17b. Pkt. 15

AST-17c. Pkt. 15c AST-17v. Pkt. 15c AST-17w. Pkt. 15c AST-17a. Pkt. 15c

Single, Choice Mixed, AST-1, Pht. 10s

Fascinating new Aster type, called becutiful in the world, 45-in. across posed of a single row of loosely plouter petals which contrast with the unyellow quill-like center; 2-3 ft. tall, e to mid-September.

GIANT COMET:

Each above, Or. 90c; (C

LATE BRANCHING:

LILLIPUT:

AST-12s. Pkt. 20c AST-12w. Pkt. 20c AST-12wr

AST-16d. Pkt. 20 n important ner

QUEEN OF THE MARI Very popular branching, 20-in.

EARLY GIANT.

(ants of Caf. or mid-Aug. 18 Bine. AST-6. Pkt. 15c; 14 oz. \$1.00 Marie. AST-7. Pkt. 15c; 14 oz. \$1.00 dd. AST-8X. Pkt. 15c; 14 oz. 85c

SUPER GIANTS OF CALIFORNIA.

Wilt resistant. flowering asters, early August, on the early cut flow

UNICUM: (Cactus Flowered)

Wilt resistant. Finest large flowered, neavy stem W.R. Aster yet developed; flowers large Giants of Col. type, 1½-ft. toll. Early blooming 48 weeks earlier than Giants of Col. or mid-Aug.

This is the largest and most fully d Aster class known; flowers 6.8-in, a full petaled, graceful, interlacing p Plants 21-ft, tall, 6-8 long, non-la-

PERENNIAL SPECIES OF ASTERS.

AST-19, Pkt. 15 len species, violet on 6-in, plants, i AST-88.

Ast-88.

Ast-88.

Ast-88.

Ast-88.

Ast-88.

Ast-88.

Ast-99.

Ast

AST-33. Pkt. 35 arge

AST-20. Pkt. 15c AST-23. Pkt. 20

AST-67. Pkt. 20

AST-22. Pkt. 15c

layender with yellow center ally on foot high stems, R.G. or order, I ft., HP. AST-25. Pkt. 150

AST-34. Pkt. 30 on strain of these separately; this named varieties

AST-36, Pkt. 40c
dwarf race of Asters
line, white, rose and
inches.
Gem Pink.
AST-67. Pkt. 50c
AST-39, Pkt. 50c
ith large blue flowers,

AST-30. Pkt. 15c ads tufted with many atumn and found in

In every respect of 12-in. tall with brill of good size, end of

1½ ft., HP

Aster Blend. AST-23X.
Pkt. 15c; ¼ oz. \$1.25
be blend containing not only
add but also many others.

stephus sinesis). Single mixed, tall growing; very useful for growing and for cutting, branching and free flowering, HHA. 2 ft. outhcourt Beauty Mauve. AST-61. Pkt. 25: ve flowers, tall branching habit, iff stems, and highly recommended

uve flowers, tall stiff stems, and high atting, HHA, 2½ ft.
Apple Blossom.
Lavender Queen.

AST-82. Pkt. 25c.
AST-83. Pkt. 25c.
AST-84. Pkt. 25c.
AST-85. Pkt. 25c.
varieties of large
deed for cutting and
especially for this
m out for this purish grown and purish grown and purbest of cuttum cut ney are English 1, them the bes HHA, 1½ ft.

ASTILBE (a-STIL-be)

ous plants with long and shown of white to red flowers, in sum sily forced in winter, the consideration which leads to consider money the plants; sow the plants and the plants are the plants and the plants are th rea of the florists).

ATIL-BI. Pkt. 30c

ATIL-2. Pkt. 50

STRAGALUS

(as-TRAG-ah-lus)

deeply cut leav white flowers in in light sandy ASTB-1. Pkt. 25

ASTRANTIA (as-TRAN-shi-ah)

ASTN-3. Pkt. 50c

wers white or ASTN-2. Pkt. 50c

ASTN-1. Pkt. 35 rock garden plan hite flowers, does

well also along walks. HP. 2 ft.

AUBRIETIA (au-BREE-shi-ah)

(Faise or Purple Rock-cress). Lowing perennial and an excellent spo

DELTOIDEA

AURR-17, Pkt. 250 have been

AUBR-17. Pkt. 150 A IIRR-17bb. Pkt. 20c

This is the specie,
Bougainvillei,
Dark blue flowers
— Purple.
— Campbelli.
Ageratum blue.
— Eyrei.
Most beautiful blu AHRR-17e, Pkt. 20

blue.

AUBR.17g. Pkt. 20c
d Hybrids.

AUBR.17g. Pkt. 20c

and beautiful creeping
beds or the rockery
carpet of blue, crimson
for weeks; a gem for
in rocks or wails, 6-in,
is are vastly superior to
as in both size and color

Henderso. Leichtlinii,

AUBR-17r. Pkt. 25c rered variety; seed, but you will ge

-Whitewell Gem. AUBR. 17x. Pkt. 15c

AUBR-16. Pkt. 250 Dark green followers, 6", HP. Horplena.

Semi-double to double plors, tr. HP.
Crimson King.
A very pretty crimsor
Gloriosa.
A beautiful large anglish grown, HP, tr. AUBR-10. Pkt. 40

-graeca. AUBR A dwarf light blue, trailing -hybrida Monarch Strain. AUBR-5, Pkt. 200 AUBR-11

A new English grown strain of Aubrica, well recommended, HP, tr. well recommended, ... rs. Lloyd Edwards.

A beautiful violet-purple variety from agland, HP, tr.

-rosed splendens. AUBR-14. Pkt. 50c. One of the best; large bright rose colored flowers, HP, tr.

-Vindictive. AUBR-15. Pkt. 50c. One of the interested flowers, HP, tr.

AUBR-7X. Pkt. 15

AUCUBA (AU-keu-bah)

Evergreen strubs with large arramental coves withstanding a smoky atmosphere; obscart of shade. Not reliably handy N. fD.C. Grown in tubs or pots in N. where I makes a beautiful porch or terrace decoration. For a display of the attractive carried betries the female flowers must be estilized by the male plants. To winter clamts, keep in cool place and plants or

ACUB-1. Pkt. 25 ourse maculata. ACUB-3. Pkt. 50c attractive shrub with golden varies of the college, HSh, 4 ft.

AVENA-1, Pkt. 15c AVENA sterilis. Animated Oats. 3 ft. tall, panicles to 1 ft., the florets moving by hygroscopic action. Sow early in spring. Ornamental

AZALEA (ah-ZAY-le-ah)

AZALEA (ch-ZAY-le-ch)

Azaleans are among the most beautiful flowering shrubs and range in all heights up to 20 ft, and is many beautiful colors. They require a day rich arid soil and as they are also rich arid soil and is best with their allure, which see. It is best to start them in frames and later in peace to the see the see to the see the see to the see to the see the see to the see the s

BALLOON VINE.... BALSAM, Gard

BALSAMORRHIZA

(bahl-sam-oh-RYZ-ah)

Balsam Roots. An American ge Composite Family having Sunfler Rowers. The roots are large, a tabers. They are nice plants in places in the wild garden.

sagitiata.

Leaves like shield.

ta. BALS-1. Pkt. 15 like shields, blossoms like sur 1½-2-ft. tall, having tap roo

BAPTISIA (bap-TEZ-i-ah)

rdy personnial tegominous ping as high as 6-ft. Foliage a with indigo-blue, white or ye are resembling Lupines in farming in the border or wild garden, utting, blooming late spring to ner, foliowed by short plump become black. Easily grown, be at shade, and best to start see record.

hive flowers growing 34ft tail to most popular, tune and Jely. 2½-in. long. Tallest species.

12 ISSUES \$1.00

BARLERIA

Hot house ev

lapalina.

Sub-shrub, thorny, with long narrow dar green leaves with a red midrib and yello flowers. For the greenhouse in N. Milkwort. Annual and perennial plan and shrubs. The hardy sorts best in ligsoil; the lender sorts only for the S. or greenhouse; sow seeds in Fall or Spring-apecies.

Drought resistant sub-shrub from S. Rhodesia; pure white flowers in bloom summer; good for large RG, not har in N. RARL 2 Pkt. 50

BARTONIA. See Mentzelia li BAUHINIA (bau-HIN-i-ah)

Mountain-ebony. Tropican trees, and wines of Pea Family. In the hey make a fine showing with thei ul racemes of white, purple and

white flowers,
Tree, 20 fi BAUH.-2. Pkt. 20 BAUH.-3. Pkt. 25

green. Tree, 20 ft.

-ccumhada.

This species can be raised as an annual
in the flowering the first summer when
array pot plant; white flowers 2-3" across.

-condecti.

-hookeri.

-hookeri.

-reg with crimson-edged white
flowers 1½ in. long in terminal racemes;

BELAMCANDA

· (bel-am-KAN-dah)

China and Japan. Iris-like plants with out root stalks, HP, and valued for eir flowers and black berries, easily own in sunny situation and sandy loam chinensis.

BEAL-1. Pkt. 20c BEAL-1. Pkt. 20c

chinensis.

BEAI-1. Pkt. 20.

Blackberry Lily. 4 ft., flowers orange spotted with red, in fall they form a seed head of black berry-like that dries well and used in small corsages. Roots in spring or fall, 25c each, 6 for \$1.00, pre-crid.

FILS OF IRELAND, see Molucella.

BETA (BEE-tah)

Common name, Beets. A very few sort

dracaenaefolia. makes it valuate beds or border.

BHUIA

BHUJ-1. Pkt. 25c

BEANS (Ornamental)

Scorlet Runner, BEAN-1. Pkt. 15-

old favorite for climbing up por ers of the most intense scarlet; ha most beans, very ornamental useful as a shell bean. 10 ft.

REAUMONTIA

(boh-MON-shi-ah)

the U.S. (We would be pleased to hear from anyone having grown it here).

—grandiflora.

BEAU-1. Pkt. 40c
Herald's Trumpet. Grown in greenhouses and outdoors in the South.
Inside, plant it in a bed, training the vine to the roof; large fragrant white flowers, trumpet-shaped, in terminal clusters; prune wood back well for next year's flowers.

RERRERIS

A deciduous species with very highly solored foliage in the autumn, 3 st.

BERB-3. Pkt. 25c

BERB-3. Pkt. 25c

be easily grown

chunbergii.

Hardy shrub that can be east com seed and very commonly indscaping or for hedges. 4 ft.

thunbergii airopurpurea. BERB-1

(Red Leaf Barberry). The seedling arely show anything but the desired deep urple-red leaves; sow seeds very early

REGONIA

This is a very large and varied group of acculent, and partly shrubby, plants ound in warm regions of the earth. There are been counters unmbers of hybrids med varieties developed so that the distance of the earth of of

SEMPERFLORENS:

ERFLORENS: This is a dwarf cor prower and almost an everbloom popular as a summer bedding pla or winter flowering under glass. in many beautiful varieties. I sest grown as annuals.

Bedding Queen.
A dainty shade PEC 2h Phi 50

Christmas Cheer. BEG-2c. Pkt. 50

BEG-2d. Pkt. 50 -Glo

BEG-21.. Pkt. 50c A strong grow He de France. BEG-2g. Pkt. 50c BEG-2h. Pkt. 50c

Dwart, BEG-2j. Pkt. 50c BEG-2k. Pkt. 50c

white the control of the control of

md in a bright salmon. Fiery dark scarlet flow BEG-2m. Pkt. 50c

BEG. 15. Pkt. 25c

BEG-23. Pkt. 50c

Limpia
sp. everblooming.
Pink Bedder.
Enect habit of growth, best and very florisrous.
Rose Pernl.
Bright rose flowers muclourain; very good for pc.
Salmon Queen.
Salmon-ted, dark foliag pot culture. BEG-2p. Pkt. 50c BEG-2w. Pkt. 50c

BEG-2x Pkt. 40c A blend of best named varieties in the semp, group. This is a high class

SEMPERFLORENS GRACILIS:

se are more compact and dwarf as excellent pot plants as well and plants.

BEG-3a. Pkt. 50c REG.3b. Pkt. 50c BEG-3c. Pkt. 50c BEG-3d. Pkt. 50c BEG-3e. Pkt. 50c BEG-3e. Pkt. 50c and seeds, brigh osa. Prima Donna. Red Pearl.
Reproduced from

BEG-3f. Pkt. 50c Rose Pearl -White Pearl.
Large flowered, pure white. white. BEG-3x. Pkt. 40c

BEG-G6Q.

Pkt. 50 Pkt. 50c

A very choice variety for pots.

—gracilis Rose Jewel. BEG-G61. Pkt. 50c

Tuberous; this is a fine variety with

NOTE: All the above Begonics are of
the very best quality and suitable for
the most particular greenhouse growers,
as well as for the gardener.

Mixed. BEG-26 Andean speci

Pkt. 50c This is a very fi pecies, mainly from the attractive to Beg andersonii. BEG-1. Pkt. 250

BEG-28. Pkt. 75c ferruginea. BEG-F9. Pkt. 50c BEG-F3. Pkt. 50c

small very leafy plant, 1½ ft.
hite tinged rose; good baske Fibrous, flowers wand conse BEG-G1. Pkt. 25c gigantea. BEG-9, Pkt. 25 josephi. BEG-3. Pkt. 25c

BEG-11, Pkt. \$1.00

BEG-12. Pkt. 25

This is a hand made mixture of all kinds (Begonics, made especially for those anting to grow all different types. If pur hased separately would cost many dol

BELLIS (BEL-is)

English Darisy). Herbaceous annuals or perennials. They need a fertile moist sail with plenty of sun. They need of sertile moist sail from seed planted in the full and wintered over in the cold frame of lowers will be produced from early sown seeds in the springs. They grow a lower seeds in the springs. They grow sown seeds in the springs. They grow sown seeds in the springs. They grow sown is colonizing in the laws the colonizing in the laws the seed of the seeds of t

CHEVEUSA: Crimson.
This type ouble. BELL-3r. Pkt. 25c BELL-3w. Pkt. 25c BELL-3x. Pkt. 15c -Rose. -White. -Blend.

MINIATURE: Small flowered type bedding. GALLEY SIX—SAIER—

RELL-9r. Pkt. 20 Rosea.
Red.
White.
Blend BELL-9d. Pkt. 20c BELL-9w. Pkt. 20c BELL-9x. Pkt. 15c MONSTROSA:

growing plants Giant flowers, ne for bedding. Red Beauty.

BELL-6r. Pkt. 20c BELL-6z. Pkt. 20c BELL-6p. Pkt. 20c BELL-6w. Pkt. 20c BELL-6x. Pkt. 15c Rose Beauty.

Pink Beauty. White Beauty Blend above. Single flowers,

MONSTROSA TUBULOSA:

BELL-8w. Pkt. 25c

pink, double. 3ELL-8r. Pkt. 25c Etna.
Double dark red flo Double vellow flow BELL-Sy. Pkt. 25 BELL-8c. Pkt. 25c

BELL-8x. Pkt. 20c PERENNIS FL. PL.:

The regular double is bedding and for Longiellow.
An extra double, i BELL-Sr. Pkt. 15c ngiellow.
extra double
ngiellow. Ros
extra double BELL-Sz. Pkt. 150 Vesuvius. RELL-5b. Pkt. 15c

BELL-Sp. Pkt. 15c RELL-5w. Pkt. 15c Snowb BELL-Sx. Pkt. 15c Any of above \$2.00. (Oz. cis). BELL-2. Pkt. 25c

BELL-14x, Pkt. 10c

Very small plants Mixed, All Types.

BESSEYA (BES-se-ya)

JERUSALEM OAK, see Chend

Closely related to Synthyris and more interesting for their leaves than for the usually pale or even petalless flowers. Quite easily grown in a gritty soil cich in humus, preferably in light shade, suitable for the rock garden, but of botanical rather than horticultural interest.

BESS.2 Pkt 50c -nova. Blue flowers.

Blue flowers.

-rubra.

BESS-1. Pkt. 25c
Brownish heart-shaped leaves and short
pikes of petalless flowers; the long aners are bright red-purple and in such
umbers that they make the plant quite
ttractive; known to westerners as "Kitmatuls." For the rock garden, in light
hade. HP, 6 inches. BESS-1. Pkt. 25c

BIDENS (BY-denz)

Closely related to Cosmos and resembles with its divided leaves and clustered eads of yellow or white ray flowers.

BIDE-1. Pkt. 20c dahlioides Mixed. Large dahlia-like flo

RETULA (BET-eu-lah)

BETU-1, Pkt. 50c -utilis.
This species comes from

BILLBERGIA (bil-BUR-ji-ah)

These are air plants growing on trees or rocks like orchids; they grow in most any situation and in pots containing peak moss, leaf mold or soil or combinations of them; 80% leaf mold and 20% rotted manure is also good. Partial shade and water in the cup formed by the leaves are the two requirements. They are well worth growing for their interesting foliage worth growing for their interesting foliage. hem; and a silve good.

Mater in the cup formed by the the two requirements. The worth growing for their interest and graceful and beautiful flower indoors in the N. during BIL.

nobile.

BILL-1.

Largest of the varieties both and flower; flowers bright pink a nobile.

AILL-2. Pkt. 40c Strap-shaped green ack, 2 ft. long; large reen blue tipped flowers

BIXA (BIK-sah)

Tropical trees with large leaves and showy flowers in terminal panicles, pink in the species offered; hardy in the S. or may be grown in the greenhouse.

-crelland.

-Amartto Tree. Grown in Florida for its dye, which is used in butter and cheese. It is easily grown from seed.

BLOOMERIA (bloo-MEE-ri-ah)

S. Calif. herbs of the Lily Family.

BLOO-1, Pkt. 20c -croced.

Golden Stars. Like a pure yellow accor or large Allium with wide open or in large umbels on wiry stams to owers spring; hardy but in colder ons much and grow in pots; sun.

BOCCONIA (bok-OH-ni-ah)

Trees, shrubs and herbs of Poppy family those stately appearance makes them specially desirable for background plant-

BOCC-1, Pkt. 25c

BOENNINGHAUSENIA

Similar to Thalictrum and requiring the

A very dainty cous gray leaflets snow-white Thalictru er; for R.G. or albiflora. lant with small grand a profusion of am-like flowers in late front of border, 1 ft.

BOLTONIA (False Chamomile). Tall perennials grown n the border or in groups in the wild

latisquama.

BOLT-1. Pkt. 28c

Very good, bluish white to pink airy

risies blooming at leasts 2 months, 5-ft,

BOLUSANTHUS BOLO-1, Pkt. 50c speciosus.

Phodesian Wisteria. Tree

BOMAREA (boh-MAY-ree-ah) S. Am. twining plants grown in cool GH or outdoors in South, partial shade and

BOMA-1. Pkt. 250 Andean Species.
From Columbia outh or in the GH.

BOMBAX (BOM pake)

Silk Cotton Tree. Large digitately divided leaves and very showy flowers in lusters; tender, for the southern gardens

clusters; tender, for the southern quadeus:

or queenhouse.

—malabaricum.

The red or scarlet, rarely white, flowers are over 6 in. long, in clusters near the lips of the branches; very showy large tree.

BOUGAINVILLEA

(boo-gin-VIL-ee-ah)

Strong growing shrubs grown in green-souses in N. but in Flor, and Cal. they nake showy outdoor climbers; easy to grow; sunshine.—Hybrids, Finest Mixed.

BOUG.1.

BRACHYCOME (brak-i-KOH-me)

(Swan River Daisy). Herbaceous annuals and perennials with generally brancing stems and solitary or loosely clustere needs of daisy-like flowers. als and solitary heads of daisy-like flowers. IBERIDIFOLIA: Covered throughout the

Covered through star-shaped blooms in, tall, graceful plater or rock garde—Blue.
—White. BRAK-1b. Pkt. 10c BRAK-1w. Pkt. 10c BRAK-1p. Pkt. 10c BRAK-1p. Pkt. 10c

CHSO-3. Pkt. 50c

-Red Star. BRAK-1 .. Pkt. 10c -Blend of above. BRAK-1x, Pkt. 10c

BAERIA (B-ri-gh)

-aristata. BAER-1. Pkt. 200

BLOOMERIA (bloo-MEE-ri-ah)

Calif. herbs of the Lily family, gras basal leaves: wheel-shaped flower BLOO-1. Pkt. 20c

BOTTIONEA

-thysanoloides. BOTT-1. Pkt. 50c One bulbous perennial high; white flowers 1/2"

BRIZA (BRY-zah)

(Queking Gress). Ornamental grasses frown mainly for bouquets, drying or for pecimen plantings. They are estimated town from seed. There are several small annuals and perennials, and called an area gracunt of the spike-

BRIZ-3. Pkt. 15c: 1/4 oz. 25c maxima. BRIZ-2. Pkt. 15c; 1/4 oz. 25c

BRODIAEA (broh-di-EE-gh)

Hardy on west coast and in S. They can be grown in the N. in rock gards or careful protection. They are excelled a careful protection and they are excelled a careful protection and the second with the secon

BORD-2. Pkt. 50c BORD-3.

ght blue compact heads; sun or light and elue compact heads; sun or light made, heavy to light soils. 6"-12". HP.

-coronaria. BORD-4. Pkt. 50c.

The most beautiful of the Bradiaca; this leacted strain has 5-15 upright gention use lily-like flowers to a stem; a rarity, avey clay loam, full sun or very light lade, 6"-12" tall, HP. BORD-1, Pkt. 20c

glasii. ft. high with royal ent cut flower. Pre-pil in sun or part . It produces few hendersoni. BORD-7. Pkt. 50c

Very choice species, iped brown, sun or heavy loams with hu-BROD-8. Pkt. 50c

Soft yellow fi -orcuttii. From Calif. BORD-10. Pkt. 25c

-puchella.
Flowers in eavy to lig BROD-6. Pkt. 30c BROD-9x. Pkt. 35

Made up of all species, including to try out this fine genus.

Herodicae Blend.

BROD-9x. Pl.

Made up of all species, including to try out this fine genus.

BROMELIA (broh-MEE-li-ah)

Tropical American perennials with long iff leaves with spines along edge se a showy basal rosette; flower stem deals of the spines and the spines are spines and plents in the M requiring rich loam of plents of rotted manure, water spar ally in without plants in the M. requiring rich loam of plents of rotted manure, water spar ally in without plants.

BROM-1. Pkt. 50c mbian species. comes from Col

BROWALLIA (broh-WAL-i-ah)

free flowering annuals, 1-1½ ft. tall dking excellent bedding plants. The blue is make intense showing in the blue tion of a garden. Set at least 6" apart least soil, they silit plants ar pot pla . Start

BROW-1, Pkt. 156 BROW-3. Pkt. 25c

FROW-4. Pkt. 20c iscosa, Sapphire.

BRUCKENTHALIA

(bruk-en-THAL-ya)

BRUC-1. Pict. 40c

BRUNNERIA macrophylla: see Anchusa.

BRUNSFELSIA

(brun-FEL-zi-ah)

-americana.
Lady-of-the-night. Shru
hite fading to yellow,
ery fragrant at night. BRUN-1. Pkt. 50c tubular 4"

BUCHNERA

Fulse Verbena. Dainty herbaceous pla om S. Rhodesia, 1 ft. tall, bright mau owers, for Rock Garden. hendriquesii.

BUDDLEIA (BUD-lee-ah)

Butterfly Bush. Deciduous or half eve een shrubs or trees belonging to th Declarous or half ever trees belonging to the and only a few are hardy ey grow rapidly and are They are easily grown there should be much in hybrids from them. Start for the first year.

BUDD-5. Pkt. 30c

BUDD-1, Pkt. 30

Ball). Hands standing a few deg in bloom with the om Chile striking round h 15 ft. BUDD-2. Pkt. 50c colvilei.

large tender shru rlayas and said to be of all the Buddlei es of purple or crir e eye, TP, to 20 ft. BUDD-4. Pkt. 25c

BULBINELLA (bui-bi-NEL-ah)

Perennial plants of fily family native w Zealand and S. Africa having fles flowers in dense clusters stalks. Plant in spring e in the border or RG, n of bare

ight yellow flowers 2 ft. tall.

BULVSANTHUS

BULV-1, Pkt. 25c -speciosus. Grows 8" tall, rose flow

BUPHTHALMUM

Ox-Eye). Showy composite plan rennials, 3-4ft. tall, with large coarse leaves and yellow flowers, culture, requiring a dry sunny prhey are useful for bold effects towo back of the perennial border. Sow early in Spring when they new year. for bold effects toward ennial border. Sow when they usually flo

BUPH-1, Pkt. 15 grandiflora. -salicifolium.
A neat border pla root runner and ft. BUPH-4. Pkt. 15c nt with yellow flowers spreads rapidly, HP

BUPH-3. Pkt. 45c showy Hungarian species with age and yellow flowers, HP, 5 ft.

CACALIA-see Emilia.

CACTUS

ACTUS

Succulent perennicis, varying much in pir form from tree-like growths to very call plants. Many are not considered with the property call plants. Many are not considered with the property call plants and plants grown in pots which ke garden, plants grown in pots which we desired the plants for growing in the use of the select plants for growing in the select plants for growing in the select plants for growing in the select plants. While some are seril plants, may be the property of the plants, and the best come from tropical regions and of which are seril plants, may be presented by the plants, and the plants and the plants of the plants of the plants, and the plants of th

-cereus, Mixed. CACT-1. Pkt. zuc A mixture S. Am. cereus cactus seed, lants being very much like cereus perulanus. One of the fastest growing types, owers white, very large and appear only glishs, fruit bright red and is like a decious apple; grows tall with arms very under the Arixona Giant Cactus. CACT-1. Pkt.

(Twisted Rib Cactus, Strawberry Cactus)
he delicious fruit taste very much lik
trawberries, native of S. Texas and N
fexico, grows in clumps having as many
s 100 heads at times; 4-in. In height in
years, flowers are rich reddish purple
bout 2-in. across opening noon to 5
clock. April-june.

ferocactus mizlizenii. CACT-3. Pkt. 15 (Barrel Cactus). Very beautiful sceresert plant, stems globular to cylindric ten very large to 6-ft, or more; flower clusters at top of plant, yellow in cole ant dark green, growth 3-in. diameter

mental Mixed. CACT-4x. Pkt. 25c CALAMINTHA (cal-α-MIN-tha)

Aromatic plants, including herbs and mall shrubs, with whorles of tubular covers, 2-lipped, from white to purple; of only useful in the herb garden, many te also attractive in the sunny rock garen where dwarf easily grown shrubs re hard to find; also used in front of order, all are quite hardy and easily rown in sunny places, in ordinary soil stanically very close to Satureia, which cludes Summer Savory.

CALMAL Phy 30c. CALM-1. Pkt. 30c

CALANDRINA

(kal-an-DRIN-i-ah)

COLD-1. Pkt. 20c

CALANTHE (kah-LAN-thee)

Mostly tropical terrestrial orchids we are very popular; they are easily go by following a few cultural requirements have beautiful long racements. ne very popular: they are easily grown are very popular: they are easily grown by following a few cultural requirements. They have beautiful long racemes of white, rose or pink flowers. They are well worth growing. See Orchids.

—brevisonum.

CLAN-1. Pkt. \$1.00

CALCEOLARIA

(kal-se-oh-lay-ri-ah)

A very large genus found in Central and South America, comprising prostrate creepers, rosetted plants and shrubs. All have pouch or slipper-shaped flowers, suculity of yellow, often with dots and epiotches of other colors.

—https://doi.org/10.1001/j.j.ch.2001/j.j.ch.2001/j.j.ch.2001/j.j.ch.2001/j.ch.2

—biflora.

—biflora.

Hardy and easy with bright golden flowers on 5" stems, HP.

Columbian Species. CALC-7. Pkt. 50c.
These should be of special interest to lose growing Calceolarias.

-crenatifolia.

-ALC-5. Pkt. 50c.

-Crenatifolia.

-ALC-5. Pkt. 50c.

-CRENATIFOLIA Pkt. 50c

olia. CALC-5. I l, short lived but reseeds llow flowers for moist

Dippe's Pansy Flowered CALC-4, Pkt. 50

A NEW type Calceolaria offerer irst time and developed by the hippe firm in Germany. The ficultuble pouched and in the most colors and combinations. This is grandiflora, Mixed. CALC-10. Pkt. 50c

CALC-9, Pkt. 50c

many These

1/2 oz. 30c CALC-3. Pkt. 35c with small yellow mexicana.

caxicana. CALC-3. Pkt. 35. cm annual species, with small yellow pers in profusion in summer; likes a moist shady place and should be very py in the fern bed, HA. 1 ft. cabiosacebia. CALC-11. Pkt. 20c pight 2 ft., pale yellow, flowers ½" and ½" across,

all Flowered, Mixed. CALC-8

pcial Florist Strain in bright colors make excellent pot plants.

CALIFORNIA POPPY. See Eschscholtzi

CALENDULA (kah-LEN-due-lah)

They are definitely cool weather loving lants and in the warmer climates should a sown in the fall for early bloom in the ten winter and early spring. While they ke full sun they cannot stand the burning sun of summer. In colder climates eed should be started in the cold frame and plants set out as soon as possible for the spring and early summer bloom. In alming Calendulas be sure you choose proper type for your needs. The outcanting Calendulas be sure you cho be proper type for your needs. The cor growing sorts are sturdier, more coach growth and much beker for gra-ne, while the forcing varieties for gre-buse use are best for indoor growing.

Ball's Extra Double. CALN-16. Pkt. 20c An improved free flowering, bright

A deep gorden Ball's Masterpie ce. CALN-16m. Pkt. 20 -Ball's White

Moonlight, chrysantha. CALN-1. Pkt. 10c: -Campfire. (Sensation). Large by carlet sheen, somew CALN-2. Pkt. 10c Corniche d'Or. CALN-3, Pkt. 10c

Frilled Beauty. CALN-4. Pkt. 10c -Hollandia. CALN-17. Pkt. 15c Extra double flowers of deep orange on Extra double long stems, a good strain for

Indian Maid. CALN-18. Ph CALN-19. Pkt. 15c

Mammoth Orange.
The best extra larg

Market Tangerine. CALN-21. Pkt. 15 -Meteo Double

orange ust grow

Orange Fantasy. CALN-23. Pkt. 15 Sunshine. CALN-8. Pkt. 10c

CALN-25, Pkt. 20 igold. Correctly listed under ca annua. Annual, flowers or purplish above, purplish

Sunshine CALN-9. Pkt. 10 gracefully curled oute ed center petals, long emum-like flowers, cut

CALN-7. Pkt. 10c; ½ oz. 30 Radio Golden Beam. CALN-7g. Pkt. 15c

Yellow Colossal. CALN-10. Pkt. 10c; Large Chrysantha type but more

Pkt. 10c; oz. 50c Special varieties and strains for green

Mixed Art Shades. CALN-12X. Pkt. 10c; oz. 50c in many varieties. CALP-17x

A fine blend of varieties in all colors that corner in the garden or for broad sating in waste places. It is, too, a fine ower for display or cutting.

Mixed Calendulas.

CALN-24x.
Pkt. 10c
doing best for the comm. \$1.25 (css).

CALLA LILY: see Zantedeschia. CALLIOPSIS (kal-i-OP-sis)

Listed here are the annual species of the genus Coreopsis. They are hardy annuals, easily grown and make bright and cheerful garden flowers. Sow seed early in April where they are to grow and thin plants to 6-in, apart if you want a strong growth. The usual height is 2-3 feet and they should be planted in the border in groups; excellent cut flowers, Most of the

e. Annuals to 2 ft. tail;
"across, long stalked and
rays; very good for cut
grown. Golden Wave. wer heads 2" e flowers in a wers, easily g

-Mixed. -Gold Crest. CALP-7x. Pkt. 10c CALP-7q. Pkt. 15c Golden Crown. CALP-7c. Pkt. 10c.
Golden Waye. CALP-7GW. Pkt. 10c.
Pure yellow with dark brown center

ni-dwarf Mixed. CALP-23x. Pkt. 10c Bicolor. CALP-1. Pkt. 10c Semi-dwarf Mixed.

—Tall Bicolor.

CALP-1. Pkt. 10c;
Double and semi-double flowers in briliont combinations of yellow and machogmy and are much more showy in gardens
and bouquets than the single varieties;
lefinitely a better strain, 3-ft.

—bicolor marmorata. CALP-2. Pkt. 10c;
Bright golden marbled with wallflower

Crimson King. Dwarf; red flowe CALP-4. Pkt. 10c;

drummondi, Gold Crest. CALP-7.

Pkt. 10c; ½ oz. 40c

Another NEW novelty in a rich golden
yellow with a reddish brown zone; flowers 2½-3-in. across and semi-double, 18-in.
ichl.

- Golden Crown.
Brilliant golden y CALP-R. PM

Brilliant golden yellow with glossy aroon center zone, 18-in. tall.

Golden Ray. CAIP-3. Pkt. 10c;
Dark purplish brown center with broad olden-yellow margin. Dwart.

-nigra speciosa . CAIP-9. Pkt. 10c
Ournity reddish narroon flowers. CALP-5X. Pkt. 10c; tall and in all co

Dwarf Goblin. CALP-6X. Pkt. 15c; of 6-inch plants in vel-A novel mixture of 8-inch plants in yellows, reds, browns and pleasing bloolers in these extra dwarf plants. Here should be an extra good strain for covering large care spaces, quickly, requiring low colorbare spaces, ful plants,

TINCTORIA:

TINCTORIA: (elegans or mamorata).
Showy border plants and fine for cutting; rays yellow, crimson-brown at base and disk brownist-purple, HHA, 1-2½ ft.

Dwarf Gold and Crimson.

CALP-19.

-Dwarf Sulph Beauty.
Elegant variety of dwgolden flowers, crimson-cardaminifolia. Semi-dwarf, with bloc-bicolor.
Yellow and brown flow CALP-21a. Pkt. 10a

CALP-11, Pht. 250 In rich, dazz.
Golden Sovers
A NEW English
How, ideal be CALP-18. Pkt. 25c

-hybrids.
Double hybrids CALP-17. Pkt. 10c Double hyprida hybrida superbo New hybrids in CALP-17a. Pkt. 15c

hybrida ...
New hybrids in ...
Lemon Queen.
Tall lemon-yellow, or cutting and borde ...
marmorata.
nuecensis,
Large flowered stra CALP-12. Pkt. 25c ed zoned, excellent

star of Fire.

CALP-13. Pkt. 25c
A mass of Cactus-shaped fiery red A mass of Cactus
owers, 9 inches,
-The Garnet.
Covered by a mu
carlet flowers, 1½ ft. CALP-14. Pkt. 25c

CALP-15. Pkt. 25 1 ft. Pretty. xed Tinctoria Varieties. CALP-16X.

CALLISTEPHUS see Asters.

CALLIRHOE (Kal-IR-oh-ee)

Poppy Mallow. N. Am. annuals and perennials, picturesque lobed foliage and showy flowers of pink, red or reddish purple, long in bloom; thrive in poor sol and suitable for dry places.

—involucrata.

Wine Cup. Buffalo Rose. Low perennial of real handiness with vivid colored flowers, of claret-crimson, cup-shaped, blooming all summer, 30". HP.

CALLUNA (kah-LEU-nah)

The true hardy Heathers, they are had adapted to cover dry sunny sleey require a line free soil and magautiful effect especially when pla drifts of several forms.

ruligaris.

CALL-1. Pkt. 40c
All the harddy Heathers are derived
om this species; grows 2 ft. tall with rosy
ink flowers in late summer.

CALL-2. Pkt. 50c

e of the best varieties with white -vulgaris St. Patrick. CALL-3. Pkt. 50c Red-brown foliage, 4-6" tall, from the orter collection, flowering in Aug-Sept.

CALOCHORTUS

(kal-oh-KOHR-tus)

(kal-ch-KOHR-tus)

W. Am. plants of Lily Family forming corms and bearing bell-shaped, lilac, yellow or white flowers. They are known under such common names as: Mariposa Tulips, Sego Lily and Fairy Lamier. They are of great beauty, showing many exquently into and markings and varying quality form. Hardy in the N. but should be priected against winter heaving. Open the positions in light soil and should be well and should be we albus.

4" long, white all, HP.

CALO-5. Pkt. 25c

CALO-6. Pkt. 25c CALO-6. Pkt. 25c CALO-9. Pkt. 30c of C. concolor x C. hybrid. CALO-2. Pkt. 250

CALO-3, Pkt. 35 -mawcanus.

Pale lovender cups with black spot of band of petals, flowering in early spring; the easiest and most permanent of the genus in the East prospers in heavy woodlend soils in sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock garden plant.

**This is a sun or half shade; rock g

Weedil. CALO 8. Pkt. 25c Flowers yellow dotted with grown 2 ft. tall.

CALPURNIA (kal-PUR-ne-ah)

Trees or ative of S. flowers in race and grown outdoor in N: orrection

CALTHA (KAL-thah)

Small succulent perennials
N. Am., of Crowloot Family.

leptosepala. CALT-4. Pkt. 50c.
Similar to C. biflora, but 4" high. HP.
-rotundiolia. CALT-1. Pkt. 25c.
Glossy atrowshaped leaves and rather
nge white flowers with a heart of golden
thers; beautiful for wet places in sun

scaposa.
For marshy places; flowers yellowarf, with be

CAMASSIA (kah-MAS-i-ah)

No. Amer, bulbous plants of Lily Family awing blue or white flowers in graceful accesses and natrow grass-like foliage, defectly hardy, plant in groups of 10 r more, 344in. apart, in border. The small pecies are good tock awders, argues under the small pecies are good tock awders. neemes and narrow grass-like foliage, effectly hardy, plant in groups of 10 r more, 3-4in apart, in border. The small pecies are good rock garden subjects.—quamash. CAMA-1. Pt. 15.
The common Camass, blue flowers, 18.

he common Camass, blue flowers, 18-tall, very good, May June. eichtlini, CAMA-3, Pkt. 35leichtlini.

Pretty purple to white flowers, indient to type of soil, doing well in sun for naturalizing in meadows, 18".24".

Sculento,

CAMA-2.

CAMA-2.

Retty for soil of soil of

CAMPANULA

(kam-PAN-eu-lah)

canterbury Bells, Bell Flower, Hare Bluebell). Blennial and perenn a a few annucls. There are a g sy species, of which we carry an ionally large number. The annucls led from early planted seed and nicis usually indoors early in Men they usually flower the first y did the perennicis in the require

mulched with leaves where the are severe.

—annual Mixed. CAMP.1. P. A strain that will flower first sown early; blooms in 5-6 months, in the border and a good cut flower ft. tell.

C. Medium:

This species is the well known conterbury Bell, in all its forms. They be biennials, Flowers June-July, 3-ft.
-White. CAMP-8W. Ptt. 15c -White

Single Mixed.

Double Mixed.

Double White.

CAMP-9Sx. Pkt. 10e CAMP-9Dx. Pkt. 15e CAMP-9W. Pkt. 15e C. medium calycanthema: Lavender. Lilac.

Pe.
CAMP-10X. Pkt. 15c
CAMP-10V, Pkt. 15c
CAMP-10I, Pkt. 15c
CAMP-10Z, Pkt. 15c
CAMP-10VB, Pkt. 15c
CAMP-10W, Pkt. 15c CAMP-17. Pkt. 25e

A low grov CAMP-18. Pkt. \$1.00

CAMP-19. Pkt. 40c

Sitions; flor Hortus, it CAMP-20. Pkt. 25c

CAMP-3. Pkt. 15c Carpatica, Blu CAMP-4. Pkt. 15c white. Sar

Same as above, ex.

— Dwarf Hybrids.

New dwarf varietirck gardens; this is strain, HP 6 inches.

— Isabel.

A distinct and goodfat blue flowers, HP CAMP-21. Pkt. CAMP-22. Pkt. 35c

9 inches. CAMP-23, Pkt. 50c CAMP-24. Pkt. A

ing compact m, HP, 1 ft. CAMP-25. Pkt. A charming of lowered form, HP -celtidifolia.
A fine border spwith pale blue flora.

- lactifiera.
Handsome strong gro
o pale blue, HP, 2 ft.
-collina.
Deep blue, 10", HP.
-elatines v. garganic CAMP-52. Pkt. 30c

P. CAMP-7g.
Pkt. 20c
CAMP-80. Pkt. 70c
CAMP-80. Pkt. 70c

CAMP-82. Pkt. 25c CAMP-8. Pkt. 15c drabifolia.

fragilis.

A rare type, celestial blue, fine for models of in pots, HP.

Cabridge Blue. CAMP-8C. Pkt. 15c.

garganica.

CAMP-7. Pkt. 15c.

Garganica.

CAMP-28. Pkt. 50c.

CAMP-28. Pkt. 50c.

s, hairy foliage, dwarf

CAMP-30. hybrid with lil-

Pkt. with upright flow lers rich and lers rich and ed, HB, 2½ ft. CAMP-57. Pkt. 50c CAMP-57. Pkt. 50c

CAMP-26. Pkt. 35c CAMP-65. Pkt. 35c light blue helfs 3'

S. CAMP-32. Pkt. 30c Very large b owers in abundance d, HP. 2 ft. CAMP-33. Pkt. 30c sty of this fine border

ZAMP-48. Pkt. 350 CAMP-49. Pkt. 35c cies with great clusters is as large as those of tragrant and floriferous, ng into wide sheets but border plant for sun rily summer, 3 ft., HP. tine form.

CAMP-55. Pkt. 50c truding style CAMP-61. Pkt. 35c

CAMP-64. Pkt. 50c

profusion; separat CAMP-27. Pkt. 30c

al white io...
s, June-July.
m Giant. CAMP-38g. Pkt. 20c

m Beauty. CAMP-38b. Pkt. 20 CAMP-40. Pkt. 350

CAMP-41. Pkt. 30 with sprays
July, 4" HP.
i. CAMP-42. Pkt. 35c
little plant with
HP, 6 is a charming little plant w.

CAMP-35. Pkt. 15 CAMP-63. Pkt. 250

CAMP-188, Pkt. 15

CAMP-15y. Pkt. 25c and). HP. The true mass of large light g., very showy, 1-ft. this species for the

m gr. fl. CAMP-16, Pkt. 10c

CAMP-45. Pkt. 400

CAMP-46, Pkt. 40c CAMP-44, Pkt. 50e

Very distinct ue flowers, HF color and appearance es of straw-yellow bells, appy. HB, 1 ft.

cies, Mixed. CAMP-47, Pkt. 50c

strain of species CANDYTUFT ...

CANNA (KA-nah)

ike room the compound of the c which should be in Feb. or Man in the hard shell soak it in warm esting new kinds of

CAPSICUM (KAP-si-kum)

FRUTESCENS:

CAPS-3. Pkt. 20 of Or CAPS-2. Pkt. 20c

Small ornamental fruited type especially grown as a pot plant in the GH for the holiday trade.

CARICA (KAR-i-kah)

Tropical tree-like herbs of which the narcensis. CARI-1. Pkt. 500

CARDIOSPERMUM

(kahr-di-oh-SPUR-mum)

(RGBr-Gr-Oh-SPUK-mum)

(Balloon Vine, Heart Seed). Hardy arnuals and perennial vines excellent for covering wire fences or trellises, growing of 10-ft. The seed pods are inflated like balloons. Quic' growing, graceful, deeply att leaves and small white 4-petialed flowers. Sow seed where plants are to grow they can be started indoors. Light soil and sheltered spot.

ve-in-a-Puff or True Ball seeds, sometimes they as 40 days to germinate.

CARDUUS (KAHR-deu-us)

(Prumeless Thistle, Silybum). Vigoror bust, spiny-leaved annual and perenniants with purple tubular flowers, verificing in both flower and foliage, someting very antomental, grow well in a linguistic flower of the control of the co

prescription of the product of the p

CDUS-1. Pkt. 15c flower, 4-ft. tall. al, white CARNATION See Diemth

CARTHAMUS (KAHR-thg-mus)

(Bastard Saffron, Safflower). Spiny leavenuals, flower heads purplish or yello CATH-1. Pkt. 15 lse-saffron). Produces two in commerce, HA, sow where plants are to bloom

CASSIA (KASH-ah)

(Senna). All are sun lovers, doing best a sandy loam soil, very attractive with ely cut foliage and showy flowers.

artemisioides.
Wormwood, Shrub Senn
ub with silvery, threa
le yellow flowers. Dry
far N. CASS-2. Pkt. 25c ana. An Australian ad-like leaves and places; not hardy

fasciculata. CASS.I. PM 15 An easily grown shown annual; plant aceful fountains of pinnate foliage se-ith golden yellow flowers flaked crimso-base of petals, 20-in.

CASS-2. Pkt. 15

CASS-4 PH 50 I. Tree to 50 ft., bright pindense racemes and cylindrica long; Asia; for South.

CASS-3. Pkt. 20 ornamental plant with pretty

CASTILLEJA (kas-til-EE-yah)

Painted Cup or .ndian Paint rilliant orange, red or rose braces re very rare due mainly to diffic rowing them; they do not tra-sally. Where grown, they ma tractive showing in the border of they do not transplant grown, they make an g in the border and will

CATANANCHE

(kat-ah-NAN-kee)
Hardy perennial, 2 ft., blue eads, June-Aug., everlasting fl daisy-like

caerulea bicolor. CATA-1b. Pkt. 20c Flowers blue edged with white, HP. CATA-1. Pkt. 20c Carulea. CATA-1. Pk Capids Darts. Flowers first year ruly planted seed; excellent in becorder and for cut flowers. Also s "everlostings"; grow best as bie swing seeds anytime during sun overs blue.

CATHCARTH

-villosa.

A Himalayan Poppy often regardea
Meconopsis; deeply lobed, heart-shap
aves, golden flowers much like Leclar
appy; culture same as Meconopsis, 1 CART-1. Pkt. 500 Poppy; ft., HP.

CATTLEYA (CAT-tah-lay-ah)

CEANOTHUS (see-ah-NOH-thus)

CEAN-8. Pkt. 25c rers, shrub 6 ft.; leaves heen, thick. crassifolius.
White flowers,
of gray-green,
Blue flowers,
or wall; fo

CEAN-4. Pkt. 20c

CEAN-3, Pkt. 304 integerrin

-leucodermis.

Spreading Lilac.

om S. Calif., to

the to white, Marc

-prostratus.

This is one of the

or the rock garden,

an or very light si

try or leaf molddivaricatus). Shrub ft., flowers smoky CEAN-1. Pkt. 50c

oicest dwar wers blue t le, gritty so creeping e -pumilus. CEAN-2. Pkt. 50c CEAN-6. Pkt. 20c

(to sinch

1 4 4 4 3

(see-droh-NEL-ah)

Tender plant; a very fragrant herb.

CELOSIA (se-LOH-shi-qh)

(Cockscomb, Chinese Woolflower). Pelar annuals, all easily grown from s and for early plants seed can be sta indoors. Do best in a fertile soil and different types have varied uses, from plants to all types of bedding. The Cocomba are the Species, argentea. All types listed as cristata, plumosa, chi are Jurns of C. argentea. Start seed doors in March to produce plants to outdoors late in May.

CHILDSI or CHINESE WOOLFLOWER:

Mixed. CLOS-1. Pkt. Plants such branched, each tipped round wooly flower, dandy for gassplay and cutting, lasting well, 24t. CLOS-1. Pkt. 10c

CRISTATA or COCKSCOMB:

DWARF VARIETIES:

with large showy heads for their their best effect is in beds or pots. showy.

-Aurea. CLOS-2a. Pkt. 20a Dark golden yellow heads.

Dark gones. CLCS-2e. Pkt. 20c Dark velvely crimson-maroon heads of enormous size, foliage red; a carefully reselected strain for bedding, plants dwarf, left. The head's hold their color during winter when used as an everlasting flower.

President Thiers. CLOS-2t. Pkt. 20 (Glasgow Prize)). Similar to Dwarf Em sign Priz-1). Similar to Dwarf Em with val ety-crimson combs an foliage, 10-in. An excellent dwar

Rose Beauty. CLOS-2r. Pkt. 20c Soft rose colore
-White Beauty.
-Blend of above. CLOS-2w. Pkt. 20c CLOS-2x. Pkt. 15c

ALL VARIETIES: for large beds and for display rder; they grow 2-3 ft. tall,

CLOS-5. Pkt. 10c -Tall Crims Bright crimson, unif-Tall Royal Velvet. CLOS-6. Pkt. 15c

d of colors. CLOS-3x. Pkt. 10c Red, white, orange, pink, yellow Plants fall, 11/2-ft., for bedding.

LILLIPUT VARIETIES:
Dwarf varieties, 11/2-2 ft.,

CLOS-5f. Pkt. 20c es. CLOS-5g. Pkt. 20c CLOS-5x. Pkt. 15c Mixed Dwarfs.

GILBERT'S HYBRID COCKSCOMB.

Gilbert Celosias for dried flowers and florist use. The and should be a planting.

CLOS-9. Pkt. 25 Green Gold.

An unusual color combination of phades, ball-shaped flower heads, at silvery green that, as flower heads, etc., becomes flushed with light rose old, 30-in. tall, leaves bright green. Seful as a cut flower and in the sew border. This is the only Colos ate that will take a good color die has been dried for winter bouquets. Very

thas been dried for winter bouquet

Harlequin.

A new introduction by Mrs. Gilbe
1949. Bush type developing both bas
ide branches until it is a perfect m
solor; color starts as a pink-tipped
jold that turns to salmon then a
thell pink when fully developed in
leight 18", uniform in growth, I
oright green. Makes a fine pot
asting a long time; does not fade.

Maple Gold.

CLOS-8. Pk
Hoves! w ballshared flower bear CLOS-18. Pkt. 250 pot plant

—Maple Gold. CLOS-8. Pkt. 25c.
Lovely ball-shaped flower heads of phase tipped with gold, leaves bright great as the suitable for semi-dall border, very useful for cut flowers, dries well for win-ter pouguets.

CLOS-10. Pkt. 256 Mammoth but a local mammoth but a local mammoth but a local mammoth a local ma

PLUMOSA or FEATHERED CELOSIA:

CLOS-4x. Pkt. 10c

fume. CLOS-4g. Pkt. 20c Bright golden yellow pl -Little Guy. C Cerise-red, very showy. -Pride of Castle Gould. CLOS-4t. Pkt. 25c

Pride of Castle Gould. CLOS-4p.
Pkt. 20c
Select strain, large fluffy plumes in scart crimson. 3-ft.

riet Ph CLOS-4s. Pkt. 20c CLOS-4n. Pkt. 20c owy terra-cotta color, for c

eds.

-Tall Fire Plume. CLOS-11.

Red foliage, each branch endi
reat fire-scarlet plume, excellent
er of large beds, 3-ft. CLOS-11, Pkt. 20c

CLOS-4TM. Pkt. 20c

Very showy for bedding, in choice cight colors, 2½-3 ft.

-Thompsoni, Red. CLOS-16. Pkt. 10c 30-in. tall, bright red plumes.

CLOS-17. Pkt. 10c 30-in. tall, bright — Yellow.
30-in. tall. golder-Fiery Feather. CLOS-17. Pkt. 10c

cLOS-15. Pkt. 25c; Dwart Florist Strain, bright scarlet lumes, for bedding or pot culture, unimitype, 1-ft. tall.

-Mixed.
Blend of the C. plum magnifica type. ft.

3-ft.

CELMISIA (kla-MIS-ah)

-ceriacea Monroii. CELM-1, Pkt. 75c
A striking New Zealand plant with
idvery foliage and large pure while
laisy-like flowers, HP, 1½ ft.
-congifolia. CELM-2, Pkt. 50c
A very hardy mountain daisy from Tasneania; long narrow leaves, white daisies
pped with pink or mauve, 6 in., HP,

Herbaceous annuais and peren ingie and double flowers and ilume or pompom-like. There pecies, all of value in the grardy and thrive in ordinary gartiven a sunny location, till to frost, free flowers. the garden Bloom or they
The folioned seeds pl
can be somials.

CENT-3e. Pkt. 10c

CENT-5v. Pkt. 10c CENT-5z. Pkt. 10c CENT-3x. Pkt. 10c -cyanus, Mixed. Batchelor Ross

PECIAL STRAIN OF BACHELOR BUTTONS

Black Boy. CENT-5. Pkt. 10c

Blue Boy.
-Pinkie. CENT-7. Pkt. 10c

Red Bo CENT-8. Pkt. 10c CENT-9. Pkt. 10c CENT-10X. Pkt. 10c oz. 60c: 1/4 lb. \$2.00

DWARF BACHELOR BUTTONS:

These grow about 12" high and make ne pot plants, in small beds, or in

CENT-2a. Pkt. 10c -Jubilee Gem.
This is a dwarf, nly 1-ft. high w CENT-2j. Pkt. 15c bushy, compact plans to dark blue double cially suited for edging, tod to Areason 'steptog This is a dwa aly 1-ft, high owers and espo wering, hardy

CENT-11. Pkt. 25c

biles Gen.
-Lilac Lady.
-Purple Prince.
-Victoria.
Dwarf plants with CENT-2d. Pkt. 10c CENT-2p. Pkt. 10c CENT-2b. Pkt. 10c -Dwarf Mixed CENT-2+ Pbt 10

C. IMPERIALIS:

(Giant Sweet Sultan). Hybrid between the constant and its variety alba, from flowers life soft thistles, in whit ose, illac and blue. They add beauty the garden and are excellent cut flower. e garden at 2-3-ft.. HA.

Grazi CENT-15g. Pkt. 15e colored flowers CENT-15z. Pkt. 15c CENT-15k. Pkt. 15c CENT-15b. Pkt. 15c

C. MOSCHATA: Fragrant, white, yellow flowers, 2-in. across oft and fluffy, HA. CENT-22. Pkt. 25c The Bride

— The Bride.
Large pure white floor variety. HA, 2 ft.

suaveolens.
(Yellow Sweet Sulta ellow flowers. CENT-18y. Pkt. 15c

CENT-18b. Pkt. 10c CENT-18p. Pkt. 10c CENT-18w. Pkt. 10c CENT-18x. Pkt. 10c

ng solitary thistle-across, 3-ft. tall ept. CENT-2. Pkt. 10c -White. andrewsii, ENT-14. Pkt. 50c argentea vera candidissima. CENT-3.

Hardy perennial, 1½-tt. tall, yellow owers and silvery leaves.—dealbata, Rose Delight. CENT-12. Large and attractive flowers in mauve-se pinnate foliage, very pretty. HP ½-tt.

CENT-13. Pkt. 10c depressa.

(cyanoides). syn. (Queen of the conflowers, dark blue, HA, 1-th. CENT-14. Pkt. 20c owers, dark blue, H.

-gymnocarpa.

Dusty Miller. Peren.
white woolly, flowers

-macrocephala.

Enormous, very dot
an 3-4-tt. plants, July CENT-16. Pkt. 10c

contana.

CENT-17.

Inge brilliant blue lace flowers rebling the annual blue Conflower but across. June-Septl. 2-3 ft.. HP.

CENT-17w. Pkt. 10c.

CENT-17w. Pkt. 10c CENT-22. Pkt. 20c pale yellow flowers ruthenica. 3 ft., HP,

Hardy Perennial Blend. CENT-20X This blend contains only perennial

Centaurea Blend. CENT-21X. Pkt. 10c

CENTRANTHUS

(sen-TRAN-thus)

Annual and perennial plants a amily growing well in open be eeds; have dense terminal clust ar garden flowers

acrosiphon, Mixed. CENS-1. Pkt. 10c inual growing 2 ft. tall, with pretty inual growing 2 flowers

CENTROPOGON

(sen-TROP-oh-gon)

ging b

CEPHALARIA (se-fah-LAY-ri-ah)

Annual and perennial plants blooming om june to Aug., with flowers similar to nose of Scabiosa, useful both in the order and for cut flowers; colors range om creamy-white to various yellow tins and does well in odinary garden soil.

-tartarica. CFPT-1. PMT. 25c
Tall robust habit; flowers sulphur colored, HP, 5 ft.

CENTAUREA (sen-tau-REE-ah) | CERASTIUM (se-RAS-ti-um)

-alpinum CERS-2, Pkt. 20

Biebersteinii

tomentosum. CERS-3. Pkt. 15

CERATOSTIGMA

(ser-ah-toh-STIG-mah)

hardy perennials om the Orient; flo

CERA-1, Pkt. 50c

CERCIS (SUR-sis)

Judas-tree Red-bud tree. Trees and trubs of the North; very ornamental and awing red or pink flowers early in spring efore leaves appear.

-occidentalis. CERC. Pkt. 40c

CERC. Pkt. 40c

CESTRUM (SES-trum)

Shrubs and small trees nativegions and grown in greenhand outside in the warm pountry. They make attractants with their bright flower attractants with their bright flower attractants. arm parts of the attractive winter

aurantiacum.
 Orange flowers, fine green shrub.

CHAENACTIS

Western Composites with heads of white yellow ficwers, easily grown, good order plant

—douglasii.
Bride's Bouquet.
Mont., white flowe
1-2-ft. tall. CHAE-I. Pkt. 20c

CHAENOMELES

(ke-NOM-el-ezz)

- lagenaria. CHAN-2. Pkt. 40c Shrub to 5 ft. brick red flowers, yellow rab fruits. CHAN-2C, Pkt. 40c

-cathayensis, trub, 8 ft., pinl s; large green

perflorens CHAN-3. Pht. 25 CHEIRANTHUS (ky-RAN-thus)

Perennials, many ranking am nowiest. The Wallflower belon owiest. The Walliconus. Cheiranthus haum, which may be erested in producing the Wallflower is allionii. Erysimum csperum. CHER-4. Pkt. 15c

Siberian Wallflower. kewensis.

(Winter Wallflower). A orm. flowers primrose cher indoor blooming, HA CHER-1. Pkt. 15c A hybrid of bushy

Wallflower). Pale lilac, HA.

-linifolia (Alpine

CHENOPODIUM

(kee-no-POH-di-um)

A few species are consequently sed for greens and herbs.

sed for greens and herbs.

CHEN-1, Pkt. 15c

Graceful green

effects;

CHILOPSIS (ky-LOP-sis)

Desert or Flowering Willow.
xas to Calif. and Mexico. A
rub or tree to 20 it. bearin
ives to I ft. long and handsom
impet-shaped flowers, Illac col
yellow strips inside, borne
minal racemes. -linearis. CHIL-1. Pkt. 25c ering Willow. Native ad Mexico. A decidu 20 ft. bearing nam and handsome crim

CHIONODOXA

(ky-on-oh-DOK-sah)
Glory-of-the-Snow. A hardy spring hulbert CHIO-1. Pkt. 25c

This variety has flowers enters, flowers is blue; 8".

CHIRITA (ki-REE-ta)

Very rare and little-known relatives of loxinia and Steptocarpus, with trumpel-haped flowers of pink, blue, purple, or acle yellow. They should be given the sme treatment as Gloxinia or Saintpaulia lihough it is possible that some species, oming from very high altitudes, may be utily hardy. They should be tried by all y hardy. They should be dirers of gesneraceous pla bably be useful for hyl as for their beautiful flo -species. CHIR-1. P
Came to us undescribed, and
name, from India, but certainly
growing.

CHIRONIA

Flowers borne on slender stems; bright ink, plant 2½ ft., very pretty. Fine for arshy ground or pond, summer.

CHRYSOPSIS (kris-OP-sis)

(Golden Aster). Daisy-like plants with rellow flowers on 1-3-ft. plants, at home in the dry sunny part of wild garden, CHSO-3, Pkt. 50c

falcata. This is re

CHRYSANTHEMUM

(kris-AN-the-mum)

GARDEN ANNUALS

CARINATUM:

CHRY-la. Pkt. 10c CHRY-1b. Pkt. 10c Burridgeanum.

-hybridum double fringed. CHRY-35 Beautiful English mixture ybrids in double flowers. I

chameleon. CHRY-1c. Pkt. 10c. Chlameleon. CHRY-1c. Pkt. 10c. Colden chamois, scarlet and yellow zone CHRY-Id. Pkt. 10c

-- Cocarde. White and crimson -Dunett's Double Hybrids. CHRY-ln

Extra choice strain of CHRY-Ins. Pkt. 10 —Scarlet. CHRY-Inw. Pkt. 10c.
—White. CHRY-Iny. Pkt. 10c.
Eclipse. CHRY-1e. Pkt. 10c.

luteum. CHRY-ly. Pkt. 10c rellow -nivelli. Rich CHRY-16. Pkt. 10c olden yellow. CHRY-lt. Pkt. 10c CHRY-lg. Pkt. 10c -Northern Star. -W. E. Gladstone

CHRY-36, Pkt. 20c -White Queen ure white flo ie, HA, 21/2 ft.

Single, Mixed. CHRY-19, Pkt. 10c 1/2 oz. 25c many lovely colors 30-in. tall. red Sorts. CHRY-Inx. Pkt. 10c

CHRY-1x. Pkt. 10c above, Oz. 40c;

CORONARIUM:

Golden Glory. CHRY-37, Pkt. 20c ish single variety stral disk in same

CHRY-38. Pkt. 30c Golden Gem A very pretty and a fine one chry-3G. Pkt. 10c Pkt. 10c; 1/4 oz. 45c ver green foliage and flowers. 21/2-ft.

wers. 2½-ft.
CHRY-3y. Pkt. 15c
CHRY-3w. Pkt. 15c
ow. CHRY-3SY. right butter-yellow.

Double Yellow.

Double White.

Double Sulphur

CHRY-3D::. Pkt. 10c Double Mixed. CHRY-14. Pkt. 15c -Bridal Robe. Pkt. 15c CHRY-15. Pkt. 15c

Snowball. A highly recommended new variety of dwarf compact growth bearing profusely Il thru summer its lovely, large, fully ouble, white flowers as its name implies xcellent for border or cutting, HA, 10-in

SEGETUM:

Here the plant habit is similar to Carintum, 2½-11. flowers 3-in., with dark or ght eye surrounded by inconspicuous die yellow disk, then dominant color of CHRY-17. Pkt. 10c -Eastern Star.

CHRY-40. Pkt. 20c -Eldorado.

CHRY-7Gg. Pkt. 10c Golden Glow

CHRY-Gy. Pkt. 10c CHRY-7Gw. Pkt. 10c CHRY-7H. Pkt. 10c

CHRY-41. Pkt. 200 Morning Star CHRY-7Y. Pkt. 10c -Yellowstone.

CHRY-18. Pkt. 10c

INDICUM:

CHRY-13A

An extra fine blend of rich colors especully recommended to those wanting extract flowers; blooms in 5 months after

Saier's Early Flowering. CHRY-13

Pkt. 15c; ½ oz. \$3.00 n bright single flowers earlier than the older

-Double Mixed. CHRY-4Dx. Pkt. 20c C. COCCINEUM-PYRETHRUM:

ryrethrum stems arising from the of foliage. They make is as well as border ted by the cut flower spring to mid-summer-vers comino flowers coming in white d reds. By cutting regu-on can be extended till

ed Space plants 1-ft, apart.

FEVERFEW: Common name for C. par fenium, a hardy perennial of shrubby afy habitat, old time tavorite. Easily rown from seed. 1-3-ft. CHRY-2Ag

Pkt. 15c -Golden Gem. CHRY-2Am. Pkt. 15c

CHRY-2At. Pkt. 15c -Tom Thumb.

CHRY-2k, Pkt. 15c James Kelway. Dark Carmine. CHRY-2Rm. Pkt. 200

- — Single Giants. CHI - — Single Giants. CHI - Giant Flowered White. CHRY-2Rg. Pkt. 15c nite. CHRY-2Gw Pkt. 15c

-Langport. Scarlet.
This is a very laright vermillion-red and a special fin

and Double, Mixed. CHRY-48. Pkt. 35

magies, making excellent cut flowers.

-hybridum fl. pl. Mixed.

-Parthenium.

CHRY-48P. Pkt. 10c Parthenium.

Ball's Double White. CHRY-48Bw Pkt. 25 CHRY-48Bg. Pkt. 25 --Golden. CHRY-48S, Pkt. 25c CHRY-41. Pkt. 25c

A select Swiss

ptarmicaefolium. CHRY-2P. Pkt. 15c Shrubby, 1 ft., small flower heads -Robinson's Giants. CHRY-10. Pkt. 15c

Giant single flowered, in all the best

Olors.
-Market Strain. CHRY-11. Pkt. 25c;
1/2 oz. \$2.25

This is an extra special double market rain, and those exceptionally growing at flowers for the market will find this nextra seller.

Annual, 5" tall. —Golden Gem. CHRY-45. Pkt. 20c beautiful golden colored double

A becutiful golden colored double ower Pyrethrum.

roseum, Do. & Sn. Mixed. CHRY-43.

Pkt. 20c
An excellent American grown strain ir
oth double and single flowers. HP.
—selaginoides. CHRY-2As. Pkt. 15c oth double and single flowers. HP.
selaginoides. CHRY-2As. Pkt. 15c
Golden yellow foliage.
Golden Mess. CHRY-2Ad. Pkt. 15c
Beautiful golden colored foliage, 8".
Single Giants, Mixed. CHRY-44.

Pkt. 35

A very choice strain of sing and suitable for the florist to xcellent cut flowers are war Prize Doubles. CHRY A very choice strain of A very choice strain of all double owered colors.

-Florist Single Giants.

CHRY-2Fx

cinerariaefolium. netariaefolium. CHRY-2c. Pkt. 20c natian Chrysanthemum. Hp, 12 ft. ucing many white flowers 1" across the source of Pyrethrum insect pow

MAXIMUM or SHASTA DAISY:

MAXIMUM of Shabin Dinibit
MAXIMUM: Known as Shasta Daisy, it's
s an improvement over C. leucanthemum.
It is more erect, with flower heads 2-4
nches across with many white rays. It has
seen hybridized much and many fine
varieties have resulted. They are especirilly desirable for border display and very
much used for cut flowers. Jusually treated
as biennials altho they are perennial.
—Alaska. CHRY-35. Pkt. 15c
A popular cut flowered variety, good

A popular cut flower white flow ems, pure white flow Chigwell Giant. Regutifully shaped, ex CHRY-6C. Pkt. 20c

A special giant double white flowered train, especially fine for commercial rowers for cut flowers.

CHRY-39. Pkt. 50c

CHRY-39. Pkt. 50c

rowers for cut flowers.

-erubescens. CHR
Star-shaped rosy-mauve
tt.

-Conqueror. CHR
Very large pure white
1½-2-1t. long.

-Diener's Double White.

CHRY-20. Pkt. 15c

A very select strain of giant flowered

Double Shasta. A reselected strain CHRY-21. Pkt. 200

ery that flowe.
Shasta and of
mercial grower wantin
wers. A good grower
id good keeper
tion. CHRY-6Eb. Pkt. 25c

CHRY-22. Pkt. 15c Exhibition CHRY-6T. Pkt. 20c

CHRY-6B. Pkt. 20c

Very decora.
Very decora.
Vith fringed, curlea
—May Queen.
VSpring Marguerite).

on 2-ft. stems.

c. Extre CHRY-23. Pkt. 15c

Medium sized Pretty. CHRY-50. Pkt. 35c

CHRY-49. Pkt. 50c Shasta fr

CHRY-6Hy. Pkt. 20c CHRY-6S. Pkt. 20c The Speaker. White Dame. CHRY-6WD. Pkt. 20c

An early flowering.

Mixed Shastas. CHRY-24X. Pkt. 15c; 1/2 oz. \$2.50 CHRY-25.

(Golden Feather, Fern leaf).

GURY-26. Pkt. 15c mureum, lacinatum. CHRY-27. Pkt. 15c Mixed. CHRY-28. Pkt. 10c -Mixed. Extra choice

-Nivellei. CHRY-46. Pkt. 10c
Annual, 1 ft., erect; flowers on heads
'across, while rays.
-mawil. CHRY-2. Pkt. 50c
Blooms from May-Sept., bright pink

lowers, 9" tall, HHP.

— Deep Form. CHRY-42D. Pkt. 50c
A deep colored form of the above. RARE.
cinerariafolium. CHRY-46. Pkt. 20c
CHRY-49. Pkt. 15c
(Gold Wings). Free blooming and distinct long petaled golen yellow, flowering tarrly and continuing for months. Hardy minual.

C. 1 ODORUM: see Matricaria inodora PERENNIAL BORDER SORTS:

Profer sunny positions, blooming pro-usely even after killing frosts. If giver yell drained locations and some winter protection, they are hardy most anywher or they can be carried over in the colo-crame. Easily grown from seed from which hey bloom the second year.

Autumn Sky, Hybrid. CHRY-9. Pkt. 25c
Many will have near double flowers in sink, coral, peach, strawberry, old gold, orimrose suffused with bronze, apricot, naroon, coppery tones, velvely amaranth, nulberry, light to dark yellows, bronze vertioys and buff to gold. Crosses of the Azaleamum with the Koreans, named vareties of the hardier and brighter Horioliums, Rubellums and the delightful Actic Hibrids, with also varieties from he Koreans. Seed sown in late Autumn, butdoors, or at the very earliest in the ipring, they will flower the first season and continue for years.

Arctic Hybrids. CHRY-8.A. Pkt. 25c--Autumn Sky, Hybrid, CHRY-9, Pkt. 25c

Arctic Hybrids. CHRY-8A Pkt. 25c (Arctic Daisies). True Chrysanthemums fullest winter hardiness. Single flowers varied brilliant colorings. Arctic Hybrids.

-corymbosum. CHRY-16. Pkt. 30c 2-4 ft., perennial with white flowers in 2-4 ft., perennial with terminals on many bran A sort of C. pyrethrum. white flowers inches, I" acros

—Korean Hybrids. CHRY-8. Pkt. 25c Saved from Hebe, Caliph, Daphne, Mars, Sequoia, Cares, Vulcan, Apollo, and others of like values, including many of the later introductions.

with silky gray foliage flowers, HP, 1½ ft. CHSO-2. Pkt. 25c garden perennial, and pretty yellow mariana villo CHSO-1. Pkt. 25c

Golden Aster. Yellow May-June. CIMICIFUGA (sim-i-SIF-eu-gah)

Tall growing herbaceous perennials with long wands of very small white flower and very useful in the back of the hard, border or semi-shaded spots in the wile garden. Belongs to the Buttercup Family, easily grown from seed and best in rich moist soil.

CIM-1. Pkt. 30c racemosa. (Black Sno

CINERARIA (sin-e-RAY-ri-ah)

(Bot. Senecio Cruentus) They are reenhouse plants, altho perennia the grown mainly as winter flowering po-plants, new stock is grown each year Seed is hest sown April-June but also til Sept. for later flowers; soil sandy loam containing 1/3 leaf mold. Pot up seedling as soon as large enough and keep mol and cool. Liquid menure is beneficia AFTER buds appear. Other species will be listed under Senecio, which see

GREENHOUSE STRAINS:

These are all very high class som the world's best growers and let sure they will meet the most

er's Prize Strain. CIN-9. Pkt. 50c

especially recommended of the commended of the color range. (1/32 oz. \$3.00).

Hybrid gr. fl. Multiflora nana, Mixed CIN-1. Pkt. 50c

Dwarf compact plants producing masses f small flowers in a showy color range a self colors. Claimed to be the best pot

Prize Exhibition Strain. CIN-8. Pkt. 50c arge flowered ellent color rar

Multiflora Maxima, Berlin Mark CIN-2. Pkt. 50c

Larger flowers and plants somewhat anigher than C. multiflora nana but as rich flowering and showing the same good dis play of colors, 15-in, tall.

— multiflora nana. CIN-7. Pkt. \$1.00 CIN.7. Pkt. \$1.00

A very fine English grown strait CIN-6. Pkt. \$1.00 stellata. Star Cineraria. Very pretty small star-haped flowers in immense heads, colors and very nice for cutting. P*, 3 ft.

"7.3 tt.

—grandiflors. CIN-5. FEL with
A splendid English grown strain with
replaced by Jurge flowers and fine form, in bequivaluate for the second and the second and the second and the second by Jurge 1. Siter's Rainhow Mixed. CIN-3. Pkt. 50c
Hybrid gr. fi. large flower heads on smacet plants in a lovely color range.

—Blend. CIN-10x, Pkt. 50c

—CIN-10x, Pkt. 50c

—CIN-10x, Pkt. 50c

—CIN-10x, Pkt. 50c

—Start Second greenhouse strains.

ove greenhouse straints of all classes or them separately.

NOTE: Greenhouse growers.

ne Cinerarias marked GP are all of very highest quality for greenhouse wing and cannot be excelled; and as seed can be gotten through from many, we also expect to have some he finest strains grown there. DUSTY MILLER:

These are Senecio Cineraria but usually isted in the trade as Cineraria maritima incorrectly). They are used mainly as ranamental foliage plants in boxes, basets or for bedding purposes. They are ender. maritima. CIN-4M: Pkt. 150

(S. leucostachys). A good roxes with its white leave of stiff as the above.

— Diamond. CIN-4Mc. Pkt. 15c

so slift as the above.

—Diamond.

A selection whose leaves are pure white, plant 16" tall, making it an exceptionally desirable florist plant, (Oz. fs). Very line edging plant; pure white leaves and heads of yellow flowers, 2 ft., HP.

CIRSIUM (SUR-si-um)

Plumed Thistle, Rank growing prickly plants with purple, yellow, and white lowers in heads, easily grown and useful for bold effect in the wild garden.

—occidentale. CIRS-1. Pkt. 30c Pure silver follage and scarlet flowers; a beautiful aubject; full sun in gritty, stony neutral soils, 2 ft., HP.

—candidissima. CIRS-2. Pkt. 50c

CIRS-2. Pht. 50c os

CISTUS (SIS-tus)

Rock Rose, Low upright shrubs native if the Med. region, belonging to the Rock ose Family. Bears a profusion of show, owers but hardy only up to the centro outh; grown in full sun, dry light soil with me present. The flowers are like larg-ingle roses; start plants in pots an ansplant when young and do not prun-

-kadaniferus.
Gum Cistus.
hrub, white-purpl CIST-1. Pkt. Well known bed spots, HSh, 3 ft.

CLARKIA (KLAHR-ki-ah)

Rocky Mountain Garland). Easily grown hardy annual, sunny locations and any light garden soil and produces grace ful showy flowers in delicate sor good for mass plantings, play-Aris, and flowers are cut in bud they last one flower are cut in bud they would be as a greenhouse flower best to plant seeds close to first of the where plants are to grow, the seed can be started as early as Jan, indoors, setting plants out 9-12-in, apart. ELEGANS:

The commonly gromooth reddish stems avorable conditions as more under glass. More being introduced ingle hardy annuals. grown species, oms and grows un as high as 3 ft., Many new varie and both double

ngle haray

-Erilliant.
Double, brilliant orange.
-Enchantress.
CLAR-3. Pkt. 20c
CLAR-4. Pkt. 20c
CLAR-4. Pkt. 20c Firebrand,
A brilliant copper-scarlet variety.
Gloriosa.
CLAR-5. Pkt. 20c
A distinct break in color, a bright crim-

CLAR-14. Pkt. 15c -May Blossom CLAR-14. Pkt. 15.
Pure glowing orange double flowered
Clare. Pkt. 20.
An outstanding variety, flowers orange
ingled with rose.

Mrs. Langtry.

Wrs. Langtry.

Very popular variety.

Orange King.

CLAR-8. Pkt. 20c

than

Very popular variety.

Orange King.

Bright orange-scarlet, essuvius.

Purple Prince.

Fine rich purple flowerer CLAR-9. Pkt. 20

-Rosy Morn.
-Salmon Queen.
A very pretty
niety. CLAR-10. Pkt. 200 CLAR-11. Pkt. 200 double salmon-rose

Scarlet Queen. CLAR-15. Pkt. 15 -White Prince.

Double pure white.

Novelty Mixture.

All the newer vari
ixture, all double. CLAR-INx. Pkt. 10

C. PULCELLA:

different colors, hardy To 1½ ft. in nnual, for the bo-pulchella, alba CLAR-2. Pkt. 100 Lower growing than C. Elegans, and ore slender leaves. This is a white vari

Double Mixed.

CLEMATIS (KLEM-ah-tis) Herbaceous perennial or woody climb ing plants of the Buttercup Family, foun-all over the temperate region. Thrive in-tich loamy soil on alkaline side—ad-dime—and they respond to an anual dressing of rotted manure. There are many kinds and all are of ornamental value, the vines being especially good on fences kinds and all are of orr vines being especially arbors, porches, etc. flower on last year's flower and those that basal shoots should b groun each spring.

CLEM-A4. Pkt. 25c alpina. Cl. to 6 ft.; flowers bl

CLEM-16. Pkt. 50c er to 20 ft., nodding CLEM-2. Pkt. 25c

-columbianum.
Try this trailing pume Honeysuckie (Lonaded walli 10-ft., Ju purple Clematis with onicera Ciliosa) on c -crispa. CLEN-10. Pkt. 20c Grows well in damp places. Climber, HP. douglasii. Um-flowered Clematis. CLEM-1. Pkt. 25c

CLEM-17. Pkt. 25c CLEM-3. Pkt. 20c with panicles of many lathyrifolia

rigorous climb h-wide white i ndcropetala. llender climber , very hardy, e is uncertain -mdcrope Slender CLEM-12. Pkt. 40c

montana. C Cl. to 25 ft.; flowers ink, yellow stamens, in Pitcheri. CLEM-M5. Pkt. 250 CLEM-P5. Pkt. 250 wers urn-shape CLEM-R1. Pkt. 50c

CLEM-S1. Pkt. 25c endant blue flowers, herbaceous. blia. CLEM-14. Pkt. 25c Scottii. Large pendant blue flowers, herbaceous.

sercutiolia. CLEM-14. Pkt. 25c
Globular yellow flowers 2" across in

set summer followed by plumy seed
ceads; germinates quickly and blooms 2nd
ceason and somewhat invasive from suckrs, very hardy, climber, 10 ft. The name

siberica alba.

LEM-5. Pkt. 35c
A low climber with large 4-petallec

A low climber with large 4-peta ell-like flowers of white, very early pring; will climb over dwarf shrubt an be allowed to trail over ledges in ock garden, 6 ft., HP.

CLEM-6. Pkt. 40cer, a proportion coming sproneri rosea. mpa e fro

CLEMATOPSIS

Headed Peter. A very attractive estan herbaceous plant of the An imily with drooping white anemore 4-5 ft. sun. drought resistant.

CLEOME (klee-OH-me)

(Spiked Flower), Easily grown from seeds in May, which germinate quickly. Thin slants to 2-ft apart, height 45-ft, best as order subject and most desirable flower or bold clumps of color in the background lanting. June to frost may be also used as a heage.

CLEO-1. Pkt. 15e Great Pink. CLEO-1. Pkt. 15.
Flowers rich rose not turning to white casy culture and blooms for months, 5-ft
Lutex. CLEO-3. Pkt. 15.

-spinosa.

Spider Flower. Also listed as C. pungens and gigantea. Annual to 4 ft., fine is the border; sow seeds where plants are to grow, TA.

CLERODENDRON

(klee-roh-DEN-dron)

(klee-roh-DEN-cron)
Glorybower. Most of these can be grown only in the greenhouse or outdoors only in the warmer sections, only a few can be grown in the North with some protection. Deciduous or evergreen trees or shrubs; they come from the tropics.

Seed should be sown singly in small pots, in a mixture of equal parts leaf mold or pert and sharp sand; kept moist in a temperature of about 70 degrees; when reported soil should also contain some well rotted manure.

-fallex. CLER-3, Pkt. 56e

CLER-S. Pkt. 50

-fallex. C.E. (C. speciosissimum). Shrui flowers bright scarlet 2" across to 1½ ft. long; highly orne should be in every warm hou as it can be made to bloom whole year; protect from stro noie year, protect from strong sun, made to bloom nearly the mycrocoides.

African species of the Butterfly Bushom S. Rhodesict—lovely blue flowers, groups

es or besid lovely broad grows 4 ft., HP.

CLER-1. Pkt. 35c com S. Rhodesic—lovely blue in Blue flowers, grows 4 ft, HP. **equamatum.** CLER-1. Pl A very howy medium-sized shru arge leaves and panicles of brilliar et flowers, followed by blue-black

Colebrookiana. CLE3-2. Pkt. 50c

CLIVIA (KLY-vi-ah)

Fleshy rooted African plants of the Amaryllis family grown in N. as house that the following the seeds which are tiny bulbs: miniata. CLIV-1. Pkt. 35c Scalet flowers, yellow inside followed by bright red berries.

CNEORIDIUM dumosum. CNEO-1. Pkt. 25c 2-4 ft. shrub from S. Calif., with white lowers, pinkish inside; followed by red-lish brown furits, evergreen in Calif.

flowers, pinkish i

COBAEA SCANDENS

(koh-BEE-ah) (KOI-DELECT)
hing vine, 25-ft., growing rapidly
seeds, best results by setting the
on edge when planting; in North
o start indoors to set out after danger
st is passed, violet-blue. It is comfrom seeds, besseeds on edge best to start indo of frost is passe

dens, Violet-blue COBA-1. Pkt. 15c; oz. 95c COBA-1. Pkt. 15c Blue. Oz. \$1.25 (rl; 1/4 lb. \$f

-White. CODONOPSIS

(koh-doh-NOP-sis)

COD-1. Pkt. 30c HP. 1 ft. COD-2. Pkt. 25c

-viridiflora. COD-2. Pkt. 25. Climber: terminal flowers, 1" long, yel wish green with purplish dots at base

COELOGYNE (see-LOJ-i-nee)

Tropical epiphytic orchids with long comes of white or greenish-yellow flow rer native of the tropics, grown under lites in the U.S. in moderately warm trimosphere, doing best in hanging basels; soil mixture of osmundine and

-barbata.
Flowers 6-10 in.,
with brown lip fris COEL-1. Pkt. \$1.00

COIX (KOH-iks) A genus of tail broad leaved grasses.

-lachryma-lobi. COIX-1. Pkt. 18c (Job's Tears). Altho a perennial it is enerally grown as an annual, not standing northern winters. Plant seed in early mid-May in open ground. They grow it, tail; the seeds hang in clusters. If the property is to or ipe the grass makers are dried ornamental grass; the seeds also

COLCHICUM (KOL-ki-kum)

Autumn Crocus or Meddow Saffron. Nelated to the true Crocus the the flow cilke. They form corms, are har hallshed flower for year lated to the true Crocus the took clike. They form corms, and when established flower looming in the fall. Not hard footnets. COLC-2. Pkt. 50c —giganteum.

Mauve Meadow So
RG or naturalizes in

COLEUS (KOH-lee-us)

Pender cannicis grown only for their scaulfful folicage effect, growing them rom seeds is foscinating as the seedlings arry greatly in folicage design. Used for seedling and edging as well as por plemts low seeds in flats indoors and transplem ut when weather becomes warms for bes

Brocade Strain. Leaves particularly larged dark like old brocade;

Fringed Leaves, Mixed.

Pkt. 25c German Hybrids. The best German size

Glory of Vichy.
Large leaved with COLE-2. Pkt. 20c COLE-9. Pkt. 25c

days, robust growth, days, robust growers, (1/2 cz.

—Pyrenean Glant,
Large robust plants, e.

ing, in lovely colors.

—Super Cellossal,

Copper shades; a fine COLE-3. Plet. 20c

COLE-10, Pkt. 25c a fin

Copper shades; a fine Striped Empel. Vigorous grower, lea

COLE-4, Pkt. 204

white, yellow and brown.

show Mixture. COLE-SX. Pkt. 20c;

made blend of the best kinds, ing seeds saved from one of the bem collections; also contains all

COLE-7 Pkt. S0 An English grown strain, in dark apricot, rose and co HHP*, 3 ft.

CHAENOSTOMA

(ke-NOS-toh-mah)

African herbs and shrubb wm in GH in N. or outdoo South; flowers showy, sto upe growing in racemes.

listed under

COLLINSIA (ko-LIN-si-ah)

Hardy attractive free blooming annuals and in rock gardens and edgings; they re pretty, low growing plants in whorls of 5-6 blossoms and 3 or more whorls or very stem. Sow seeds outdoors in the fill and protect or sow early in the spring refer a dry location.

-bicolor, Mixed. COLL-1. Pkt. 15c In rose, white, Itlac, violet and blue ane-Oct., 15-in. tall.

nne-Oct., 15-in. tall.

—candidissima. COLL-1c. Pkt. 15c
This has all white flowers.

COLL-4. Pkt. 15c
Elius Lips. Flowers deep blue lower lip,
ppp pupple, 15° tall, HA.

—intetoria.

Flowers pale purplish or nearly white
nd streaked, HA, 2 ft.

COLL-2. Pkt. 50 -verna.

(Blue-eye Mary). A sort of rarily now-acys, 2-ft, lower flower-lip bright blue, pper lip white or purplish. This seed nould be planted when fresh; it is harsated in May, the crop depending upon let mice, who may be willing to work vertime, therefore, those wanting seed hould place their order early, for devery in May.

CONVOLVULUS

(kon-VOL-veu-lus)

Those offered here are half hardy annuars and resemble the true Morning Glories (Ipomea) except that their flowers remain open all day, full sunshine and not too much water their only requirements The dwarf species can be used for bedding, the tall are good for covering trelluses and walls.

CONV-6, Pkt. 15c A strong growing deep blue.

Cambridge Blue.

CONV-5. Pkt. 25c

A NEW British novelty in a clear azureue of intense color, 12" tall.

CONV-7. Pkt. 15c
Convolvulus). Deep blue, yellow form.

r, Crimson Rambier, CONV-1. Bright ruby-red, rapid climber, has been id much as Scarlet O'Hara.

Dwarf, Royal Ensign.

CONV-3.

The deepest blue and brightest of all muals, while halo and gold throat; for deping and borders they are ideal, flower go continuously all summer long. 1-ft.

Major Mixed. CONV.2. Pkt. 10c
Climbing, mixed redex.

CONV-8, Pkt. 40c Randi.

Dainty plant for rock garden; shrindlife il ft., dainty pure white linum-like fles; drought resistant, sun; fol. silvery DRAL FLOWER—see Talinum.

COOPERIA (koo-PEE-ri-ah)

Prairie-lily, Rain-lily, Bulbous-rooted, night blooming plants of the Amaryliss Family, delightfully fragrant, summer blooming bulbs, grassy leaves and waxy, long tubed flat flowers opening in the evening, Plant bulb in Spring, lifting them in fall and storing in dry soil so they will not dry out. They are much like Zephyxanthes. Sow seed when fresh, May-Aug. COOP-1. Pkt. 50c

COOPERANTHES

COREOPSIS (koh-ree-OP-sis)

These are the perennial species, the manuals are listed as Calliposis, which ee. They are easily grown, either by tarting early in the spring or by plantag as late as Aug. for plants for the oming season. Does best in a sunny ocation and in the border they make a wrilliant showing; the dwarf compact varities being good for edgings.

CORE-6. Pkt. 15c

low with dark marcon-leadid variety.

CORE-1. Pkt. 10c
e strain. Flowers are large
f rich golden yellow with
aking them ideal for cutting, Gold. 0% double strain.
fluffy, of rich
stems, making th

CORE-2. Pkt. 10c s, beautiful golden comes about 80%

CORE-7. Pkt. 15c den yellow flowers; fine for (Oz. 30c). CORE-7D. Pkt. 15c

von a very vigorous outer stems and ray

CORE-5. Pkt. 50c ceous plant, 4-5 ft.

ubescens superba. CORE-4. Pkt. 20c very free growing species with large ow flowers with a dark blotch in the er, HP. 3 ft.

CORE-4X. Pkt. 10c; 1/2 ox. 30c

-ORNAMENTAL

tt's Indian Corn. CORN-1.
Pkt. 20c; ½ lb. 50c

the largest number of culous can binations of any strain we have ever set The ears are of the flint corn type, it is consistent to the culous of the rainbow, often many as 10 different colors on a sin ear. Colors: bright yellow, white, are all shades of red imaginable, blues, strain shades of the displacement of the colors of the displacement of the colors. many as 10 different colors on a single scar. Colors: bright yellow, white, cream, all shades of red imaginable, blues, strawberry, even green, and these colors also in combination on one kernel. This corn is highly ornamental and used as decorations in many ways, the kernels also supplying a wide variety of colors for design plying a wide variety of colors for design that the color of the co

-Multi-colored. This is α Hollo CORN-3, Pkt. 15c Strawberry Pop Corn. CORN-2

Pkt. 15c: oz. 25c

CORNUS (KAUR-nis)

Dogwood, Ornamental shrubs and small rees found in temperate regions, mostly eciduous and are very ornamental. The bilage is handsome and in some species ery colorful in the fail. They all have rey pretty flowers. Thrives in most any oil, either in shade or open situations it is best to sow seeds in the fall, alth uccess may be had on early spring plant no.

Bunchberry, Grows 6-in. tall, a good ground cover for partly shaded areas. White flowers, June-July.

CORTADERIA

(kor-ta-DEE-ri-ah)

Ornamental grasses, sometimes classed is Gynerium, the two genera being much like except for the flower details. They arive in rich light sandy soils. They are of hardy in the far North, and it is best start them indoors and transplant out fer frost danger is passed. Called Pamas Grass.

CORT-1, Pkt. 15c:

Same but with pretty reSelloana. CORT-2. Pkt. 156 Selloana. CORT-2. Pkt. 15c Pampas Grass. Listed also as Gynerium rgenteum, incorrectly.

CORYDALIS (koh-RID-al-is)

Easily grown annuals and perennials uving interesting flowers similar to those the Bleeding Heart; in yellow, blue, apple or rose.

urple or rose.

Lutea.

CORY-1. Pkt. 20c

A delightful plant for shady wall, fern
led, or shady RG, where it will self-sow;
erny leaves and a profusion of golden
lowers for many months. HP, I ft.

CORY-2. Pkt. 25c.

Rare dwarf species for RG; narrow leaflegments and big flowers ranging from
white to red-purple; very choice. HP.

speci.; from Africa. CORY-3. Pkt. 30c

A NEW nameless species from 50. Africa.

Wilsonli.

CORY-4. Pkt. 20c

Flowers non-stop all summer; ellow, choice strain; 5" tall, HP.

COSMOS (KOS-mos)

Tall hait hardy annuals, very easily arown from seeds sown late in April chey can be started indoors. They thrive seen in poor soil and require a sunn location; thin plants to 24th apart and when a height of 2-in is reached in the seed of the seen and the seed of the se

BIPINNATUS:

Sensation Radiance COS-1. Pkt. 20c;
Top award winner for 1948, a striking sew color combination never nefore seen coordination. See petals overlate it cosmos. Deep rose petals cone of rich a large well defined zone of rich imson. This should be in every flower

rden this year.

Sensation Dazzier. COS-14. Pkt. 15c
A pretty crimson variety. 40 inches tall.

Sensation, Pinky.

OS-1P. Pkt. 15c
NEW, clear rose-pink,

NEW, clear rose-p. Sensation Purity. COS-1w. Pkt. 15c

Sensation, Mixed. COS-2X, Pkt. 10c ation type vari white and Radi

TRUE EARLY FLOWERING SINGLE

MAMMOTH STRAIN: (Superior Garden Strain) —Crimson Queen, C

Superior Garden Strain)

-Crimson Queen, COS-5. Pkt. 15c;

-Rose Queen. COS-4. Pkt. 15c;

-White Queen. COS-3. Pkt. 15c;

-Mixed Queen. COS-6X. Pkt. 15c;

-Wivid orange Flare, COS-12, Fkt. 15c;

Vivid orange, blooms in 90 days, 2½-ft.

Innts.

HYBRID VARIETIES:

COS-2f. Pkt. 15c -Orange Flare. -Orange Ruffles. COS-2r. Pkt. 15c s. COS-10. Pkt. 15c -Orange Ruffles. CC -hybrid Orange Ruffles.

Double, vivid rich orange but hybrid, Yellow Flare, COS-11. Pkt. 15c. Bright clear yellow, a brand new shade in Cosmos. flowers single 2-21/2-in. across. on 3-ft. plants.

Extra early, with double crested flowers

Pkt. 10c COS-7c. Pkt. 10c COS-7k. Pkt. 15c COS-7w. Pkt. 15c

-Crimson. -Lady Lenox, Pink. -Lady Lenox, White. -Double Mixed. COS--Peerless, Double Mixed. COS-13X. Pkt. 15c fixed. COS-9. Pkt. 15c

Eight wide petals with a Back on-like center, a beautiful blend ng crested and fluted type flower

COSTUS (KOS-tus)

Tropical plants related to Hedychiu with leaves that assume rich colori when grown in hoat, the flowers the seives are not very showy but the ster stamen is bell-shaped and of large si making a remarkable display. They li

A tall growing species, upright, some what woody at base, with narrow footlong leaves, silky beneath; above red bracts are borne the large flowers with bell-shaped staminodium nearly 4 inches across, white with yellowish center, grows to 10 ft.

(koh-toh-ne-AS-ter)

Deciduous or evergeen shrubs of temperate zone, mosily from China, belonging to Rose Family. They are very romamental and while a little tender in the N. they stand the winters well in the central states without protection. They can be grown in pots at the start until ready to be set out in their permanent locations. Sunny locations and well drained soil.

—accuminata. COTN-1. Pkt. 25c To 12 ft., plnkish flowers in clusters, heardy.

-frigida. COTN-3. PKt. 25.

Cotn-3. Pkt. 25.

Cotn-4. Pkt. 25.

One of the most beautiful in flower and ruit; grows to 20 ft., not hardy in North

CRATAEGUS (krah-TEE-gus)

Hawthorn or Thornapple. Member the Rose Family, nearly all hardy a they make the finest specimen trees a shrubs for the lawn. Nearly all of the come true from seed and are eas grown; the seed germinates slowly a should be sown in a flat or pot and place.

ruits, HT, 15 ft.

-crus-gallii, CRAT-1. Pkt. 35c
Cockspur Thorn, White flowers tinger
with red. HT, 10 ft. or more,

Climbing gentians from the temperate regions of the Himalayas, not fully hardy and best grown, in the North, in cool louse or window garden. They seem ulily hardy, on the West Coast, but are title known in cultivation. Tract like Sentians, giving cool soil rich in humas, Jenity of water. Seed is slow of germination. Flowers are gentlam-like, tubular or unnel-shaped, in blue and violet with showy fleshy red fruits.

-speciosa. CRAW-1. Pkt. 35c Regarded by one of the Asiatic plant ollectors as the best of the genus; has arge blue or purple funnel-shaped flowers and is one of the hardiest. Twining vine,

— Japonica. CRAW-2. Ptt. 35.
Flowers are dull greenish or yellowish but the fleshy red fruits are particularly brnamental; vine, HHP.

-thomsonii. CREM-1. Pkt. 25c Lemon-yellow flowers, 134" across.

Hawksheard. Flowers are in yellow, red r crange flower heads; grown in the order and thrive in a light loam and in all sun.

While Crocus are generally grown from orms, they can also be grown, with much sterest, from seed, and especially many the rarer spepcimens. There is also the leasure of hybridizing. Plant the seeds i flats or pots where they can be started nader the best conditions and grown on a time in the cold frame and then ster the small corms can be planted to their permanent beds.

eir permandlischeri.
A rare species, bulb, flowers small wnne tith red stamens, Feb., for RG CROC4. Pkt. 75c

(kroh-tah-LAY-ri-ah)

(Ratilebox). Herbs and shrubs have the fealike flowers and swollen pest grown from seeds which must baked in warm water.

(kroo-shan-EL-ah)

CRYPTANTHE (krip-TAN-the)

(Cryptantha). Siender plants of the Forget-me-not Family, annual and porental, with racemes of yellow or white Forget-me-not flowers; not common in American gardens. They are suitable for sandy, sunny exposures in the for

-sheldonii.

CRYP-1. Pkt. 300

This comes to us from India and we are sorry not to have any exact description, but it is recommended.

A genus of tender vine-like plants of which the cucumber and the melon are commonly grown in the vegetable garden; nowever, those listed here are grown as

CUCUMIS (KEU-keu-mis)

CREP-1. Pkt. 20c

large, stout conical
r with 4-petalled
high; found at

CREP-2. Pkt. 50c mial, 10", for RG.

CREMANTHODIUM

CREPIS (KRE-pis)

Flowers arranged on leads, flowers yellow lack anthers 6-10" D-13,000 ft. elevations.

incarna. Pink Hawkweed. Perer

CROCIIS (CRO-cus)

peciosus.

alb, 4" tall,

sh; this lot n

CROTALARIA

CRUCIANELLA

CRAW-2, Pkt. 35c

coccinea. Dark glossy leaves fruits, HT. 15 ft.

CRAWFURDIA

COTN-2. Pkt. 25

COTONEASTER

ornamental plants, usually for their ornamental fruits. None of them will stand frost and they can be started indoors, usually in berry boxes, the same as you would start meions for the garden.

—dudain, var. orodatiz innus.

CUUI. Pkt. 20c

The Dudain Melon. Grown for its mar-

The Dudaim Melon. bled, highly fragrant

CUPHEA (KEU-fe-ah)

Tropical and sub-tropical plants grownostly in greenhouses in the N. and on loots in the S. Easily grown from se

CUP-1. Pkt. 15c

CUP-5, Pkt, 20c -llavea, v. miniata.

ark ring at end.

-miniata Vermilion. Cl
Mexican species with brill
owers, 1 ft., hrip. CUP-3, Pkt. 15c

CURCULIGO (kur-KEU-li-goh)

Tropical plants of the Amaryllis Family alm-like dwarf plants and very usefu lants in the warm greenhouse, standing ense shade; thrive in mixture of fibrour am, old cow manure and sand.—capitulate. CURC-1. Pkt. 50. Formerly C. recurvata. Dark green capital or control of the c

CURC-1. Pkt. 50c Formerly C. recurvata. Dark green eaves 3 ft. long; the most popular species and makes fine pot plants, of palm-like appearance.

CYANANTHUS

Himalayan plants of the Bellflower Family having frail, almost prostrate stems, tiny leaves and in late summer quite large cup-flowers, each with five spoonshaped lobes. Mostly blue with a few less desirable yellow species. They like cool rich soil, in half shade, in the East. Fleshy rooted, they die down entirely in the winter and start growth in late spring. Not difficult when once established but one facil to come thru the first winter desired in the spring of the start of the s

One of the best with quite large blue flowers at the end of 6 inch, nearly prostrate stems set with tiny triangular leaves

CYCLAMEN (SIK-lah-men)

The large flowered Cyclamen of the prists is C. persicum. It requires 15-18 onths from seed. It is strictly a green-buse flower.

-neapolitnum album. CYCL-2. Pkt. 50c

Red-purple and white, autumn flowering a good hardy species, HP, 4 inch C. persicum giganteum:

These are the greenhouse Cyclamen, he strains and varieties we offer are the ery best and most reliable.

-Baardse's Wonder. CLCL-8BW. Pkt. 50c
-Bonfire,
-B Brilliant salmon.
Salmon with white bor
Glory of Wandabeck.

CYCL-6Gw (Pearl of Zahlendorf). Dark crimson.

-Rose of Marienthal. CYCL-6RM.

Pkt. 50c

-Rose of Zehlendorf. CYCL-6R. Pkt. 50c Light salmon co
-Pure Rose.
-Salmon-scarlet. CYCL-6z. Pkt. 50c CYCL-6s. Pkt. 50c CYCL-6w. Pkt. 50c -White, Crin

-White Wonder. CYC.
The largest and most from the variety yet produced.
-New Ruffled, Mixed. CYCL-6. Pkt. CYCL-6Rx

Pkt. 50c
CYCL-6Px.
A strain from one of the best growers
d-Gyclamen seed, (M ccss).
Rocaco, Mixed.
CYCL-6Ro. Pkt. 50c
Large flower.ng, in best blend of colors
of ccss). Large (M ccss)

CYDONIA (sy-DOH-ni-qh)

Quince, semperilorens. CYDN-1. Pkt. 25c

soaked in warm water. —alata. CROT-1. Pkt. 25c Mottled bronzy leaves and rose-pink flowers followed "by brilliant red "May Apples." From the Himalayas, but fully hardy in the N. and happy in light shade. For a choice spot in the woodland or shaded rock garden, I ft. HP. —refusa. (Golden Sweet Pea). Showy annual bush plant with many upright, spire-spikes of glossy golden yellow pea-like flowers. marked bronze-brown on wing reverses. CYNOGLOSSUM

(sin-oh-GLOS-um)

(Hound's Tongue). So called from the nape of their leaves. Annuals and binnals. amahile CYNO-1. Pkt. 15c

For-Get-Me-Nots). A pretty pink variety in this hardy annual CYNO-1z, Pkt. 15c Firament. CYNO-1F

swort). Annual and perennial many of which are grown in the orden. -furcatum. Hairy leaved, 1-3 ft. is blue Forget-me-intennial. rock garden.

—stylosa. CRUC-1. Pkt. 20c.

Rock garden plant, in light soil and paridal shade, while a perennial it is usually

rown as an annual; prostate habit and

ight growth, bearing round heads of

small deep pink flowers. . nigh with numer -nots in clusters;

CYNO-5, Pkt. 20c Venus' Navelwort.

CYNO-6. Pkt. 50c

CYNO-7. Pkt. 10c unal with blue flowers; off--All Kinds Mixed. CYNO.X. Phi 10

CYMBALARIA

(sim-bah-LAY-righ)

ceping herbaceous perennials ander Linaria. They are tender grown as annuals in the N. GH plants for hanging bash

vases or can be set out for a grour cover; easily grown from seed; shade.

CYMB-3, Pkt. 15c enelworth Ivy. lilac-blue flor

CYPERUS (sy-PEE-rus)

Annuals and perennial caves and the flowers balternifolius.

CYPHOMANDRA

-betecas. Gooseberry tomato fro CYPH-1, Pkt. 50c

CYPRIPEDIUM

(sip-ri-PEE-di-um)

CYPR-6. Pkt. 50c CYPR-5. Pkt. 50c CYPR-1. Pkt. 75c -calceolus cordigerum.

insigne.
One of the finest of the brown to clear

A hybrid between the two specitive from Assam which has rather owers with purple veined white and green lip, flushed red and green lip, flushed red and green lip, flushed red and green lip. Seedlings. Green was a seedlings. Pkt. 75c

CYPR-3. Pkt. 75c nowers, purple at te; greenhouse cul-

-giganteum. CYPR-4 Pbt 75-

CYTISUS (SIT-i-sus)

Broom. Attractive shrubs belonging to Pea family. Some are hardy in N; require full sun exposure and wind, preferring poor soil and perfect drainage.

CYIS.3. Pkt. 35c.

Not hardy in N, but can be grown in GH, very showy, flowers, yellowish white to white in terminal heads.

white in terminal decumbers.
(C. humifusa). Ge ate to 8", flowers of S. Europe. CYTS-2, Pkt. 50c

anus; gold arge shrub o 10 degre

DABOECIA (da-boh-EE-si-ah)

germination takes place in the spring in a cool cellar or cold frame, germination takes place in the sp the second year, sometimes the The seed should be rubbed free pulp. This may sound difficult placed in a corner of the cold fram pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to its top and severe the cold frame pot plunged to the severe the cold frame the cold frame pot plunged to the severe the cold frame pot plunged to the severe the cold frame the cold frame pot plunged to the severe the cold frame the cold frame

oto plunged to its top and covered with class, it is easy.

-polifolia aiba.

DAB-1. Pkt. 50c

The Connemara Heath. This is a white orm, HSh. 2 ft.

-hybrida. axort:a · polifolia.

DAB-2. Pkt. \$1.00

This is a fine hybrid of Mr. Porter's, iffered here for the first time; it is the ongest blooming Heather and in one mild season was actually in flower in late bear. 6-12". tall, pink to deep rose, May-Sept.

DAB-3. Pkt. 50c DAHLBORG DAISY, see Thymophylic

DAHLIA (DAL-yah)

Growing Dahlias from seed is interest g and fascinating, the surprise of new lors and forms makes it a very popular wer grown from seeds. If seed is inted early indoors, flowers can even had the first summer, and in most ses even from seed planted outdoors the didle of May. Set plants in the garden en all chance of frost is past, about 16th appears to be highest variety. Both American and propers and its new officed Of courses.

DAHL-6. Pkt. 25c -Coltness Yellow.
An indispensable ngle yellow flower Decorative, Giants.

DAHL-3, Pkt. 15c

DELPHINIUM

any

PACIFIC GIANT SERIES:

lely set which does not scatter.

They come about 65% milant and 100% double; a truly

Prices on all series: Pkt. 50c; 3 Pkts \$1.30; ½ oz. \$.00; ½ oz. \$7.50; oz. \$12.00.

z. şiz.VV.

Black Knight Series. DELP.1. Pkt. 50c
The darRest violet. Individual flowers
3/2-3 Inches in diameler, of beoutiful
bund form, with heavy velvely texture,
thich gives the color luminosity and
vividness not seen before in Delphinium.
ery long, well-formed spikes; a true
now flower with black bees. DELP-2, Pkt. 50c

rk blue; very inter

r lavender self with white bee g classical perfection of form o vidual flowers, which are very d attain very large size, averag ches in diameter. Beautifully spikes, combined with excellen

DELP-5. Pkt. 50-Galahad Series. greatest achievement in giant, tilly worthy of its name, which sees all the qualities one expects to n a fine Delphinum. The standard ed in this series is perhaps responsor the wide popularity it met, rank-demand next to the blues. The clear flowers, with white bees, are of size, reaching often 3-in. in diameter, ned with glistening, heavy texture.

h flowers, so find with glistening, sined with glistening, unnever Series. DIP-b. clean, pink-lovender self we with very large individual coning up to 3-in, in diamete whibition type and a

-King Arthur Series. DELP-7. Pkt. 50c DELP-30. Pkt. 50c

Percival Series. DELF-20, Pkt. 50

DELP-8. Pkt. 50 mer Skies Seri

Scier's Series Blend, D LP-10, Pkt. 50c series, not a mixture, especially of to the flower grower with limited

DF P-11x. Pkt. 35

1/4 oz. \$2.00 ains most of the series, but based on surplus. Quality exactly the

sh Delphinium; grows to 6-8 ft., with the very best of flowers. -belladonna, True, DELP-12, Pkt. 20c; oz. \$1.00

clear blue. DELP-23. Pkt. 25c
Special Strain. Clear light blue, large
lower, strong grower; the finest strain of

Blue Grotto. DELP-18. Pkt. 35cd deep indigo-blue variety, early, Eng-

indigo-blu HP, 3 ft. - Cliveden Beauty, DELP-13, Pkt. 20c;

A lovely turquoise blue, a good florist strain too.

DELP-27. Pkt. 25c - Dark Blue. ---White. DELP-26, Pkt. 25c

DELP-15. Pkt. 15c:

1/4 oz. \$1.25

of Belledonna with
ers 2½-in. across. -Bellamosum.

-Hollyhock Strain. DELP-14. Pkt. 25c: 1/4 ox. \$1.75

DELP-16. Pkt. 25c -Wrexham Type.
5 it., strong gro
flowers where the
do so well. nese make nne Giants do no

CHINENSIS:

-Cardinale

While these are perennials they nave added advantage of being grown as anuals from early started seed. They are bust and sure bloomers. Popular for at flowers, Last for many years and with flowers all summer and fall;

Blue Mirror. DELP-20M. Pkt. 25 ninium Chinensis with the wide open flowers, acing upwards making oth for a low border to inches tall, blooms a hardy perennial that ason from seed sown

-Blue Butterfly.

DELP-20 A. Pkt. 20c is, azı

DELP-20C. Pkt. 20c Cambridge Blue DELP-20TB, Pkt. 20c Tall Bi DELP-DX. Pkt. 20c

DELP-20TX, Pkt. 15c des of blue and white make especially goo

DELP-19. Pkt. 504 ep purple fl sun or half shade arf, 4"-6". for the

DELP-18, PM 350

in dense spikes, westfull sun, heavy or light tall. HP.

DELP-30. Pkt. 40c

paniculatum. DELP-30. Pkt. 40c nudicaule. Chamois. DELP-32. Pkt. 25c lowers long spurred, a fine RG Lark nr. growing to 12", HP. nudicaule. Lemon

Pkt. 15c ers long spurred;

DELP-32. Pkt. 15c

Parryi. DELP-17. PKt. So. 3 ft., So. Calif., purplish or deep blu ers. -subglobosum. DELP-17S. Pkt. 35c

DELP-32. Pkt. 50d A I ft. perer rial DELP-32. Pkt. 20c

Pkt. 25c
emi-double and double flowers in early
rering strain, 18-24" tall, profuse
mers, brightest colors and a dwarf
—Yellow Prince. DAHL-4y. Pkt. 15c
rich yellow in the Unwin type, ideal

CLEM-13, Pkt. 50c

Single Varieties Mixed. DAHL-12Sx Seed saved from the best selected s

DAHL-12x. Pkt. 250 Mixed Dahlias. ains a large collection of all type ias and will be especially valuable se wanting different kinds; standadors in Feb. or March for early and in many cases flowers the

CYDONIA (sy-DOH-ni-ah): DAPHNE (DAF-nee)

DAPH-3. Pkt. 50

DAPH-3, Pkt. 35c

DATURA (dah-TEU-rah)

Annuals and perennials found in the warmer regions, a few being very ornamental on account of their large trumpetters. Easily grown, treat as the very best strain of this Eng.

DATU-7. Pkt. 25c A small tree with small tree witte of very large rather narro

DATU-6, Pkt. 30c -lastuosa. DATU-1. Pkt. 10c (Angel's Trumpei). Double Mixed.

DATU-2. Pkt. 10c -Metel cornucopia). Annual buble flowers, whitish outside with purple

apet-in-Trumpet. DATU-5. Pkt. 20c oms intensely double and ruffled mostly in soft yellow, with occa-variations into rich cream or pure

DATU-4, Pkt. 20c -wighti. DATU4. Pkt. 20c
An easily grown vigorous annual with
very large flaring trumpet flowers of pales
roseate lavender, texture softly downy
3 ft. (Syn. D. Meteloides).

DAUBENTONIA

(daw-ben-TOHN-ya)

Herbs and shrubs of the Pea Family, with leaves divided into many pairs of small leaflets. The pea flowers are borner in loose racemes, and range in color from white to yellow, red-purple, and orange red. Require indoor culture in the North and are rather short-lived.

DECAISNEA (de-KAYS-nee-ah)

Asiatic shrubs. upright shrub from China, handsome e, greenish-yellow flowers in long es followed by large blue bean-like needs some shelte in the N. altho ardy; sandy son wim plenty of leaf-

(den-DROH-bi-um)

Epiphytic orchids, tropical, having lor rooping racemes of showy flowers hades of rosy purple and mauve, with pale green and having a sac or spin pale green and having a sac or spin tropic green and having green green and having green and having green and having green and havi is of ros, de green and no...

I lip. There are a green a religion. Divided into evergreens and elemants, the former requiring a moist natmosphere; the latter a high moist sphere during the growing season but and offer care during the late fall for and early spring. See Orchids.

The sphere during the growing season but and early spring. See Orchids.

The sphere during the late fall for and early spring. See Orchids.

The sphere during the fall for a sphere during the late fall for the season of the sphere during the fall for the season of the sphere during the sp

Pkt. 90c
Brilliant orange-yellow, with rich redlish-brown spot on the fimbriated liplowers 2-3 inches across, in pendulous
acemes of 6-12 blooms; decidueus and a
ery easy species for the amateur.

-aobite.

DESMODIUM (des-MOH-di-um)

Tick-trefoil or Tick-clover. Grows in dry voods and fields and may be used in the order or wild garden. Pea Family.

DMOD-1. Pkt. 35c Telegraph Plant. Grown in the griouse; a tender Asiatic species with ite flowers; its leaflets have the po move in several directions; peregrown as an annual, easy from seed.

DEUTZIA (DEUT-si-ah)

Deciduous shrubs from Asia, saxifrage cmily. Very attractive shrubs, growing best in good, well drained loam; not real array in the North.

DEUT-1. Pkt. 25c.

Herdeman rether larger shrub with

nd large panicles of ed flowers. HS. 10 ft.

DICENTRA (dy-SEN-trah)

age fern-like, flowers with spurred petals and sometimes yel-rom seed.

colden Ear-drops. ellow in erect law-it., HP. DICN-6, Pkt. 25

DICN-5. Pkt. 20c t, Fringed B., Plumy wers of the Smokies. DICN-1. Pkt. \$1.00 DICN-2. Pkt. \$1.00 Very rare

only a than D. spectabilis. DI Bleeding Heart. Formally DICN-4. Pkt. 35c

DICN-3. Pkt. 25c finely cut leaves; iler very fir

DICHROSTACHYS

DICRANOSTIGMA

Plants of the Poppy Family, with har

DICTAMNUS (dik-TAM-nus)

The Gas Plant, a favorite in old garde makes huge clumps, with finely divide

DICT-1, Pkt. 25c Seed germinate very slowly, ple them usually in the fall, an inch they germinate in the spring; the gives off a volatile vapor.

— albus.

DIDI-1. Pkt. 100

DIGITALIS (dij-i-TĀY-lis)

DIDISCUS (di-DIS-kus)

FOX GLOVE. Erect blennial and plants. Their stately spikes it or more high are crowdinable-like flowers, beautifully hey are easily grown from seed to be a consumer for flowers.

ambiana. DIG-3. Pkt, 30 a good

npanulata Mixed. DIG-10. Pkt. 250 ingle enormous bell is borne at the each stalk of normal foxglove flow A single enormous bell top of each stalk of norm ers. HB, 3-4 ft.

A very pretty Foxglove with bronze rellow flowers and whitish lip, HF. 3 ft.

—lutea. DIG-5. Pkt. 50c.

A rare and attractive yellow flowered coxglove, HP, 3 ft.

—marians

-mariana.

A distinct species verlaid with golden hestnut, HP, 3 ft.

DIG-1M. Pkt. 15c
in a beautiful mixtrain. HP, 3 ft. vericia with golden ca -maculata superba. G:ant spotted plants are English grown st

DIG-11. Pkt. 35c

D. purpurea:

The common Foxglove, the seed being sually sown in the spring or summer r plants that flower the second year, they can be started early indoors for overing the same season.

DIG-1Z. Pkt. 10c DIG-1Sh. Pkt. 15c

Mowering the same season.

gloxinaesflora.

Pink spotted flowers, whopen than the regular stratement of the shirley.

Giant hybrid with blotched color range, white to shell rose, many nicely blotched crimson, marroon or choc flower spikes, 6-R.

White.

Pink.

Mixed.

All spotted flowers in the same and the spotted flowers. lotched throat, extra shell pink to deep ched or spotted with chocolate, largest DIG-1W. Pkt. 10c

DIG-1W. Pkt. 10c DIG-1X. Pkt. 10c

All spotted flowers in three colors.

—Salmon Beauty.
DIM-9. Pkt. 25c
Pretty salmon shades,
HHA, 1½ ft.

—thaspi.
A dwarf species with crimson flowers
and pole throat marked with blood-red
dots, HP. 1½ ft.

DIERAMA (dy-e-RAY-mah)

Bulbous plants of S. Africa belonging to the Iris Family. Grown outdoors in mild climates or in cool greenhouses. Life all S. African bulbs they do best on the west coast. The seed can be started in flats and handled in the cold frame until large enough to put in outdoor beds.

—pulcherrimum.

Reddish purple flower
habit, HP, 4 ft.

DIMORPHATHECA

(dy-mor-fo-THEE-kah)

(African Daisy). Hardy annuals 1-2-ft. for sunny locations, blooming from early sum-mer till rost; derisy-like flowers in ray and disc types, excellent for low beds and in rockery, especially for late color in the fall. In Cal. and Fla. and other milk stotes it is planted in the fall for winter flowers.

DIM-7. Pkt. 20c Golden West. — Golden west.

(Fairy Beils). A genus of pretty peron
— hybrids. DlM.2. Pkt. 15c; 14c cs. 35.

Containing all colors, pure white to rec
and bluish, including lemon, sulphur am
right golden yellow, light orange, reddisellow and pole scimon ross, 14.

ight golden yellow, light orange, reddish llow and pale scimon rose. I-ft.

- Special Mixture. DIM-3. Pkt. 10c;

4 oz. 70c

Containing all varieties of this species. calendularea, Lemon Queen. DIM-10.

Lemon colored flowers with bige-black entral zone, pretty, HHA, 1½ ft.
-Ecklonis.

DIM-11. Pkt. 15c
Per. or sub-shrub to 2 ft., flowers rays thite above, purplish below.
-berberice.

DIM-6. Pkt. 25c

S. African annual with blue and white overs, HHA, 2 ft.

-pluvidis ringens.

White with blue ring.

-sinuata.

DIM-5. Pkt. 20c

DIM-5. Pkt. 20c

-sigurator.

Brightest, glossiest golden orange overs early and continues for 3 months ticgether charming.

All Mixed. DIM-6X. Plst. 16c; ½ ex. 75c.

DISPORUM (dy-SPOH-rum)

Fairy Bells. Genus of liliaceous persidal plants of Lily Family with droopin white or yellowish flowers found in wood. The flowers are followed by attractived or yellow berries. Very lovely in the wild garden, especially. Similar to Solmon's Seal.

Creamy white flowers, 2-ft. tall.

DODECATHEON

(doh-de-KATH-e-on)

Shooting Star, American Cowslip. Sm merican perennial plants of Frimre maily, basal leaves and nodding Cyc en-like flowers in rounded cluste

—Clevelandii.

Shooting Stars, Old Maid's Noses. Hardry, very fragrant in all its parts from dry seed pods to fresh learnes and stems. Vezerly, 8-12" tall, Cyclamen-shaped flowers

le; l

DODE-6, Pkt. 25c

DOLICHOS (DOL-i-kos)

Rapid annual climbers, 10-ft. or main Wisteria-like flowers of red or willowed by attractive pods; do not include. HHA.

-lablab. DOLC-2. Pkt. 15c (Hyacinth Bean). Violet flowers. HHA,

-Mixed Dolichos. DOLC-5X, Pkt. 10c

DORONICUM (doh-RON-i-kum)

Leopard's Bane. Perennial daisy-like lants with yellow flowers blooming early a the spring, prefer full sun and rich oil, easily grown from seed.

—caucasicum. DORO-1. Pkt. 25e

Gro DORO-1M. Pkt. 25c

DOUGLASIA (dug-LAS-i-ah)

moss rink. Native of mont aline is suited to soil, but there has yithing better if it does well, ree soil or wall, 2-in, tall, and wers wers. Compact cushions covered in ling by abundant bright to wers on one inch stems; hardy wers on one inch stems; hardy

DOWNINGIA (DOU-ni

Small annuals of the Lobelia family with 2-lipper flowers in blue, white or yellow; they are very pretty and being under 10", they do well in the RG or front of border, they do well in the RG or front of border, they do well on the Lobelia with plenty of charm; dainty little flowers of light of the control of the control of the lobelia with plenty of charm; dainty little flowers of light

DRABA (DRAY-both).

Small tuited hardy annuals and peren-als, useful in the R.G. and having a neat phit. Flowers early, best in perous soil and sun.

- alsoides.

DRAB-5. Pkt. 80c

An easy rock garden species; deep gr rosettes 1" or more across; yellow flow HP, 3".

DRACAENA (drah-SEE-nah)

Ornamental plants with brilliant iten variegated foliage belonging to ily Family. They are tropical plants ordinarily grown in graviline is the most con Dracaenas. Grow in release and maintain

Indian species. DRAC-2. Pkt. 50

DRACOCEPHALUM

(dray-koh-SEF-ah-lum)

(Dragonhead). Hardy annuals and perennials with blue, purple or white flowers borne in whoris in the arile of the leaves or in spikes. They make pretty groups in moist shady places in the border. Easily grown from seeds. If in an exposed hot position the flowers are freeting.

—moidavicum.

DRPH-1. Pkt. 15c

Hardy annual, a charming variety with blue and white flowers in long leafy racemes; do not plant in a hot exposed position. 14f.

DRACUNCULUS

(dra-KUN-keu-lus)

Tuberous plants of Arum (amily native Med. regions. They are grown more GH as a curiosity; tender and grown utdoors only in mild climates. (Continued on Page 11, Col. 4)

DIANTHUS - PINKS - CARNATIONS

They are all fragrant and beautiful tring plants and excepting for a few is species, they all can be grown there, enjoying sun and a moist in soil. The annual sorts should be ed early in the spring, either indoors it, the perennicis can be started in-early in the spring, or sown as late ug, for plants old enough to winter when they will flower profusely the ing summer. Do not mulch stanting the summer is a summer of the summer is crowns often rot if too much ure collects and they can not quickly ut.

invoudil.

iwoodil.

ardy hybrid race of D. plumarius and ryophyllus. Flowers from early spring arte fall in all colors except yellow is entire or variously fringed; have seen flowering and clove scent of the tartius with the heavy texture of the tartius with the heavy texture of the About 25 seeds per packet

DIAN-3A. Pkt. 204 r from seed, July-Aug. ragrant, flowers single der, rose and pink and colored centers, 4-8-in

DIAN-10. Pkt. 20d DIAN-10A. Pkt. 20d Dark Crimson selected for RG; floodlar

bIAN-10A. Pkt. 20c
DIAN-10B. Pkt. 20c
DIAN-10B. Pkt. 20c
ms of the finest of all
rers c...en the size of a
l' stems above bright
ry short leaves; color
to red, " ith a band of
the center; the true
totainable, and a great
in rich gritty loam
in with ample water. HP.

DIAN-111, Pkt. 25c te variety of. Pink, 2-4" high

DIAN-13. Pkt. 20c
ed and richly fragrant rock
s, white, cream and pale
has sweet fragrance found
n, very desirable, 6-in. tail.

prominus, very destrable, 6-in. tail.

pressus.

DIAN-24. Pht. 15c
hedder Pinks). Tufted foliage, 3-in.
6-in. flower stems, bright pink daintinged flowers in May and June; ideal
garden plant.

Hybrid.

Proposition of this species.

achyanthus.

DIAN-22. Pkt. 35c
tied little plants to 8". Flowers rose,

G treasure.

DIAN-34. Pkt. 25c

Algeria.

DIAN-38. Pkt. 15c

rock garden, HP. 6 inches. owle's Variety. DIAN-38B.Pkt.25c v foliage and vivid carmine flowers

short erect spikes.

DIAN-78. Pkt. 30c
gle Pink, powerfully

DIAN-48, Pkt. 50c DIAN-52, Pkt. 50c DIAN-54, Pkt. 75c DIAN-57, Pkt. 50c DIAN-59, Pkt. 25c

e lemon yellow, hus and a real a m; grow it with lightful blue and an unique color in ddition to the flower Jasiome perennis for yellow effect, 18-in DIAN-61, Pkt. 30c

DIAN-43 Pkt. 15c William). Double ing crimson, erect.

Everblooming Sweet wers of deepest gloog in bloom, I-ft. liboschnitzianus. White flowers, I ft. monspeeulomus. DIAN-93, Plot. 25c DIAN-67. Pkt. 15c

nt flowers with deeply varied colors with many pinks. Showy rock garden, or bedding plants, 1-ft.

ctus. DIAN-71. Pkt. 25c

er Pink). Small odorless red-purple

the toothed petals tawny under-

DIAN-89. Pkt. 30c llage and stems dark purple, flowers red, HB, 1½ ft.

DIAN-94, Pkt. 35c stis. DIAN-110 Pkt. 50c

sterhead Pinks.

ock garden species with grassy greens and flowers like those of the Maiden but larger. HP, 3".

baccauls.

DIAN-90. Pkt. 30-

rock go arden species with 2, 9 inches. DIAN-81. Pkt. 50a

DIAN-99, Pkt. 25 ers are pure colors compact growth and long flower period ect. 9-in. tall. scented sing-ing first year, lid rockery subj

DIAN-83. Pkt. 350 nixture of Dianthus rock gardens, old wn mixture of for rock gar etc., HP, 1 ft.

WEET WILLIAM Dignthus barbatus

While these are biennials they are bestown as hardy annuals, especially in the All are about 1½-ft. tall, excellent indee and for cutting; they flower in June and the cutting they flower in June 2011. DIAN-68

nual flowering strain of Sweet which if planted early will bloom

DIAN-70. Pkt. 25ct William. The old in in England, HB,

DIAN-2D, Pkt, 15c na mierola iz DIAN-S. Pkt. 10c DIAN-2HG. Pkt. 15c

DIAN-2HP. Pkt. 15c o eyes. b. DIAN-2ID. Pkt. 15c

Newport Pink.
Beautiful single
Pink Beauty.
A charming st DIAN-2NP. Pkt. 15c DIAN-2PB. Pkt. 15c in many shades of

rming strain in many ink, HB, 1½ ft. cdmon-pink, HB, 1½2 tt.

—Purple Beauty, DIAN-10, Pkt. 10c
Bright deep purple single flowers.

—Scarlet Beauty, DIAN-2SB. Pkt. 15c

—Single Dark Crimson. DIAN-4. Pkt. 10c

—Single Holborn Beauty. DIAN-29.

Very large eyed on pretty single flowers a mixed colors.

Pkt. 10c -Select Glomts, Mixed, DIAN-2GX. Pkt. 15c
These are giant hybrids in a great many different colors.

ifferent colors.

Dwarf Double Mixed.

DIAN-2DX.

Pkt. 15c

A dwarf compact strain in double flows of bright colors making effective beders.

ers of bright colors making effective bedders.

—Mixed Single Sweet William.

DIAN-66. Pkt. 10c; os. \$1.25

—Single Dwarf Alpine Mixed.

DIAN-14X. Pkt. 20c

This dwarf, compact form of single Sweet
William is ideal for rock gardens and low
edgings; the clusters of many colored
bright flowers are snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly over the tip
of the 6-in tall sets snugly for the first snugley over the
hard blennial it is usually more scatisfactory to make sowings annually; in facvorchie locations, plants often live over
23 years.

—Double, Mixed. DIAN-15X. Pkt. 10c;
Double, dwarf, compact.

—Mixed Sweet Williams.

DIAN-73.

-Mixed Sweet William. DIAN-73.

This is a T&M English grown strain of the very best single flowered varieties, HB, 1½ ft.

CARNATIONS

DIANTHUS caryophylius.

Some of the types are also called Clove inks. They are especially noted for their argrance, the whites being the most produced and the reds the least. The reenhouse carnation belongs under this eading as well as many hardy sorts as sted below. As a general rule seed should estarted indoors for early plants or up that Aug, for outdoor plants for the next ear flowering. Space a foot apart and larger the flower, the more necessary is to supply supports.

Climat Persputal. DIANTE Phy 25c.

Giant Perpetual. DIRN-18. Pkt. 25c.
The largest flowered clove-scented strain readen use; similar in habit, for form, preentage and enriness to the Chabaud ant Improved. Under cold frame forcing will produce excellent commercial cut

CHABAUD'S CARNATIONS:

Chabaud Giants. DIAN-21. Pkt. 35c —Chabaud Giants. DIAN-21. Pkt. 35c (D. marguerite). Everblooming Carnactions. The giant everblooming carnactions are as easily grown as the D. Marguerite flowering about 6 months from time of sowing, they have the added advantage tho, of being truly everblooming, producing without interruption during the whole summer, large and fine, very double flowers. A fine type of Carnation, 16-20-in tall, of good habit; strong, stiff stems, colors coming true from seed and up to 95% very double flowers. Excellent for growing in pots, for beds and for cut flowers. Sow in Jan-Feb. flowering from Jan. till winter sets in.

owers. Sow in Ja nn. till winter sets -Simon's Triumph. An extra choice of a best color range. -Avranchin Blend. DIAN-4ST. Pkt. 25c

DIAN-4Av. Pkt. 25c -Amethyst.
-Cardinal Red.
A beautiful she
-Deep Rose. DIAN-4A, Pkt. 25c

DIAN-4DR. Pkt. 25c -Deep Rose.
-Jeanne Dionis.
Beautiful pure double DIAN-4JD. Pkt. 25c

ant de Nice, Mixed. DIAN-4EN.

This is the result of a cross between Chabaud's Giant and Perpetual; the plants are robust, upright habit, with long strong italks bearing 2½-3-in. flowers, a magnificent strain coming 75% true from seed and 90% double. DIAN-4Et, Pkt. 25c

Bright scarlet, 90%
-Legion of Honor. DIAN-4LH. Pkt. 25c DIAN-4MC, Pkt. 256

Marie Chabaud, Very pure yellow fl Very pure yel
Mauser.
A new Swiss
with a rich color DIAN-24, Pkt. 50c

DIAN-4N. Pkt. 25c DIAN-4P. Plet. 25c flowers

with a reNero.
Blood-red.
Pearl.
Mauve flower
Rose Queen.
Ruby.
Striped.. DIAN-4RQ. Pkt. 25c DIAN-4Rb. Pkt. 25c DIAN-4St. Pkt. 25c

DIAN-4GN, Pkt. 25c strong robust lecial blend of

English Giants
This is a NEW
trnations, that DIAN-4EG. Pkt. 25c train of hardy garder give the best possible blooming all summe ne of the flower bud rnations, h off so

DIAN-4X. Pkt. 256

Teicher's Strain. DIAN-4TS, Pkt. 35c A large, long ster al Carnation of high

-Tige de Fer, Mixed. DIAN-4TF, Pkt. 35c

d Beauty. DIAN-30. Pkt. 15c

aploid variety com-flowers of D. hed-ed growth and long lensis. Well formed numbers, stems 15-in.

extreme temperatures than either of its parents. Color variable in red, shades of crimson and scarlet, single, lacinated, 1-ft, Hardy Annual.

— Schonheit.

A pretty new Swiss variety just received.

A pretty new

Finest Mixed. DIAN-32. Pkt. 15c: ½ oz. 70c

CHINENSIS:

Rainbow Pinks. Glabrous green tuffee plants, 12-18" tall, flowers single, in several colors, 1" across, not fragrant. The Heddewigii annual Pinks belong in this species. They are short-lived perennials, but grown best as annuals.

ut grown best as ann -Imperator. Double giant flowers DIAN-60. Pkt. 20c DIAN-5Dx. Pkt. 15c

ble Mixed. DIAN-5XDx. Pkt. 25c DIAN-SXDx. Pkt. 25c
—Single Mixed.
(China or India Pinks). While they are short lived perennials, they are best treated as hardy annuals. Height 12-15-in flowers solitary, 1-in. across, in tones of red, lilac and white, blooms all summer. D. heddewigi is one of the hybrids of this

minperialis, Double Mixed. DIAN-5Mx. Pkt. 15α

Heddewigil:

neddewigii:

Dianthus chinensis, Indian or China Pink. Introduced in 1713 and comes in various forms, double, single and lacerated and all large flowers, the best strains are of Japanese origin. Sow seeds after first of year for early flowering out of doors, from April to lune for late summer and autumn flowering. They are also fine in pots carried over in cold frame and flowering from May on in 6 inch pots All are hardy annuals and about 9 inches tall are hardy annuals and about 9 inches

giganteus, Single Mixed. DIAN-5HS Pkt. 15c
DIAN-5Hfx.
The above two varieties are very large lowered types.

lowered types.

-Mourning Cloak.

Dark purple with cut edges.

Groups.

Double Hybrids. DIAN-5HYx. Pkt. 15c

Imperator, Double Giants. DIAN-5HDx.

Pkt. 15c

A choice strain of double ciant varieties.

DIAN-5Hs. Pkt. 15 Fireball. DIAN-5HF, Pkt. 15c (Japanese Pinks). Double deep scarlet

-Laciniated Double Mixed. DIAN-5HLx Pkt. 15c

——Snowball. DIAN-5HI.B. Pkt. 15c

—nobilis. DIAN-5HN. Pkt. 15c

(Royal Pink). Flowers very large, 3-4-in.

illed and fringed in most charming colors

-Single Mixed. DIAN-5Hx. Pkt. 10c

GRENADIN CARNATIONS:

King of the Blacks. DIAN-6K. Pkt. 15c

Dark velvety
-Rosy Morn.
-Scarlet Morn. DIAN-6R. Pkt. 15c DIAN-6S. Pkt. 15c DIAN-6W. Pkt. 15c DIAN-6Y. Pkt. 15c White Que Bland of above Varieties. DIAN-6Y

Splendid mixture of these 18-22-in. plants,

-Grenadin, Tausendschon. DIAN-19.

A new variety, color varyina from deli-cate rose to salmon rose, its flowers are autilless, double and resulter shape, ex-rellent cut flowers, HP. 18-22-in.

Grenadin, Giant Malmaison. DIAN-23.

Ph. 35-

Pkt. 35c Largest sized flowers, fragrant of the most satisfactory garden t

MARGARET CARNATIONS:

Marguerite Carnation, Saier Blend. DIAN-44. Pkt. 25c

DIAN-44. Pkt. 25c
This is the most generally satisfactory garden variety. as it is early flowering and blooms misor profusely under most different and the same partial statement. The flowers are long different and the same partial stemmed, dubbs. Yet flowers are long stemmed, dubbs. Yet flowers are long wide variety of colors; in all cases accept where the winters are very severe, the blants will live over 3 or 4 years. If seed is started real early flowers can be had by tuly and till frost.

DATE Bed. DIENATE Det. 15.

DIAN-7R. Pkt. 15c DIAN-7Y. Pkt. 15c DIAN-7Z. Pkt. 15c DIAN-7W. Pkt. 15c DIAN-7W. DIAN-7Mx. -Dark Red.
-Pure Yellow.
-Rosy Pink.
-Improved White.

DIAN-7Rx. Pkt. 25

A very showy double and early —Double Mixed. DIAN-7Dx, Pkt. 15c

HARDY DWARF CARNATIONS:

Extra choice strain of double flowered bright colors and free blooming; especially good for bedding as well as cutting; while biennial, treat as an annual, starting seeds early indoors, 15-in. tall. annue tall.

Vienna, Pure White DIAN-INW. ---Pure Rose. DIAN-10Z, Plet, 20c

HYBRID PINKS: HYBRID
Listed here are those Listed here are those whybrids of different species and hybrids of different species.

DIAN-79. Pkt. 70c
Shades and columbs.

Hybrids, Highland

Beautiful strain of large flowered hardy liks, vivid colorings tich in varied shades na combinations of pink and rose: wide southment of beautiful forms, selfs and aned flowers with pink and rose tones ominating.

DIAN-80. Pkt. 70 Deeply lacinated mauve flowers,

perfuned. HP. I ft.

—Sweet Wivelsfield. DIAN-41. Pkt. 15c

A distinct race of Pinks with large flowers in shades of pink, rose, crimson, scallet, and others with edges and centers of contrasting colors, blooming several weeks during summer; excellent for borders. rockery, edgings or cutting, I-ft. flora pleno.
Lable form of Sweet

DIANTHUS PLUMARIUS.

(Grass or Clove Pinks). Hardy peren nicis, the foliage grassy-like in stroncumps, thin wiry stems, very free flowering, fragrant. Easily grown from seed preferring well drained soil and a sunny position; excellent for edging paths. Bloom carly June to mid-summer and if fader flowers are removed the blooming period will be lengthened.

White, rose and red flowers on same

CAMP-9B. Pkt. 15c CAMP-9z. Pkt. 15c Double Rose. CAMP-9z. Pkt. 15c Ipswich Crimson Double. DIAN-82

A very deep crimson and a double type, HP, 1 ft.

—Ipswich Pink.

—Ipswich Pin

— Ipswich White.

Double ivory-wh
HP. 9 inches. DIAN-81, Pkt. 50c

P. 9 inches.

-Mayilower.

Early dwarf DIAN-8M. Pkt. 15c in nice blend of lors, double. Mrs. Sinkins.

DIAN-8Sn Pkt 35 DIAN-85. Pkt. 60 Rose of May A very pretty v se flowers, HP,

see nowers, HP, 6 in semperflorens. (Everblooming Pinks), and double flowers in DIAN-8Sm. Pkt. 15c fine colors, 18-in.

DIAN-8Sc. Pkt. 15c
y-crimson with dark -Cyclops.

ne single Pink, rosy-crimso

Double Mixed. DIAN-8Sdx. Pkt. 200 — Double Mixed. DIAN-50—Scoticus, Mixed. DIAN-5 (Special Florist Strain). Sell various tints of pink, rose, swhite and the same colors in c with bright crimson zone. Blood across, free flowering. This is the D. plumarius. Stems 12-15. DIAN-35 X. Pkt. 20c DIAN-54. Pkt. 20c Strain). Self colors of ink, rose, salmon, and the colors in combination

Spring Beauty.
Double flowers in a DIAN-8SB. Pkt. 15c Double. White. DIAN-8W. Pkt. 20c -Double, Mixed.

Pkt. 20c Extra dwarf varieties with large double flowers, this is a special strain.

-Extra Dwarf Mixed

proliferus.

DIAN-101. Pkt. 50c
A very bright-colored and floriferous
election. HP, 8".

1 ft. annual for the PC
nk.

Rock Garden Pinks. DIAN-62. Pkt. 25c de up of the more dwarf varie cially suitable for rock garden pl This blend contains many differ colus many rare and very rare so ult to obtain in any other wat. y other wa♥. DIAN-63. Pkt. 10c

Pk., 25c DIAN-64. —Rare Species Diaminus.

Contains many varieties of Diaminus suitable for rock gardens and many rare types not found in the regular listings, all are mostly attractive in the rockery; a won-fertil collection in Diaminus.

—MIXED DIANTHUS.

This mixture contains over 100 diffesent diagrams of Diaminus, to say nothing about

Pkt. 10.

This mixture contains over 100 diffesen kinds of Dianthus, to say nothing about the many hybrids and unnamed varieties Oz. 50c.

(Continued from Page 10) -vulgaris.

-vulgaris.

DRAK-1. Pkt. 50c
Interesting leaves divided into 10 or
ore segments from a bow-shaped base
da a large purple spathe; grown as a
ft plant or outdoors in mild climates.

eve attract considerable attention when
flower, as a curiosity; the odor of the
ower is offensive if kept indoors.

DRYAS (DRY-as)

Mountain Avans. Darf evergreen pros-rate plants suitable for the RG. Flowers white or yellowish; well drained porous soil in rather cool location, very hardy

octopetala, v. lanata. DRYA-1. Pkt. 40c White woolly leaves, flowers white, a ne RG creeping evergreen plant. White woo fine RG cree

DRYMOCALLIS (dri-mo-CAL-lis)

Western plants very close to Potentilla and looking exactly like them except to the botanist. They have deeply gashed eaves and sprays of yellow or white strawberry-like blossoms. They are intersting plants for the rock or wild garden but not showy enough for the herbaceous oorder; easily grown from early planted seeds.

seeds.

—glutinosa. DRYM-1. Pkt. 25c
One of the taller species for the back of the rock garden or for a sunny spot in the wild garden; flowers yellow, about 34 inch across in broad branching sprays; leaves are quite attractive, HP, 2 ft.

DUCHESNEA

—indica; DUCH-1. Pkt. 50c
A nice Rosaeae with strawberry-like foliage, yellow or white flowers and decorative strawberry-like fruits; from Columbia.

DYCKIA (DIK-e-ah)

Succulents resembling small Century Plants but flowering regularly instead of once in a lifetime; need same window or greenhouse culture as the Century Plant in the N. but outside in S.

—sulphurea.

PYCK 1. Pkt. 25c
Lacuse saged with spines; showy yellow flowers in spikes.

ECHEVERIA (ek-e-VEE-ri-gh)

Succulent having leaves in rosettes and mail flowers usually in spikes. Grown doors in pots and sometimes bedded out a summer. Require a light, sandy soil, xcellent drainage. Handle like succu-

giorgis. ECHV-I. Pkt. 500

elegans. ECHV-2. Pkt. 20c

Flowers pinkish with yellow tips; floww branches to 8" long.

ECHINACEA

(ek-i-NAY-che-ah)

Native personnals closely related Rudbeckia of bushy growth and daisy-flower-heads often 6" across; fine for flowers or for bold effect in border, blo ing 2 months or more. Thrive in sandy loams in dry places; sow seealy for flowers following year.

—purpusea. ECHI-2. Pkt. 15c (Rudbeckia purpurea). Purple Cone-flower. Heads purple varying to white, rays to 3" long, 5 ft. tall; pretty plants

n the border, HP.
-purpurea: see Ed.
- Earliest of All. Echinacea purpurea.
All. ECHI-2e. Pkt. 15c
ECHI-1. Pkt. 50c -angustifolia.
Showy plant for dry b

CENTAURIUM (cent-TUR-i-um)

Centaury. Mostly small annual ink-like red or rose flowers in CENA-1. Pkt. 25c

ECCREMOCARPUS

(e-krem-oh-KAHR-pus)

Glory Flower. Climbing shrubs from oru and Chile, grown as an annual in and perennial in S. They are pretty imbing subjects. ECCR-1, Pkt. 25c

Orange-red flowers, 1" long: fit first season if started early indoors; soil, warm situation, 12 ft.

ECHINOPS (e-KY-nops)

(Globe Thistle). Thistle-like and biennials with flowers in round heads.
They are very decorative in the border and easily grown from seed.

—nivers

They are ves, and seed.

—niveus.

Large heads of white flowers and silvery follage, HP, 5 th.

Free flowering annual, white flowers with blue zone, HHA, 9 inches.

—ruthenicus.
—ruthenicus.
—ruthenicus.
—ECHN-3. Pkt. 25c
Similar to E. ritro but less robust, as very fine blue, HP, 5 th.
—ritro.

ECHN-1. Pkt. 15c
Small globe thistle with finely cut, white downy leaves—and steel blue flowers, blooming all summer, perennial, 2-ft.

ECHIUM (EK-i-um)

(Vipers Bugloss). Annual, biennial and perennial plants of Borage Family. Purple, rose or white flowers in colled racemes or shown spikes. Thrive in poor soil in open sunny locations, producing only leaves if too rich. Some of the species are very popular in Cal.

popular in Cal.

—pomponicum.

—vulgare.

Offered especially for tall, HP. Oz. 25c; lb. \$1 ECHM-3, Pkt. 15e ECHM-2. Pkt. 10c bee food, 21/2 ft.

ECHM-2B. Pht. 25c Blue Bedder. A new compact variety with deep blue flowers, HP, 1 ft.

EDGEWORTHIA

(ej-WUR-thi-αh)

(Paper Bush). Asiatic shrubs, closely rillied to Daphne, but not hardy in the N-Gardeneri. EDGE-1. Pkt. 25c A very showy bushy shrub with heads of yellow flowers found at 6,000 ft. elevations. This probably is hardy in the S. EDRAIANTHUS (ed-er-AN-thus)

Low growing perennials of Bellilower mily native to Mediterranean regions; uch like Wahlenbergia; bearing nodding sil-shapad blue, violat or purple flowers or the RG; light rich soil, humas and after freely.

EDRA-1. Pkt. 35e
EDRA-2. Pkt. 75e
ssicus.
EDRA-3. Pkt. 50e
growth with bright blue flowers
rs, 3" tall, HP. Pumilio. EDRA-Tight hard silver cushions on lilac-blue flowers; 1" high. EDRA-4. Pkt. 30e

EMILIA (e-MIL-i-ah)

(Tassel-flower, Floras Paintbrush). Annual and perennial plants of low, north and perennial plants of lower heads surrounded by soft, white bristles resembling tiny paint brushes. Grow in sunny places, July-fost. Treat as half hardy annuals. Formerly listed as Cacalla.

— sagitata lutea.

EMIL-1. Pkt. 15e.

Popular annual garden species, to 1½-fa. with yellow flowers in loose clusters.

— coccinea.

EMIL-2. Pkt. 15e.

— Mixed.

EMIL-3X. Pkt. 15c.

Same but which seems to have been dipped in paint of vivid red, yellow, others in golden orange with red dominant, 11/2-ft.

ENKIANTHUS (en-ki-AN-thus)

Hardy deciduous shrubs of the Heath Family, native of Asia. Altractive, upright growth with whorled branches; long sleader clusters of nodding flowers in spring, showy and suggest the common name, Necklace-bush. Thrive in moist sandy loam with peat or leaf mold; easily grown from seed.

-hi malaicus. ENKI-1, Pkt. 25c —himalaicus.

ENRI-I.FEI. 250:
Shrub or small tree useful either as a pecimen or with other shrubs; bright red roung shoots and accemes of red and ellow bells; foliage brilliantly colored in nutumn; fairly hardy. HS, 20 ft. campanulatus.
Tall shrub with pendu
wers, yellowish veine ENKI-2. Pkt. 50c

lowers, yellowish inusual appearant ored shrub in fall.

EPIDENDRUM (ep-i-DEN-drum) Epiphytic Orchid from tropican Am. Same

EPID-1, Pkt. \$1.00

EPIGAEA (ep-i-JEE-ch)

Spring blooming Trailing Arbutus, attracted, native to U.S. The best method to get established is from seed, requiring rich cid, pearly soil and in shade. It is associate, pearly soil and in shade. id, peaty soil and ried with Hemlock

EPIG-1. Pkt. 50c maidrica.

EPIG-1. Pkt.

Livery rare species from Japan, said
much easier to grow than the na

a, and with larger flowers. HP, 2"

EPILOBIUM (ep-i-LOH-bi-um)

Willow-herbs. A large genus of plants and sub-shrubs of the temporate regions and belonging to the Primroze Family. The iearws are willow-like, thus the common name Willow-herb. They are very easy to grow, most of the species being especially adapted to the wild garden or winter side, at few are fine border plants. Flowers are small, white, pink or yellow and long fruit pods or capsules.

—muptationism. EPIL-2. Pkt. 40c Equation of the progression of the pods or capsules.

EPIL-1. Pkt. 25c Equation of the progression of

ERAGROSTIS (er-ah-GROS-tis)

Medium sized at 1883, an, and per greed for their descate ornaments grays, the small spikerets are borne in

ERAG-1, Pkt. 150

ERANTHIS (e-RAN-this)

EREMURUS (er-e-MEU-rus)

(Desert Candle, Foxtail-lily, Grant Aspholei). The hardiest of the tall desert memors of the Lily Family. They are most pectacular. The flower stalk, in some speies, rise as high as 8-ft. and clothed for all its length in close-set starry blooms rating for several weeks. Becoming more peopler both in border and as florist flower repulser both in border and as florist flower.

EREM-1. Pkt. 200 -Finest Mixed. EREM-2. Pkt. 35c

-hybridus. EREM-4. Pkt. 500

EREM-5. Pkt. 50cm of E. robustus -Elwesianus

splendid new form of r in all parts, HP, 10 it.

ERICA (ER-i-cah)

One of the Heathers, evergreen shrubs very attractive for mild sections, needle like leaves, requires lime free soil, some are hardy in the N, with some protection. They also make beautiful pot plants, using fibrous peat and course sand. ERIC-14, Pkt. 50c

cinerea alba. ERIC-6. Pkt. 50c owers, 9-12" tall June-Aug., white flowers, ardy in N. with protection.

-cinerea, atrosnaguinea.

-cinerea, Rose Queen, ERIC-4. Pkt. 50c A twisted and much branched little

A twisted and much branched little shrub with beautiful rose colored flowers in July-Aug., 9-12" tall. Hardy in N. with protection. Pure white variety, flowering Feb. April 4-6".

- Springwood White. ERIC-9. Pkt. 50c Has long sprige, Jan.-March, 6-9" tall.

— vivellii. ERIC-8. Pkt. 50c tall.

Lavender-red flowers, Feb-March, 6-9 tall.

—Mixed. ERIC-11. — ink to red, 6-12". Dec.-March. —praecox rubra. ERIC-10. Pkt. 50c retty deep red, Nov.-Jcm., 4-6" tall. 3-5 ft. tall.

pb.-April.
-mediterranea alba. ERIC-3, Pkt. 50a
A dwanf form from the Porter collection
12" tall, white flowers blooming in Feb.

pril.

-mediterranea W. 2. Rackliff. ERIC».

Pkt. 50c

This is a large white flowered type, overing in Jan-March, 1-1½ ft. They deepy well in the South.

-umbellata.

EI.IC-15. Pkt. 50c

ERIC-7. Pkt. 50c Known also as Spike-wers, Dec.-April, 5-10 ft

-All Ericas Mixed. ERfC-X. Pkt. 15c

ERIGERON (e-RIJ-er-on)

wild garden, and a few are grown in rock garden. Easily grown from seed.

—aurantiacus. ERIG-8. Pkt. 20c
Double Orange Daisy. Flowers rays
orange-yellow, heads 1-2" across; 10"
tall, HP.

ERIG-3. Pkt. 20c

Easy to grow. ERIG-2. Pkt. 20c

ilv-Aug.

-Karvinskiamus.
Vittadinia. HP, blooming first year
om seed: 18" but more or less trailing:
overs 3" across, rays many and white
r plink: border plant or bedding; tender

multiradiatus roseus. ERIG-10. Pkt. 25c Rose color, fine for cut flower, HP.

Rose color, fine for cut flower, HP. Flowers many rayed.

-macranthus, ERIG-12. Pkt. 30c
Flowers lilac or bluish purple, rays
1½" across; 2½ ft., HP., makes fine
clumps in border.

ERIG-5. Pkt. 256 he best of taller species and fine osus hybridus gr. fi, ERIG-9.

Pkt. 25c ERIG-11. Pkt. 25c ERIG-11. Pkt. 25c
Large Asterlike blue flowers, 134,"
ccross, this will grow dry or respond well
to more water and food, HP.
Very pretty, HA.

ERINUS (e-RY-nus)

ERIN-1, Pkt. 250 ERIN-1H. Pkt. 25 Dr. Hannelle. ERIN-1H. Pk. hts best and brightest color form, e-red and comes true from seed.

Herbs and sub-herbs native of the west in U.S. Require well drained peaty sof

EGON-5. Pkt. 25 —flavum, piperl.

Native of Mont
with yellow flower ım green leaves . tall, April-May EGON-4. Pkt. 25c -microthecum.

Mont., gray-white ing many white to rose t in scree soil with bes tall, April-May

EGON-6, Pkt. 35 —nudum.

Grows on hot dry rocks or poor grosoils; one of the easiest species, handsome and showy, yellow head 12" stems, a good companion for Liums (Statice), HP.

EGON-2, Pkt. 250 **-pyrolaefolium.** Dwarf, heads of whit hort stems; dry in., HP. white to red flowers or unny location in R.G.

EGON-3, Pkt. 256

gest yellowish white with age, 1-ft. tall Blend of species. EGON-7x. Pkt. 25

ERIOPHYLLUM (er-i-oh-FIL-um)

Annual and perennial herbs and sub-erbs native to Western N. Am., of Daisy amily. Widely grown in dry places. —intergrifolium. ERIC-2. Pkt. 25c Small Oregon Sunshine. Worth its

intergrifolium.

Small Oregon
weight in gold
flowers, 6-12-in. to sunsnine. W when happy ll, May-Aug.

Owers, the Land of Mont and Conference of Mont I tree of the Mont I t ERIO-1. Pkt. 25c

owers. 12-18-in. icil, May-Aug.

-lanceolatium. ERIO-7. Pkt. 50c.

Alpine Oregon Sunshine. Grows on ho
cocks in crevices; dense wooly foliage
rotuse blooms of yellow flowers; a reatem for the rock garden. 2-4" high. HP

-Mixed. ERIO-6X. Pkt. 15c.

ERITRICHIUM (er-i-TRIK-i-um)

Pretty low growng annual and perennia from the mountains; fine RG plants; the lowers mainly blue but in brillian

-strictum. ERIT-1. Pkt. 250 HP, 10" tall, flowers blue, 1/4" across

ERÔDIUM (e-ROH-di-um)

A genus of the Geranium Family of annual and perennial species; they re-

owers spotted; ded, HP. 6 inch

ERYNGIUM (e-RIN-ji-um)

(Sec-holly, Eryngo). The steel blue or gray foliage of the larger species is most attractive in the border and the smaller kinds are very suited for the rock garden; the taller types furnish excellent au flowers which can be dried for winter bouquets; plant in a light rich soil in an open sunny location. Mostly perennials.

-alpinum. ERYN-5. Pkt. 20c Flowers 11/2" across, blue or white, 2 ft til. HP.

aethystinum. ERYN-0.

pe blue flowers; 1½ ft. tcll, HP.
ERYN-1. Pkt. 20c peep blue flowers; 1½ ft. tedl. HP.

giganteum.
(Silver-thistle). HP. 3-ft. tell.

-oliverianum.

Spiney foliage: flowers, bracts and

cnum. EHIN-3. Pkt. 25c folioge; flowers, bracts and ue, the flowers 1½ inches long, and by the very narrow stiff bracts. surrounded HP 2½ ft —pandan

fit.
ini folium. ERYN-P2. Pkt. 50
ERYN-4. Pkt. 25
ine thistle. ornomental, HP. planum. Sky-blue thistle, orne

ERYSIMUM (e-RIS-i-mum)

Closely resembling Wallhower, comnonly known as Blister-cress, having
white, yellow or filac flowers, the smaller
pacies being excellent rock garden and
diging subjects for sunny positions, sow
he annuals where they are to remain.
Casily cultivated.

asily cultivates.

-cellioni.

(Siberian Waliflower). Sometimes listed under Cheiranthus. Dwarf compact deep range reselected. HA. 1-ft.

- Orange Queen.

- ERYS-1. Pkt. 20c

- ERYS-10. Pkt. 21c

- mana compacta.

- ERYS-5. Pkt. 20c

Saffron-yellow colored flowers on compact dwarf plants making them a very lesirable dwarf variety

- Callage Baddar.

- ERYS-3. Pkt. 15c

-Golden Bedder. ERYS-3. Pkt. 15c new very desirable variety. HA. 1-ft.

ERYS-4. Pkt. 25 -Elatum. Western Waliflower. Biennial, native flowers 12-18-in. Initiolium. ERYS-6. Pkt. 20: (Cheuranthus Hnifolius). Low clumps 1; filed flowers, HP.

erennial or grown dwarf, compact, 20", ellow in compact racemes.

ERYS-2. Pkt. 20c

wskianum. ER Blister Cress). Hardy an ow flowers. malchellum. ERYS-7, Pkt. 20c

ERYS-WI. Pkt. 35c

MAILED REGULARLY 12 ISSUES \$1.00

ERYTHRINA (er-i-THRY-nah)

-arborens.
A small e for carlet flowers in r thern gardens, with mes, 8" long. 20 ft

corollodendron. ZRTH-3. Pkt. 750 So. Americ

"RTH-2. Pkt. 250

(er-i-THROH-ni-um)

Dog's Took Violet, Trout Lily, Adder's ongue. A genus of early spring-blooming subbus plants of the Lily Family, with yraceful nodding flowers and often richly notitled leaves. They are especially at ractive in the rock garden or naturalized n masses in light soil, partly shaded substances are specially of the control of the results of the control of the results o

Citinum.

A becuty for RG or open woodland; pper segments of the flower pure white, wer ones yellow; free flowering. HP. 15" ERYT-3. Pkt. 250 ERYT-1. Pkt. 25c

fersoni.

let some the easiest species, especially of the easiest species, especially East; large lavender and purply, 1-8 to the stem, full sun or paywill stand heavy clay woodlar naturalizing where it se ERYT-2. Pkt. 50c

ESCHSCHOLTZIA

(esh-SHOLZ-zi-ah)

(esh-SHOLZ-zi-ah)

(California Poppies). Hardy annuals and erennials, usually grown as annuals sually low and spreading, but some grow 2-ft tall. The flowers, unlike other oppies, are slender rather than cupaped. They make attractive border owers in groups, bloom profusely all immer and till frost. They thrive in orinary garden soil and are easily grown to used direct in garden early in spring, I after sowings can be made. Thin plants 6-lin. apart. They do not stand moving, from by white mulch, the plants can be used for flowering the next spring.

Single Flowered Varieties:

-Cormine King, Single. Pkt. 15c ESCH-1CQ, Pkt. 15c -Chrome Queen. ESCH-1G. Pkt. 15c Orange King.

ESCH-1Q. Pkt. 156 Dainty Queen.
A pretty dainty s -Mandarin Dwarf.
Erect compact placarlet flowers. ESCH-1Md. Pkt. 15c

ESCH-IGW. Pkt. 15

ESCH-ID. Pkt. 15c

-Mandarin. ESCH-1M, Pkt, 15c ESCH-1Mr. Pkt. 15c ESCH-1K. Pkt. 15c

-Orange Flame
Vivid orange-se ESCH-10F. Pkt. 15c -Purple Glow. -Rose Cardinal.

ESCH-1RO, Pkt. 15c -Rose Queen. -Scarlet Queen. ESCH-1SQ, Pkt. 15c ESCH-1T, Pkt. 15c

Tango.
Bronzy red and terre
tenuifolia.
Light yellow flowers 1/2
his is a different speci ESCH-5. Pkt. 15c ESCH-1G, Pkt. 15c

The Geisha. ESCH-1V. Pkt. 15c ESCH-1W, Pkt. 15c

This mixture not only contrains ALL of se above varieties, but many others as rell and including crimson, yellow and cange shades, which are usually scarce: the regular mixtures. Try broadcasting these in waste places or along the ighway. Oz. 30c; 1/4 lb. 90c.

-Ramona Hybrids. ESCH-IRH. Pkt. 20c
This is a compact strain with fringed owers. ESCH-1X, Pkt. 10c

Double Flowered Varieties:

White Beauty. ESCH-2W. Pkt, 15c ESCH-2CR. Pkt. 15c -Cherry Ripe ESCH-2OB. Pkt. 15 El Toreador. ESCH-2ET, Pkt. 156

Enchantress. Enchantress,
Double rosy pink,
Picture Bride.

ESCH-2PB. Pkt. 15c

A beautiful double chrome yellowargine a large mass of them.

Robert Gardner.

ESCH-2RG. Pkt. 15c

Double oronge with different style ESCH-2E, Pkt. 15c

-Monarch Art Shades.

The finest range of colors and varietie of double flowers. None better, include all above varieties. Oz. 50c.

-Spreading Varieties, ESCH-2, Pkt. 10c Mixed varieties in brilliant colors, HA
12-in. tall.

EUPATORIUM

(eu-pah-TOH-ri-um)

A large genus of the Composite Family rving ornamental plants for the border ild garden and greenhouse. They are safty grown from seeds and do best in light ordinary garden soil

I light ordinary garden sour-comnothium. EUPT-2. Pkt. 25c "Snow-on-the-Mountain". An old garden rvortie with distinct green and wnite serves which add color to the border or ackground planting; easily grown from eed, sunny locations, annual. 3f. —maculatum v. purpureus. EUPT-M4.

Joe-Pye Weed, 8-10 ft., fl. wer heads pink or purple.

-Fraseri.

EUPHORBIA (eu-FAUR-bi-ah)

EUPH-1, Pkt/ 150

myrsinites. m ends in a go pretty blue-areas rable, each

EUPH-3. Pkt. 20c -polychroma.
Globes of golden
ne spring, followed
apsules, plants tur
nn; 15 in. tall, HP.

variegata. with topmost leaves near foliage plant in the bord grown, HA.

EUONYMUS (yu-ON-e-mus)

spring.
—alatus.

One of the finest species, broad winge branches, with leaves turning to brillia crimson in the fall; small but showy briliant purple fruits, 8 ft., hardy shrub. EUON-1. Pkt. 50

—musgrave. EUTO-1. Pkt. 20c
Not α commonly grown plant in U.S.
Annual, sown early in April, blooming in
July-Aug., 10-15" high.

EVODIA (ee-VOH-di-ah)

Deciduous and evergreen shrubs and trees native of Asia and Australia, belonging to the Rue Family. They are not common; easily grown from seed in ordinary garden soil. Some are not hardy in the N. They have handsome compound and aromatic leaves and small whitish flowers borne in panieles, followed by showy that are the state of the state of

EVOD-1, Pkt. 25c

EUSTOMA (U-stom-ah)

-Russellianum. EUST-1, Pkt. 25
Prairie Gentian. Showy wild plant wit
purple flowers, annual, 3 ft., *gect. Bein dry loamy soil in open sunny positions
seed can be sown in late summer in from
for earl bloom following summer. EUST-1. Pkt. 25c

EXACUM (EKS-a-kum)

Annuals, biennials or perennials, sum mer blooming, belonging to Gentiar Family. Flowers white, lilac or purplish blue, flar petalled in branching cluster at top of the leafy stems. Grown as polants but hardy in the South: sow see in light well drained soft in March or for large specimens in Aug. for next season shade from hot sunlight. EXAM-I. Pht. 50s

EXOCHORDA

(ek-soh-KAUR-dah)

Pearl-bush. Hardy deciduous shrubs belonging to the Rose Family and native to Asia. Grow best in rather light soil. a sunny location. The flowers resemble some of the Spireas and they are among the most attractive spring flowering shrubs. They are easily grown from seeds.

—Wilsoni. EXOC-1. Pkt. 35c.

Pearl of the group with large white flow-

Best of the group with s. HSh, 10 ft.

FALLUGIA (fal-00-ji-ah)

Ornamental woody "ants cultivated for seir pretty white flowers at the tips of seir branches and attractive heads of eathery-tailed fruits; deciduous, hardy to

uon, likes lime.

—paradoxa.

Only species of this genus, belonging to Rose Family. Low spreading deciduous shrub with white flowers, later attractive heads of feathery-tailed fruits, hardy to Mass., requires a well drained limestone soil, warm position, easily grown from seed.

Erect woolly or tomentose annuals erennials with white, pink or yello lowers in spikes or racemes, seeds wings—clypeata.

FARS-1. Pkt. 2 owers in spikes or raceme—clypeata. F.
Yellow flowers and sured pods, HP, 1½ ft. FARS-1. Pkt. 25

EATHER GERANIUM

FELICIA (fe-LISH-i-ah)

Natives of Africa, plants and sub-shrubs, he eather being grown under glass or in the Southern parts of the country; the mnuals are easily grown from seed and ine for filler in the sockery—amelloides.

FELC-3. Pit. 15c
Blue Daisy. A GH plant with sky-blue being. A GH plant with sky-blue plants with sky-blue plants with sky-blue plants and shadown and s

starks; 3 N. tall. Also known as Agamete coelestis and Blue Marquerite.

—bergeriana. FELC-1. Pkt. 75c (Kingfisher Daisy). Low spreading annual with bright blue star-shaped flowers. a gem for the rock garden. HA. 2-inches. —hyssopiidila. — "ELC-2. Pkt. 50c A charming herbaceous HP from the Cape of Good Hope, ray lavender-mauve, center golden, 12" tall.

FERN SPORES

-Columbian species, Mixed. EERN-1. FERN-2. Pkt. 50c

FICUS (FY-kus)

The Fig. Trees, shrubs and woody vines from the warm regions. Grown as commended plants in the greenhouse or outside in the warmer parts of the country.

—bengalensis.

ETG-1. Pkt. 30c
Banyan Tree.

Southern Florida.

At tree which roots from the pranches making in time a small grove. The red

but a gre to 100 ft.

FIRE ON THE MOUNTAIN FOR-GET-ME-NOT. See My

FRANCOA (fron-KOH-oh)

Perennical plants native of Chile having mostly basal leaves. Belong to Sarifrage Family; useful border plant mild regions or they can be grown in cool greenhouse. Soil, loam and pear ramosa.

(Ridel Westly Pure white frame.

FRANKENIA

—laevis. FANK-1. Pkt. 50c See Heath. Pink flowers, flat perennical for RG crevices.

FRANKLINIA (frank-LIN-i-ah)

Correctly in genus Gordonia. A me and beautiful shrub, native of Gend half hardy to Mass.; grows 6-ill, with large waxy white flowers. I Nov. or early spring, in peaty so

FRASERA (fray-ZER-ah)

N. Am. strong growing plants fi md easily grown; flowers white, sh or bluish; leaves mostly basa

sh or bluish;

Parryl. 3 ft., flowers greenish whiteless spot3 ft., flowers greenish whiteless spot3 ft., flowers greenish whiteless spot3 ft., flowers greenish whiteless flowers lower flowers flowers in lovely rosetter, now and with conspicuous white edge flowers panicles of 4-petaled stars, d white, spotted black. (See it under len FRAS-1. Pkt. 20

FRAXINUS (FRAK-si-nus)

Ash. All are easily grown from seed. FRAX-1. Pkt. 31 -texensis.
Native of Texas, street tree.
-berlanderian.
FRAL-2. Pix. 36c
Small ornamental street tree of quick
rowth, native of Texas. FREESIA (FREE-zih-ah)

grow the hybrid Freezics. There is plenty of interest in them, and the seed can be sown anytime; in So. Cal. they can be grown out doors, planted in early tall where they make lovely garden flowers

—Lusi.

A new type that excels the many oldes and newer kinds that are on the market. The flowers are very large, vs much as 1½ inches or more (7 cm); are larger than any other type. Flowers are especially well formed and wide open. The color are very rich and from pure white and cream to clear yellow and into dark yellow, orange to dark campe, all shades of blue and violet, pinks and reds, with some new shades of red. These color are extremely bright; growth strong, flowers attaining a height of 50 cm. or 3 inches with 34 long shoots per sprout each sprout having as many as 10 flowers are presented by the property of the color production.

tubergeni. Hybrids. FREE-4y. Pkt. 30:
Hybrids between F. Armstrongil FREE JE. Pict. 50

Bright yellow
Ragioniere Hy flowers. Thrids, FREE-5y. Pkt. 50

1½ ft. FRIT-15. Pkt. 50c

FRIT-4, Pkt. 25c

FRIT-12. Pkt. 75c long lost to culti-from the Cyclades, ack flowers borne coming from stony ill be fine in the

FRIT-9, Pkt. 25c

or 1/2 sh

FRIT-6X. Pkt. 20c

FUCHIA (FEU-shi-ah)

nder annuals in U.S. making excepplants and bedding plants for part of summer. Medium rich

FUCH-3. Pkt. 50c

FUCH-1, Pkt. 50c plants having Am
"A" of "B" rati
tels. They have a uble and Single Mixed FUCH-2

Pkt. 50 From a choice collection of plants

FUNKIA (FUNG-ki-ali:--see Hosta.

GAGEA (GAY-jee-ah)

Small bulbous plants; Lily Family; for-erly classed under Ornithogalum. The ardy ones can be left in the ground over inter but the tender sorts can be grown pots in the N. Flowers mostly yellow

GAGE-1, Pkt. 40c

GAILLARDIA (gay-LAHR-di-ah)

(Blanket Flower). Annuals, blennials and perennials native of America. They are the favorite cut flowers, doing best in ful nushine and a light, open, well drained in. The hardy annuals grow 2-ft, and are misidered the best cut flowers. They at a dicke excellent displays in the border.

aristata:

Hardy perennia GRANDIFLORA. GAIL-6. Pkt. 20

GAIL-1B. Pkt. 15c

GAIL-1Bg. Pkt. 15c

The Dazzler GAIL-I. Pkt. 10c

Giant Hybrids. GAIL-1GH, Pkt. 15c GAIL-1G. Pkt. 15c

GAIL-2. Pkt. 10c

ch Strain GAIL-10. Pkt. 15c

ortola Hybrids GAIL-3. Pkt. 150

gold tips, se Royal Double Mixed. GAIL-IRD

Pkt. 15c uble Gaillardias.

GAIL-15. Pkt. 15c

GAIL-1SY

Pkt. 15c GAIL-4. Pkt. 15c ture golden yello l'angerine. Beautiful orange superba, Mixed. GAIL-1T. Pkt. 15c

GAIL-7. Pkt. 10c GAIL-1X. Pkt. 10c

Blend of above.

GAIL-IX. Pkt.
Made up of all varieties, not mi
yorids from the field; contains all

PICTA—Annual Varieties:

These are considered first class owers; sow seed early in the sp A. common name Blanket Flower. GAIL-8. Pkt. 10c lian Chief.

icmts.

-Double Yellow. GAIL-8LY. Pkt. 15c.

-Single Mixed. GAIL-8LY. Pkt. 15c.

-Lorenziana, Mixed. GAIL-8L. Pkt. 15c.

-New Giant Double Hybrid. GAIL-8NG.

Annuals in a NEW giant double flow Double Mixed.

The double kinds at fine for cut flowers. GAIL-9. Pkt. 15c;

GALEGA (gah-LEE-gah)

Bushy perennials with white, blue or arple pea-like flowers in thick clusters

officinalis, Mixed. GALG-1. Pkt. 100 (Goat's Rue). White, Illac, and rose. ica. GALG-2. Pkt. 25c white, suitable for the back of the and a very desirable species, HP

GALTONIA (gaul-TOH-ni-ah)

nt Summer Hyacinths. So. Africa of the Lily Family producing in mi enish drooping bell-shaped flowers, are not hardy in the North and be dug in the fall and stored in in milder sections they be grown ennial, especially with some winter

Large Snowdrop-like acemes, HBb, 3 ft.

GAMOLEPIS

S. African small shrubs and plants.

tagetes. GAMO-1. Pkt. 20c
Heads of bright yellow flowers, 34-2"
dwarf annual.

GAULTHERIA

(gawl-THEE-ri-ah)

accous plants. The native V vn is G. procumbens. Give the timent as Heaths and Rhododen dip peaty soil with plenty of mo in light shade. Most species a hardy in the North and must

GATITAL PM 504 -mooker. GAUL-1. Pkt. 50cA rare species from the Himalayas, apparently not in cultivation here as yet he seed was just received from our colotor in India.

GAUL-4, Pkt. 35c GAUL-2. Pkt. 40c

ZAUL-3, Pkt. 50c -Shallon.

GAURA (GAU-rah)

Perennial N. Am. plants with spikes or lusters of rose or white flowers for the order or wild garden.

-lindheimeri. GAI
Native of La. and Texas,
with rosy cups, HA, 4-ft., pe
soils. GAUR-1, Pkt. 15c

GAZANIA (gah-ZAY-ni-ah)

Old time favorites for flowering in the reenhouse or for bedding outdoors during the summer, they have narrow leaves for arying forms mostly covered beneath with dense white woolly hairs; colors range on white, thru orange and yellow to

-longiscapa. GAZ-1. I splendens Mixed. GAZ-1. I Hardy perennial, its trailing habi a good rockery plant; flowers d, orange, yellow, cream, and who own and yellow spots about the

GEISSORHIZA

GEIS-1. Pkt. 50c GEIS-2. Pkt. 50c

GENISTA (je-NIS-tah)

droom. Deciduous and half evergrees ubs, closely allied to Cytisus, orna intal with showy yellow or white flow and well suited for dry sandy soil mild climates, especially on sunny aks, most are not real hardy in the

prostrata. GNIS-1. Pkt. 30c GNIS-2. Pkt. 50c

GENTIANA (JEN-shan)

All require good drainage and resent weather. Best started from seed which could be as fresh as possible, seeds are

GENT-11. Pkt. 35c

years. RP, 4 -Dark Blue. -Gentian Blue. GENT-17. Pkt. 35c

cruciata. 10" HP, dark bl GENT-C7. Pkt. 350

exiliary clusters.

-dahurica.

A rare and distinct ue flowers, HP, 1 fr GENT-7. Pkt. 60c

GENT-12, Pkt. 35c -decumbens

umpets. HP.

-farreri.
-garacillipes.
-lutea.
To 6 ft., yellow GENT-16. Pkt. 50c GENT-18. Pkt. 50c GENT-19. Pkt. 25c

GENT-2. Pkt. 25c oorecraftiana. Plant with asc earing beautiful many branche sky-blud-sky-blud

GENT-20. Pkt. 40c adriferia GENT-4. Pkt. 25c

flowers.

ochelli.

strong gro

lue flowers GENT-8. Pkt. 25c

ft. GENT-9. Pkt. 30c

Fine blue fl t with pairs coming in Ju sikkimensis GENT-10. Pkt. 50c inches tall. Flo out 3/4 inch ac

GENT-6. Pkt. 50c etimes 6 ft. with ength and 5 inches dely funnel-shaped

GENT-3. Pkt. 250 A much bu GENT-22. Pkt. 40c

GENT-22A. Pkt. 50c

-Mixed Gention.
Contains all the GENT-15X, Pkt. 20c

GERANIUM (jee-RAY-ni-um)

ot the florist and plants are listed ur re under this list are mostly hardy plants. I ed or divided leaves of many colors, usu

GERN-6. Pkt. 50c GERN-8. Pkt. 25c

GERN-4. Pkt. 50c

Grevilleanum. GERN-10. Pkt. 25c GERN-2. Pkt. 25c -napalense.

-pratense. Perennial to 3 ft., GERN-7. Pkt. 15c

GERN-5. Pkt. 50c A

a good border plant
—sanguineum.
Rounded plant 8
leaves and reddish p
— lancastriense.
Pink Crane's Bill.
for RG. GERN-3. Pkt. 15c

GERN-9, Pkt. 40c

GERARDIA

Plants of the Foxglove family, vowy red or yellow trumpets; they rather hard to establish, and the should be sown beside a rotting log.

GERA-1. Pkt. 25c virginica. very interestus for auto onto the boat flowers an

GERBERĀ (GER-be-ra)

Tender perennial needing winter action; the flowers are very popular utting, and are extensively grown acting, and are actensively grown

-Double GERB-3, Pkt. \$1.00

GEUM (GEE-um)

Easy to grow perennials, erect-enerally dwarf, excellent for cutting dapted for rock gardens, borders or b loom freely from May to Oct. Pl nive best in light rich well drained nopen sunny locations. Sow seed e open ground early in spring, 1

GEUM-11, Pkt. 40c -borisii. Socialet perennial, I ft. tall for RG.
-chiloense, Fire Bell. GEUM-1, Pkt. 15c
- Orange Queen. GEUM-1Q. Pkt. 15c
- Gold Ball. GEUM-2, Pkt. 15c

Princess Juliana. and a very choice

Prince of Orange, GEUM-1PO.
Pkt. 15c

—Mrs. Bradshaw. GEUM-3. Pkt. 15c

rge, rich double scarlet flowers, profits -Prince of Orange.

-Lady Stratheden. GEUM-4. Pkt. 15c puble golden yellow flowers. New. coccineum.

Similar foliage, flowers bright red. I-in

GEUM-41 -Lady Stratheden. Pkt. 25c Rich golden yellow flowers, double, HP

GEUM-8. Pkt. 40c elatum. A rock garden or b Himalayas with y white, flowers ft. A woodland shade. HP.

GEUM-6. Pkt. 15c

urhanun species YU 10834. 1 rare species fro GEUM-12, Pkt. 75c GEUM-12, Pkt. 75

species YU-10834. GEUM-12. Pkt. 75c Mixed. GEUM-7X. Pkt. 15c; 2 for 25c

Annual, biennial and ostly from W. No. Ame amily. Easily grown in bil, sowing seed where GIL-2. Pkt. 100 achilleaefolia.

clusters of blue GIL-7. Pkt. 50d

-aggregata,
For rock garden and
range, scarlet or red flo
n light gritty poor_soils, it
-capitale.
(Queen Ann's Thimble),
ng, hardy annual to 2
oundish heads of light
looms continuously. ers, sun, GIL-3, Pkt. 10c

ft. with dense blue flowers GIL-3w. Pkt. 15c GIL-C4. Pkt. 25c

dianthoides. ad, 2-6", exquisite pin 1" wide, fringed petal leaves.

GIL-12. Pkt. 15c hybrids. GIL-9. Pkt. 15c

crantha. GIL-5. Pki. 15c: 1/4 oz. 35c

GIL-4. Pkt. 15c

GIL-10. Pkt. 15c

-tricolor, Choice Mixed, GIL-6, Pkt, 10c

1/4 oz. 250 lilac flowers spot the in center; fine

GLĀDIOLUS (glad-î-OH-lus)

A genus of tender cormous plants

GLAD-5. Pkt. 25

GLAD-9 PM 75c

melleri. A deep GLAD-6. Pkt. 50c primuli..ug GLAD-8, Pkt. 70c

us. Hybrids. GLAD-9. Pkt. 15

psit acwus. GLAD.-4. Pkt. 50c

GLAD-1. Pkt. 50c

the first season from GLAD-2, Pkt. 50

GLAUCIUM (GLAU-si-um)

Members of the Poppy Family us

GLAU-1. Pkt. 10

GLEDITSIĀ (gle-DIT-si-ah)

Honey Locust, Shade and lawn trees.
oak seeds in hot water before planting.
-triacanthos.

GLED-1. Pkt. 35c Honey or Sweet Locust, This sp diso used as stock for grafting

GLOBULARIA

(glob-eu-LAY-ri-gh)

e shrubby plants from the mour Europe and Asia, having blue flowers in rounded heads in the rock garden; give a

GLOB-2, Pkt, 50c GLOB-1. Pkt. 25

GLORIOSA (gloh-ri-OH-sah)

Climbing herbace

GLOB-2, Pkt. 50-GLOR-1. Pkt. 50

GLOR-2. Pkt. 50c rothschildiana.

GLOXINIA (glok-SIN-i-gh)

GLOX-2. Pkt. 50 GLOX-1R. Pkt. 50c

Florist Red.

GODETIA (goh-DEE-shi-ah)

GOD-IC. Pkt. 15c GODT-10. Pkt. 25c Cherry Red.

GOD-1DY, Pkt. 15c

Kelvedon Glory GOD-IKG, Pkt. 15c Mauve Queen GOD-IMO, Pkt. 15d

GODT-8. Pkt. 25c

GOD-1Z, Pkt. 15c Rosemunde

Sybill Sherwo GOD ISS. Pkt. 15e Thunderbolt. GOD-IT. Pkt. 15c

White Swan GOD-WS, Pkt. 15e -Dwarf Single Mixed. GODT-2. Pkt. 10c:

Fantasy GOD-4F. Pkt. 15c

md white. GOD-4V. Pkt. 15c GOD-4P. Pkt. 15c GOD-4Z. Pkt. 15c GOD-CR. Pkt. 15c GOD-4X. Pkt. 10c Whitneyi:

npace plants, dwarf, azaleenschau GODT-7. Pkt. 20c

GOD-2BR, Pkt. 15c BOD-2LA. Pkt. 15c Lady Albemarle

GOD-2SR, Pkt. 15c Semi-Dwarf Varieties. GOD-2x. Pkt. 10a Dwarf Varieti GOD-2Dy Pkt 10c

Dwarf DOUBLE Varieties:

GOD-3C, Pkt, 15c Maiden's Blush GOD-3MB. Pkt. 15c

GOD-3OG, Pkt. 15c GOD-3R, Pkt. 15c GOD-3RG, Pkt. 15c Ruddigore,

GOD-3S, Pkt. 15c GOD-3SS. Pkt. 15c Sybil Sherwood

Tall Upright Varieties:

GOD-3x. Pkt. 10c

GOD-5DY, Pkt. 15c -Fairy Queen GOD-5FQ. Pkt. 15c -Gloriosa. GOD-5G. Pkt. 15c

Pelargonium GOD-5P. Pkt. 15c de. and white.

Mixed.
Contains all the above GOD-5X, Pkt. 10c -Semi-dwarf Show Mixture. GOD-5SX

GOMPHRENA (gom-FREE-nah)

Useful for bedding and cut flowers as

-Rosma GOMP-4, Pkt. 15c GOMP-5, Pkt. 15c -Striped Orange-yellow GOMP-6, Pkt. 15c -White. GOMP-1W. Pkt. 15c GOMP-1. Pkt. 10c: 1/2 oz. 35c

GOMP-2, Pkt. 15c

GOMP-3X. Pkt. 10c; oz. 70c

GOURDS

GORDONIA: see Tranklinia

G. globosa:

different ways to use these emamental —cerasticides, fruits and they are so decorative during the winter that every garden should grow white with pink veins, ½

SMALL FRUITED VARIETIES.

bita pepo).

GORD-1. Pkt. 10c

White.

GORD-2. Pkt. 10c (Cucurbita p --Apple. --Egg, White. GORD-2. Pkt. 10c -Flat. Striped. GORD-3, Pkt, 10c

re. GORD-4. Pkt. 10c ound, dark green and yellow

-Orange. -Pear-shaped bicolor. GORD-6. Pkt. 10c

-Pear-shaped, white, GORD-8. Pkt. 10c Pear-shaped, striped, GORD-7, Pkt. 10c Dark green marked with longitudinal

-Spoon GORD-9, Pkt. 10c -verrucosa, Warty. GORD-10. Pkt. 15c

Small green warty fruits.

—Small Fruited Mixed. GORD-11X.
Pkt. 10c; oz. 25c; 4 oz. 90c

—Extra Small Fruited Mixed. GORD-15x.

LARGE FRUITED VARIETIES:

itia leucantha).

Chaped. GORD-2Ap. Pkt. 10c
GORD-12. Pkt. 10c
GORD-12. Pkt. 15c
GORD-13. Pkt. 10c
GORD-14. Pkt. 10c (Cucurbita leuc Apple Shaped. -Dish Cloth. -Herculus Club. Nest Egg. GORD-2NE, Pkt. 10c GORD-2MO, Pkt. 15c Pear. GORD-2P. Pkt. 15c

Large-Fruited, Mixed. GORD-15X.

Pkt. 10c; oz. 25c: 4 oz. 90c

Turk's Cap. GORD-2TC. Pkt. 15c

GRASSES, Ornamental

-Turk's Cap.

These consist of the species and var-ties that are grown for their ornamenta ralue; many can be dried for winte

Dwarf Mixed Kinds. GO-1x. Pkt. 10c Tall Mixed. GO-2x. Pkt. 10c Sorts over 2-3 ft. high.

GREVILLEA (gre-VIL-e-ah)

Australian trees and shrubs, those graduate U.S. are tender here and are GH ects or outdoors in the South. GREV-1. Pkt. 156

GRINDELIA (grin-DEE-li-ah)

Course W. N. American perennials, bearing large yellow flowers; they do well on oor soils. Called Gum Plants.

—squarrosa. GRIN-1. Pkt. 25c

GUNNERA (gun-NEE-ra)

GYPSOPHILA

pearance; their uny flowers have pearance; thriving in any soil on, blooming in July to Aug. early in the open ground for sorts, and for the perennials, so started as late as Aug. so as e-nough to winter over. They ent cut flowers and some make led flowers.

elegans:

—Carmine. GYP-1. Pkt. 10c; ½ ox. 40c —Crimson. GYP-2. Pkt. 10c; ½ ox. 40c —Rosea. GYP-3. Pkt. 10c; ½ ox. 40c —Mixed. GYP-4X. Pkt. 10c; ½ ox. 40c

New York Market. GYP-5. Pkt. 10c; oz. 35c; 4 oz. 95c Pure white, largest flowered, with spe-al emphasis placed on large and extra etaled flowers. Special strain for cut

-Covent Garden Market. GYP.6 Pkt. 10c; oz. 35c; 4 oz. 95c Greatly improved strain, unusually large owers of fine substance. Excellent floris

GYP-2SW. Pkt. 15c

Super Giant Florist. GYP-2SG. Pkt. 100 well formed flowers cull.

GYP.21 M

-paniculata, double. Snowflake

GYP-11. Pkt. 20c; 1/8 oz. 60c

GYP-12, Pkt. 20c;

GYP-15. Pkt. 15c

GYP-5. Pkt. 25c

GYP-7. Pkt. 10c GYP-8. Pkt. 10c -muralis. colored flowers varf, good rock

GYP-9. Pkt. 15c -oldhamiana.

HABRANTHUS (ha-BRAN-thus)

-brachyandrus. HABR-1. Pkt. 25c

HEDYCHIUM (hee-DIK-i-um)

(Ginger Lily, Butterfly Lily, Garlar Flower). Tropical plants of the Ging Family mostly native of India in tro HEDY-2, Pkt. 25c

one II. spikes of bright red flowers.

--var. augustifolium. HEDY-9. Pkt. 25c
Leaves are shorter and he

HEDY-11. Pkt. 25c oronarium. HEDY-11. Pkt. 25 arland Flower, French Honeysuckle. unial or perennial to 5 ft., flowers in tes, deep red, in summer. Tender in

orth.

densifiorum.

Spikes of white flowers.

Gardnerianum. HEDY-10. Pkt. 25c

Gardnerianum, in spikes to 1½ densiflorum. HEDY-7. Pkt. 25c

-gracile. spicatum.

Spikes l-ft. long, flowers white.

-thrysiflorum.

HEDY-6. Pkt. 25c Spikes 1-ft. long, nowers with the spikes, densely set with white flowers —Mixed.

HEDY-8X. Pkt. 20

HEDYSARUM (hee-DIS-αh-rum)

-coronarium. HEDS-1. Pkt. 40c (French Honeysuckle). Becutiful red owers, HB*, 3 ft.

HELENIUM (he-LEE-ni-um)

Mostly perennial plants with yellow ower heads, borne alone or in flat-topped lusters. Rich loamy soil best, and they acke fine background planting in the bor-er. Easily grown from seeds:

HELE-1, Pkt. 15c

HELIANTHEMUM

(hee-li-AN-the mum)

Sun-rose. N. American and Med. peren nials thriving in dry limestone soils are full sunshine. There are many species at below 2 ft. and used in rock gardens the border and for ground cover; flower from July-Sept. Colors yellow. rose, white or purple.

HELM-4. Pkt. 25c

HELM-3. Pkt. 20c

HELM-1. Pkt. 25c

HELIANTHUS (hee-li-AN-thus)

H. ANNUS

Golden Tufts, SUN-2. Pkt. 10c; oz. 20c -Sulphur-yellow. SUN-3. Pkt. 10c

Aureole Reinland.

nan variety, wine-w ground, flowers y make up extra

d. grown for SUN-22. Pkt. 20c -Annus, Red. -Californicus. SUN-2C1. Pkt. 15c Double flowers, golden yellow with

-Chrysanthemum Flowered. SUN-Ch Pkt. 15c
Extra double dwarf, golden yellow with
inged petals, 4-5 ft.

inged petals, 4-5 ft.

—Tall. SUN-2ChT. Pkt. 15a
Tall growers, with golden yellow flowers
etals fringed, extra double, 6 ft.

-Tall Red. SUN-10. Pkt. 10c; oz. 20c 4 oz. 35c-miniature. SUN-15. Pkt. 10c; oz. 25c Small golden yellow flowers, plants 5-ft. miniature, Mixed. SUN-4. Pkt. 10c;

tan growina, 8-ft., large Gaillardia-Flowered.

Pkt. 15c
Large flowers, brown and yellow, esecially fine for cut flowers.

Gerbera-toned. SUN-11. Pkt. 15c Sturdy well branched plants, 4-5-ft., bear-ing 3-in. flowers in pastel shades of rose, pricot, coral and red, mid-summer till ost.

Globosus fistulosus. SUN-2GF. Pkt. 15c

-Intermediate Hybrids, SUN-12, Pkt. 15c SUN-2J. Pkt. 15 SUN-13. Pkt. 136 ction with flowers or rarely soft prim Italian White.

- —T6M Strain. SUN-14T. Pkt. 25c

Phis is an English grown strain of these
ne hybrids, α striking strain in yellow

wers with broad zones of red. HA, 3 ft. SUN-14T. Pkt. 25c

-Excelsion Hybrids. SUN-14. Pkt. 156 -Prim SUN-2P, Pkt. 10c ur yellow with o Stella: SUN-16. Pkt. 15c

SUN-17. Pkt. 15

-Sun Gold. Sun Gold.

8UN-2SG. Pkt. 1

Brilliant golden yellow, double in ratititish heads, 5-6" across, growing 5

11; they make fine show in border heads or for million. SUN-2SG, Pkt. 156

SIIN-2YA Pkt. 15c SUN-2Tx -Tall Double Golden. SUN-27D. Pkt. 10c

MINIATURE TYPES (Cucumerifolius):

These grow about 3-4 ft. tall with priminiature flowers, 2-3 in. across and pretty shades; plant about 1 ft. apart

order. -Mixed Sunflowers, SUN-20X, Pkt. 10c

The Min ave cuc ft. tall,

SUN-3VD, Pkt. 156 -Golden Fleece. SUN-3GF, Pkt. 15c

HELICHRYSUM (hel-i-KRY-sum)

(Strawflower). The main flower used for trawflower). have the in a rich locary ing, hardy annual, best in a rich locary, start seeds indoors for early flowers plant directly in garden early in spring; vers are shiny, stiff, 2-2½-in, in white, low, orange, red, pink and lavender to be used for cut flowers or for drying, flowers should be cut when partiy n, dried slowly in a cool shady place, eds downward; we offer an improved discount of the cool of t

H. bracteatum:

monstrosum or the regular Straw-er. This is the most popular Straw-er; our strain is the very best, nice lole flowers and in bright colors. They annual and usually are drilled in in the garden, sewing them rather y as they are hardy annuals. (All H. monstrosur ower. This is ower; our stro ouble flowers o

Golden Globe. HELI-2GG. Pkt. 10c Purple. HELI-2U. Pkt. 15c HELI-2Z, Pkt. 15c -Rose. -Salmon Shades. HELI-2SS, Pkt. 15c Snowball. Bronze Color. HELI-2W, Pkt. 15c HELI-2Bz, Pkt. 15c HELL-2S, Pkt. 15c

-Scarlet. -Dwarf Double Mixed. HELI-2Dx Pkt. 15c True dwarf plants gro

HELI-10. Pkt. 25c

HELI-9, Pkt. 50 warf slender woolly plant and with se set woolly leaves; deep pink bracts m S. Rhodesia

-helianthoides Pitcheriana. HELO-2. Pkt. 15c HELO-1. Pkt. 10c

HELIOTROPIUM

(He-le-o-TROH-p-um)

indoors early and set out only when all attractive plant, easily grown from set danger of frost is over.

1-1 $\frac{1}{2}$ it., HP.

Dark Varieties. HTOP-7. Pkt. 20c Plants with dark foliage in different

Dark blue flowers.

Dwarf Regale.

Giant Lemoini.

King of the Blacks.

Especially dark colored HTOP-10. Pkt. 10c HTOP-8. Pkt. 20c HTOP-5. Pkt. 20c HTOP-6. Plet. 20c -Madam Bruant.

HTOP-2. Pkt. 20c

Lavender-blue variety. Lemoine's Giant -Mammoth Flowered Hybrids. HTOP-9.
Pkt. 20c
-Olympia. HTOP-4. Pkt. 20c

-Olympia.
Dark violet-blue, Fren Dark violet-Dive,

Souvenir.

Bishop's violet, large

Valencia.

Rosy bishops-violet. HTOP-1. Pkt. 20c HTOP-3. Pkt. 20c

HELIPTERUM (hee-LIP-ter-um)

Grown mainly for winter bouquets vericating; it is one of the daintiest he annual group of flowers and eas rown from seed, which are genera cown outdoors early in the spring whe soil is in condition or they can tried indoors for earlier flowers. Plar 2-2ft. tall, and space plants 6-12-in. ap a the row.

Manglesii. "HLIP-2. Pkt. 200 Swan River Everlasting ider, with loose flower iss, in white, pink and we used for winter bou-

HLIP-2P. Pkt. 20 HLIP-2W. Pkt. 200 - -White. HLIP-2R.Pkt. 20d ——Spotted Red.

HLIP-1. Pkt. 10c: ½ oz. 40c.
(Humboldtianum). Small flowers in clus
ers making balls 1½-in. across, color deer
ch golden yellow with the outer bracts
aring a greenish finger cut when buse
rein open, strip off the leaves and hang in

HELLEBORUS (HEL-ee-bor-us)

Perennial fibrous-rooted plants, hardy nd bloom in earliest spring and even mid vinter. Seeds are slow to germinate, 6-

HELLE-2. Pkt. 35 corsicus. ig flowering in p. 1½ ft.

HELLE-2. Pkt. 35c

-corsicus.

Winter or early spring flowering reen spotted flowers, HP, 1½ ft.
-corsicus.

Flowers green and brown, Feb.-/2 ft., for shady border, HP.

The Lenten Rose which flowers in oring and similar to the Christmas ut with flowers of various shadink, red, brown and often mottled; andsome.

andsome.

-orientale.

Mauve and green flowers, Jan-Man, 15"
Ill, for shade border, HP.

--Deep Shades.

--Plik and Whites. HELLE-4. Pkt. 50c.

ected strain.
HELLE-5

The flowers are green, sometimes bor-ered with bright purple; blooms in late rinter or early spring, 1 ft., HP.

Venue or early spring, 1 ft., HP.

-hoopesii.
Very early, flowers yellow with brown isc, HP.

-Lenten Rose, Select Hybrids.

HELLE-7. Pkt. 50c

niger, Hybrids.

(Christmas Rose), Bricht colored divided

—niger, Hybrids.
(Christmas Rose). Bright colored divided foliage and large attractive rosy white flowers resembling wild roses or anemones with prominent yellowish stamens, appearing in late winter or early spring; partial shade, in rich majst soil and do not dissipate the state of the sta

(hem-er-oh-KAL-is) A genus of mostly tuberous-rooted perentials called Day lily. The growing of them from seeds is a very interesting pastimuch as is the case with Dahlias, etc. The ew colors and forms resulting are of in sers to the flower gardener.

new counterest to the flower terest to the flower.

Indiam Hybrids. If This is one of the fine this is one of the fine this is one of the fine this is one of the finest collection of named finest collection of named copper.

HEME-1. Pkt. 25c —Peerless Blend. HEME-1. Pkt. 25c (Golden Daylily). Very hardy, perennial casily grown from seeds, blooming freely n one year; thrives in full sun but toler nut to some shade; sow seeds very early n spring or very late in the fall; color ange in this large flowered strain includes butf, lemon, orange, copper, red to marroon

HERACLEUM

(her-ah-KLEE-um)

baceous perennials used for bold of bearing enormous umbels of minute or pink-tinted flowers.

mantegazzianum. A stately plant for bar specimen plants.

HESPERANTHA

(hes-per-AN-thah)

Tender bulbous plants from S. Af., some what similar to brid, opening in the even ng; the star-shaped flowers are fragrant; ike sun, sandy loam and peat and mus be treated as not plants in the N

HERMODACTYLIS

(her-mon-DAE-fi-lus)

Very closely related to Iris; they are quite easy and hardy; grow in light soil in sun, in cold climates it may be advis-able to winter in cold frame.

HERM-1. Pkt. 50c

HESPERANTHA

Bulbous herbs of the Ixia tribe groundoors sometimes: treat like Ixias. -stanfordiae.

Bright yellow spikes; plant 15" tall.

-buhrii.

HESA-2. Pkt. 50c

HESPERIS (HES-per-is)

mauve-purple flowers in pyramid excellent cut flowers, June-Aug. 1-3-ft. tall and their colorful denhanced by their sweet fragra a sunny position in the bord seeds outdoors in April or ir March, flowering the following s

-matronalis, Violet. HESP-1. Pkt. 15c

—nana candidissima.

Early flowering pure white va HESP-2R. Pkt. 15e HESP-2N. Pkt. 15e -Red. -nivalis.

Dwarf white variety.

-All Mixed. HESP-Ax. Pkt. H

HESPEROYUCCA

(hes-per-oh-YUK-ah)

Stemless plants resembling the Yucca.

Whippiei.

Hardy only in the S. Grows somethin like the Yucca, narrow, stiff leaves 1:

tt. long, flowers creamy white, 2" long fragrant, nodding. HEUCHERA (HEU-ker-ah)

Herbaceous perennials usually compact habit of growth; Inne-St voluable in low border or rocke-loamy soil, sunny position, will mats of deep green, sometimes tin white or red from which rise alend bearing airy clusters of beliance flowers, excellent for cutting ple early in the spring. Seed germine warm and in light.

glabella. Western nativ Western native species.

--maxima hybrida. HEU.2.1

Large flowers on stiff stems in seep rose and bright red.

SANGUNFA: (Coral Bells). Bell owers, 1/2-in. long with prominer of loved calve, solory with prominer of the seep core.

HEU-3, Pkt. 20 Spitfire. Large rich scarlet flow

HEU-4. Pkt. 20 hybrids. HEU-5. Pkt. 20.
Many different colored hybrids.

HIBISCUS (hy-BIS-kus)

sily grown from -Avalon Hybrids

Militaris crossed on Coccinus producing underful color variations, finest of a different in every way; very hardy, or range from palest blush thru many less of pink, then rose to reds, colon ver before seen in Hibiscus; eyes and the common but are oddly rotated apper colors, long blooming season.

HIBS-1. Pkt. 20

militaria and rugged, making edge, sown in post pped of soft pink with crown, 4-ft.

(Giant Mallow Marvels). Very satisfac-try perennials easily grown from seed at make a dandy addition to the hardy order. These hybrids have a fine color nage from palest blush thru pure pink rose with snowy white and pure crim-

-Hibiscus, Mixed. HIBS-6X, Pkt. 15e

HIERACIUM (hy-er-AY-shi-um)

HOLLYHOCKS (Althaea rosea)

ANNUAL VARIETIES:

-Indian Chief.
Half double deep

owers.

-Indian Summer. HOLY-3IS. Pkt. 15c

These have double pink flowers.

-Everblooming Mixed. HOLY-3Ex.

Pkt. 16c

semi-double, Mixed. HOLY-1. Pkt. 10 -Single, Finest Mixed. HOLY-2

HOLY-3. Pkt. -Indian Spring. Free flowering annual, semi-double rund pink shades, 5-ft. tall.

d Double Mixed. HOLY-39Dx

NNIAL VARIETIES: llyhocks are usually biennial and with themselves to such an extent that incompete to be perennial, in the perennial, in

blooming Hollyhocks in m

d-double flowers, S-in. ccross.

Conic-Flowered. HOLY-15. Pkt. 15c. Begonia-Flowered. HO
Large flowered, wide poised centers, very show
Empress Strain. Ho
Enormoules flowers, laced

HOLY-17. Pkt. 20c HOLY-S. Pkt. 15c tiful fringed flow

HOLY-6 Flowers are waved and fringed with a distinct branching habit unlike the tall Hallyhocks, these will make good showy displays in small groups as bush specimens, give 2-ft, space between plants, 5-10 in a group, 3-4-ft.

SINGLE VARIETIES:
HOLY-16. Pkt. 100

CHATER'S DOUBLE HOLLYHOCKS:

These grow about 6-ft. high and make ery pretty displays in the border wher tanted in one variety for a bright show ag. We offer one of the very best strains if these beautiful flowers.

HOLY-7A, Pkt. 15c HOLY-7M, Pkt. 15c HOLY-7MR, Pkt. 15c HOLY-7CR. Pkt. 15 HOLY-7Cm. Pkt. 15 HOLY-7V. Pkt. 15 HOLY-7L. Pkt. HOLY-7K. Pkt. HOLY-7SR. Pkt.

MOLY-13X. Pkt. We oz. \$1.00
A hand made blend of above varieties
a well balanced color combination. -Hollyhock Mixture.

HOLY-7SY, Pkt. 15

Contains double, semi-double and single unites, including every type.

HOLMSKIOLDA

Chinese Hat Plant. Grows to 30 ft. and good plant for warm parts of the U.S. he flowers with red corella 1" long and preading birch-red or orange calyx, 1"

HOMERIA

vergreen tust of serny leaves and prose stems with white and scarlet flowers tall, an alpine daisy from Morocco fly grown in ordinary garden soil, HP HOME-1, Pkt. 40

HORDEUM (HOR-de-um)

Ornamental grasses, both annu

stennici.
-jubatum. HORD-1. Pkt. 10c
(Squirrel-tail, Grass). Hardy annual,
eads 4-in. long, nodding, with beards
in. long, use as an annumental grass
and if cut just after the spikes emerge
out he sheath and dried, they make exellent winter bouquets, 2-21/2-tt.

HUMULUS (HEU-meu-lus)

Twining vines (Mulberry Family) gr

profitables.

Good and fast growing annual vine.

Good and fast planted seed.

HOP-2. Pkt. 15c

streaked and

HUNNEMANNIA

(hun-e-MAN-i-ah)

(Mexican Tulip Poppy). Hardy perennial oing best in sun, well drained sandy soil arvives drouth. Flowers yellow, tulip s drouth. Flowers yellow, tulip 3-in, across and fine for cutting at hefore fully open, they will last Trect as an annual sowing seeds have flowers the first seems. toped, cut ju: week. nly to

marialfolia. —Sunite. HUNN-1. Pkt. 10c HUNN-2. Pkt. 15c proved type, semi-double canary ye flowers; the extra row of short petal se outside instead of the inside, yer

GALANTHUS (gah-LAN-thus)

Snowdrops. A hardy bulbous, expring flowering plant, I ft. Easily grade a codinary garden soil; plant early dlt, 3-4" deep, 3-4" apart where thould be left undisturbed, they nature that it is a plant of trees.

GALA-1. Pkt. 50c

HIPPEASTIRUM: see Amaryllis.

HALIMIUM

Formally listed with Helianthemum and little difference; use same cultural

HALI-1. Pkt. 25c nous.

HALI-1. Pkt. 2

RG or border plant. 2 ft., flow,
le, 1" across, does best in dry lin
e soils, full sun and protect in N.

HYACINTHUS (hy-a-CIN-thus)

Related to the tamiliar garden hyacinths are a number of smaller species, very at active for the rock garden or front bores; closely alied to Grape Hyacinths fuscant and the names are often consect; all hardy and easily grown from ead, altho time is required to reach towards a second to the consecution of the consec

areas AYAC-1. Pkt. 50c areas at the true species, which is diffice find; above the several narrow

Pkt. 10c

basal leaves rises a short stem bearing 20.40 nodding bell-shaped flowers in Cambridge-blue, 8 in., HP.

—princeps.

—HYAC-2. Pkt. 50c
—Fromanus.

(Bellevalia romana). A prostrate plant with flowers greenish white shaded blue at base, ½" long and in 20.30 flower racemes, blooming in spring, native of Med.

HYDRANGEA (hy-DRAN-je-qh)

Deciduous shrubs belonging to the Saxi frage Family and valued as anamental commental steps have large clusters of shows white, pink or blue flowers. They thrive best in a rich moist soil and flower freely in open situations. Some are read hardy south during the winter.

—robusta.

HYDR.* Pkt. 50c

outh during the winter.

-robusta.

A tender shrub, very handsome; large and preseding, with large leaves and rames of large white flowers. 15th 3sc.

-rargentiana.

HYDR.2. Pkt. 3sc.

-rargentiana.

HYDR.2. list seem leaves; flat heads of flowers 8 in. cross, a very handsome plant, hardy in idd climates and a fine pot plant in the ... 6 ft.

HYDROPHYLLUM

(hy-droh-FIL-um)

Water-leaf. Hardy American, mostly perenaids, aseful for the wild garden or repending in the shrubbery.

—capitatum.

The Cat's Breechest or border, with large dense balls of soft bluish flowers almost flat on the ground; very unusual. HP. 6".

HYMENANTHERA

hy-men-AN-the-ra)

Shrubs or small trees of Violet Family ith small flowers followed by ornamental erries which last for a long time; not erry hardy, grow in a warm sheltered

position.

-crasticlia.

-l.YM-1. Pkt. 50c
Low shrub-from New Zealand with many
stiff branches covered with white furrowed
bark and thick leathery leaves; white and
black berries, very showy, 24 ft., HP.

HYOSCYAMUS

(hy-oh-SY-ah-mus)

Funnel-shaped flowers in spikes called enbane, found on poor soil. Some spe-es are grown for medicinal uses. Henebane. Grown for ornamental and edicinal purposes.

HYOS-1. Pkt. 10c

Arguer.

Greenish yellow purple-veined flowers clearly spikes; said to be cisonous to bultry. HB, 1½ ft.

-partulum forrestii.

HYPR-5. Pkt. 40c 'TYPR-5. Plet. 40c

HYPERICOPHYLLUM

HYPE-1. Pkt. 50c Compositarum.

Very attractive S. Rhodesian plant, ft. tall, with bright orange florets, he 1/2-3/4 in., on long stems, blooming

HYPERICUM (hy-PER-i-kum)

St. John's Wort. Perennial plants and shrubs, very decorative, usually with bright yellow flowers with many showy stamens. They grow easily in loamy or sandy soil, best in a semi-shady position; useful in the rock garden or the border. Most are not real hardy in the N. and if sheltered places, with winter protection, they can be grown even in Michigan. They are pretty plants.

—chinense.

HYPR-3. Pkt. 35c.

HYPR-3. Pkt. 35c flowering shrub, 5 ft. high, no A late

HYPR.6. Pkt.35 -coris. HYPR-5. Pit. 3:

-Hookeriamum. HYPR-1. Pit. 2:

A compact shrub for planting in it shrubbery, or as a single specimen; redish branches and unusually large bluggreen leaves; profuse golden yellow flow 12:

"coross, one of the most show species, long in bloom, and hardy south N.Y. 61.

olympicum.

A very brilliant plant for RG or from of border in sandy soil; clusters of large golden flowers filled with showy stamens and light green leaves. HP, 9"

HYPR-2. Pkt. 25c large solitary or -patulum.
3 foot shrub with

——Forestii.
Has larger flowers.
polyphyllum.
Dwarf shrublet with golden blossor

HYPR-8. Pkt. 25c

int for sunny ers. 6". HP.

IBERIS (y-BEE-ris)

CANDYTUFT. Small to medium sized anual and perennial herbaceous plants, native of S. Europe, hardy and easy to grow,
there are two distinct kinds, the halftardy annuals and the perennials. The
munuals are used in the rock garden and
or edging or in pots, and will bloom the
notire season if kept from seeding. The
perennials bloom only in the spring. Both
are low growing, do well in ordinary garten soil and require little care. Sow seeds
of the amnuals outdoors in mid-May as
hey do not take so transplanting. The
mey do not take so transplanting. The
mey do not take so transplanting. The
mey do not take so transplanting. The
merenniation is fast and growth rapid. The
serenniation is fast and growth rapid. The
serenniation are sown in the fall.

MERR 2. Pkt. 10c

MERR 2. Pkt. 10c

16"; flo

mara. ocket Candytuft. Sm ocket Candytuft. Small annual Candy-with large fragrant white flowers, at to 12"; this is a favorite florist type includes the various types, such as Empress races, Hyacinth-flowered, etc.— coronaria. IBER-6C. Pkt. 15c

IBER-6EN, Pkt. 20c A very IBER-6P. Pkt. 15c

IBER-6WR. Pkt. 10c Als IBER-6MG, Pkt. 20

gibraltarica.
(Gibraltar Candytuft).
nial with light purple clusters. IBER-1. Pkt. 10c lilac flowers in

-jucunda.
Properly listed as folium. Lebanon Stortall, flowers rosy li IBER-3, Pkt. 20c Aethionema coridi-e Cress. HP, 4-10" ac in short dense

IBER-10. Pkt. 50c

IBER-9. Pkt. 15c cauging Canaytuff. Evergreen with white owers, r ceme-like heads, l ft. HP.

-Tenoreana. IBER-12. Pkt. 15c

Evergreen HP, 8-8" tall; flowers white r ose in a short umbel-like raceme,

(UMBELLATA: Globe Candytuft). Anual, branching freely, to 15-in. tall. This
ithe popular garden Candytuft, with
tany varieties.

—umbellata, Best Mixed. IBER-8x. Pkt. 10c

Globe Candytuft. Annual to 16", branch
ing freely and the most popular of the
Candytufts for garden planting. In many
colors.

-Carmine, -White, IBER-8M. Pkt. 15c IBER-8L. Pkt. 15c Lilac. Purple,

IBER-8C PM — Dunnet's Crimson. IBER-8C. Pkt. 15c.—Rose Cardinal. IBER-8RC. Pkt. 15c.—Giant-Hyacinth-Flowered. White. IBER-5. Pkt. 10c: vs. 50c. Empress. IBER-6. Pkt. 10c: ½ os. 50c. Large spikes of the purest white, erectable.

abit. -Hyacinth-Flowered White. IBER-7.

Reselected Florist Stroin. This is a perior stroin, 15-in. tall with enormous usess of uniform blooms.

BER-8, Pkt. 10a-

Umbellata, in all its colors.

—Annual Species Mixed. Pkt. 10c

Large flowering varieties.

ILEX (Y-leks)

Holly. Everyteen and deciduous trees and shrubs having glossy leaves and brillignity colored berries. Some are tender but they all are every ornamental for the garden or for lawn specimens. Easily grown from seed.

ILEX-3. Pkt. 25c quiodum. glish Holly. More be re Hollies with 1 beautiful than the arger and denser not as hardy; in wn up to N.Y. state

-cornuta.

Much like I. aquifolium be the E. states; 10 ft., shrui ILEX-4. Pkt. 35c

a the E states; 10 ft., shrubby in growin.

LEX 5, Pkt. 35c

Japanese Holly. Evergreen and fine for the garden making fine background or ormal shrub.

—ftaqilis.

—LEX.2. Pkt. 25c

—glabra.

ILEX.5. Pkt. 35c

Inkberry. Native evergreen species, hardy in the N. but with black fruits; has excelent smooth dark foliage effective in shady i. corner.

ILEX-1. Pkt. 25c

—insignis.

Small evergreen tree for lawn or shrubbery; toothed leaves often 9" long; large globose berries. Hardiness uncertain.

—laevigata.

Smooth Winterberry.

Smooth Winterberry.

Red or scarles in the garden; makes fine effect in wampy part when planted in groups.

—paca.

The native Holly found from Mass. to Fla. and Texas and the main species from whilch the Xmas Holly co 2s; leaves evergreen spiny and brilliant red berries, seed from its northern range.

—verticultata.

ILEX-9. Pkt. 35c —verticillata.

A species that should be clustered scarlet berries and is the Xmas twigs of the first twice twice the Xmas twigs of the first twice the twice A species that should be grown more lustered scallet berries and used main! s the Xmas twigs of the florist; mass i wampy places but will grow well in the order where sufficient moisture and aci

eaction. —**Mixed Holly.** ILEX-10X, Pkt. 30 This is made up of all the species of law or Holly that we list as well as a few more. Those wishing to make any extended planting of Holly should write us for prices on the seed in pound lots or less. Mixed Holly at 75c per Oz; 14 lb. \$2.40.

IMPATIENS (im-PAY-shi-enz)

(Touch-Me-Not, Snapweed). Interesting of greenhouse, border and will us of greenhouse, border and viden plants, differing so in form it that only the spur formed by on three sepals and the way the ripe s quickly curl at a touch to expel seed, reveals their relationship. I. balsamina:

ipe secubalsamina:

BALSAMINA: (Golden Balsam). This is
he popular garden Balsam with its roseshaped flowers in white, lavender, lemonyellow, and many shades of red crowded
closely to the leafy stems. Seeds sown
indoors in April and set out in lune will
continue to bloom till frost when most
flowers are gone. Require rich sandy loam,
ample moisture, some shade and plenty
of room, space 2-tt. apart. Pinch off first
buds and remove side shoots if a heavily
flowered central spike is wanted: 2-tt. tall.

IMP-2Sx. Pkt. 10c.

IMP-2Rx.

single Mixed. IMP 2Sx. Pkt. 10c -Rose Flowered Mixed. IMD 25x.

The double flowers are clustered in the kills of the leaves on short stems givin he plant a rose-like appearance, which so and red shades full sun, rich soil olenty of moisture, 20-in.

—Camellia-flowered, Mixed. IMP-2Cx d, Mixed. IMP-2Co

Double Camellia-like flowers in bright

Dwarf Mixed. IMP-2Dx. Pkt. 15c
Dwarf bushy plants, double flowers.
Double Bush-flowering, Mixed.
IMP-2DBx. Pkt. 15c
IMP-2DBx. Pkt. 15c
IMP-2DBx. also for a hedge, growing 3 ft.
iii with the flowers very prominent.
—Scarlet.

Holesis. I Holstii:

HOLSTI: Red-striped stems and flowers varying from white to scarlet; grown as greenhouse plants, house plants and for summer border subjects. Tender perantial. Vermilion IMP-3V, Pkt. 15e

-Morganrete, Large flowering, salmon -Schottenglut, Dark red, an especially -Salmon, Dwarf, II IMP-5. Pkt. 50 IMP-6. Pkt. 50c lly fine plant. IMP-3DS. Pkt. 15c IMP-3X. Pkt. 15c -Best Mixed.

I. Sultanii. pect Long a layorite house plant. Easily grown and flowers indoors the year round. It can be set out in a partly shaded spot in the garden where it will form a bushy 154n plant with an abundance of bloom.

— Carmine.

IMP-7M. Pkt. 15c IMP-7DM. Pkt. 15c -Dwarf Carmine.

-Dwarf Hybrids. -Karminzwerg.

IMP-8. Pkt. 20c

INCARVILLEA

(in-kahr-VIL-ee-ah)

Showy and tairly hardy perennials from China; plants produce terminal clusters of red or yellow flowers above the basis aroup of vivid green leaves; flowers tubu ar with a broadly expanded 5-lobed rim thrive in rich but light, well drained soil in sunny location. Plant seeds in spring or summer for flowering the following summer; in the N. give winter protection —delayay: ICARI 1942. ICAR-1, Pkt. 25c

ICAR-3. Pkt. 25 Olgae.

flowers and finely cut foliage, HP. 2½ ft.

grandfilora brevipes. KCAR-4. Pkt. 50c
One of the best for the Rock Garden;
and pretty foliage. 9:12" HP.

variabilis. ICAR-2. Pkt. 25c
An easy to grow annual ever-bloomer,
flowers are trumpels reminding one of
Gloxinias, blending of cream into pale
rose. foliage fern-like, 2-ft.

INDIGOFERA (in-di-GO-fe-rah)

Plants of Pea family, with sprays of somewhat pea-shaped flowers, rather tender and requiring greenhouse or window treatment in N.—dosua.

INDI-1. Pkt. 25c A species from India.

INDI-2. Pkt. 25c

-potanina. INDI A hardy shrub with mauve

INULA (IN-yu-la)

Great daisy-like heads of yellow or orange on rather tall plants; easy in sunny places in ordinary soil; summer flowering species are especially valuable for britisent display; all are hardy.

—glandulosar. INUL-3. Pkt. 15c

Caucasian Inula, Heads so INUL-3. Pkt. 15c INULTI, Pkt 25

oculus-ci risti INUL-2. Pkt. 25c ent, 5-6 ft. high and ered with myriads of wers from Aug.-Oct.

erennici.

-roylei.

One of the finest species with huge rinkled leaves and narrow rayed sun owers of rich golden yellow, 6 in. across a late summer; fine for border, 2 ft., HP

IPOMOEA (y-poh-MEE-ah)

(Morning Glories). Easily grown vines my fairily good soll; never plant until s thoroughly warm, if too cold seeds wally rot, even in southern Cal. they should be considered until late May. Fliing mall notch at top of seed helps considered in the considered was reminating always select to small note the day. Filter small note that to go seed helps consist only in germinating; always select driest, sandiest part of the garden, ple ing where they are to remain as it resent transplanting, keep plants on dry side to induce early and abund flowering and sparse lacd growth; a p soil is better than a rich ope, and no tilizer; best on well, fence or trellis, oh 8-it, tall. See Convolvilus for other, called Morning Glories.

I. purpurea:

Heavenly Blue; IPOM-2. Pkt. 15c

(Clarke's Early Strain). Sky-blue shad ag golden-yellow in throat, very early. IPOM-3. Pkt. 15c: Pearly Gaies.

or. \$1.30 us, free blooming, pure white with cant creamy sheen near center.

Rose Marie. IPOM-4. Pkt. 15c; ox. 70c
Only double flowered Ipomoea, deep
rose, early flowering.

Scarlet O'Hara. POM-5. Pkt. 15c;

Dark wine red, early, attractive foliage, ½-in. flowers.

3½-in. flowers.

-White Magic.

Very early and free flowering. Large fleecy white blending to cream deep in throat, making a heavy cascade of flowers over trellis.

Red. White and Blue. IPOM-7X Pkt. 15c; oz.

Equal mixture of Scarlet O'Hara, Heav
y Blue and White Magic, for those w
ng a red. white and blue combination

ng a red. white and blu--Large-flowered Mixed. IPOM-8X. Pkt. 15c: oz. 70

Blend of the above vari I. hederacea:

dissecta.

Twining annual, 3½ ft. high; flature or deep purple, 2" long; followers are all improved ones.

orms are all importance of the large flowering in 6 weeks from sof the large flowering large forms. Colors blue, purple IPON IPOM-1OG Pht 15 arms. Colors blue, pur

—Striped. IPC
Same as above except
eaf strain, with large fl

Mixed. IPOM-10GS, Pkt. 15c

IPOM-10X. Pkt. 10c bong nox. IPOM-9. Pkt. 10c; oz. 40c Purple throat shading to lavender, a ght flowering favorite in the moonligh

IPOM-17. Pkt. 20c Large seeded, tive of Texas. chive of lease, ar.

-lindheimeri. IPOM.
Perennial vine with 1 is lowers, native of Texas.

-limbata, helpids mixed. IPOM-18. Pkt. 20c

Pkt. 15c
imperialis, Mixed, IPOM-13, Pkt. 15c
(The Iapanese or Imperial
Glories). This strain is especially large,
with a very good color selection.

-Nil, Mixed. IPOM-13X. Pkt. 15c Sometimes listed as L imperialis, Twinsometimes listed as L imperialis. Twin ag or trailing tender perennicials to 6 ft.; owers in blue, rose, white, etc., also nown as the Imperial Japanese Morning laries.

—sociflora. IPOM-14. Pkt. 10c; ox. 40c (Moonflower). Black seed. They are now classified as Calonyction aculeatum. Flowers open all night and close at noon, except on cloudy days, growing to 20-lest

IMP-7DH. Pkt. 15c in good soil. Tender annuals. Soak and notch seed before planting; they can be started in small pots indoors a month

darted in small parlier carlier White Seeded. IPOM-15. Pkt. 10cr os. 40c

IRIS

These are easily grown from seed, the rowing of which is very interesting and

bracteata.

IRIS-38. Pkt. 75c

t. tall, for not, and particular clarkei.

Pretty bright blue, bloto IRIS-11, Pkt. 25c IRIS-22

This hybrid between two Asiat tould produce very striking ledlings, both parents belon cardless group with deep violuple flowers, 2 ft., HP. Mostly wars results.

chrysographes rubelia. TRIS.32 Generally looked upon as by far est form of this species; flowers crin warf habit. -chr

IRIS-33 A remarkable cross which will not come rue from seed but which will produce name very fine seedlings; the parent plant as enormous frilled flowers of blue-black, leavy pencilled with gold.

The 18 Die 18 Die 566

gold. IRIS-18. Pkt. 50c chrysophylla.

chrysophylla. IRIS-18. Pkt. 50c
One of the most compact-growing of the
western species and very good for the
ock garden. HP.

-dichotoma. IRIS-2. Pkt. 15c; oz. \$2.08
(Vesper Iris), roughtest and easiest
rower of the Irises, often giving a few
lowers the first year from seed; flowers
are fragrant, bloom thru Aug., bearing in
read sprays, 4-ft. high, color range transuent lavender, creamy white or violet,
urple with markings of buff, manogany
mccopper.

douglasiana. IRIS-17. Pkt. 50e many

nor forms.

-sintenisii JKA.

-sintenisii JKA.

An Austrian strai

-alpestris.

Alpine Catchfly.

ugust, 6" tall, flov IRIS-43. Phi Soc

ensala, Pekin form ensata, Pekin form. IRIS-42. Pkt. 50c ensata, v. Suwarewii, IRIS-41. Pkt. 50c Classified as I. dariwasica by Bailey; 1 ft., a Persian species, flowers greenish yellow veined reddish brown, beard white, tipped with blue.

IRIS-30. Pkt. 25 foetidissi iq Evergreen foliage, sun or shade, flower bluish and variable. The brilliantly cored seeds are valued for drying for winter use.

IRIS-28. Pkt. 25c IRIS-31. Pkt. 50c can be expected forrestii hybrids. IRIS-35, Pkt. 56c

om this strain.

germanica,

Seed saved from best vor

hookerlana.

Buss

Dwarf, flower head soli

lue, blotched with darker

inominata.

Fellow striped brown flow

bl, 6", for RG, HP.

-teemplast, Myad. IRIS-12. Pkt. 25c IRIS-36, Pkt. 50c

IRIS-3, Pkt. 20c

IRIS-21. Pkt. 40c kumaonensis.
Extremely rare amor RG in sun or attitude in various ane. HP, 6".

miles! RIS-27. Pkt. 50c ad beautiful, but easy, light shade; flowers shades of purple, in

IRIS-19, Pkt. 50c

IRIS-23. Pkt. 50c

IRIS-15. Pkt. 25c or bog garden.

—pumila, Mixed.

Dwarf growing species secarded or Pogoniris growing in April, thrivinne, neutral or acid soil, ich a soil.

TRIS-37. Pkt. 75c -ruthenica. Deep blue blotched

Contains many color forms and most idely grown of the beardless forms, from hich many new hybrids have been de-loped. Border or for waterside IRIS-5. Pkt. 15c

spuria, Mixed. IRIS-6. Plet. 20c

sintenisii.

wnies, lila -tectorum. Evansia Se IRIS-39. Pkt. 75c IPOM-12 IRIS-18. Pkt. 50c

garaese, IRIS-22...a.
caria. IRIS-22...a.
o Section. Very rare type, 2 fts, white with yollow block for hot

Avalon Blend. IRIS-7. Pkt. 25c; oz. \$2.00 Contains a very large number of species and we believe the best collection obtain able; for one interested in growing friften seed, there is in this blend species that would be difficult to secure in any other work.

Iris Blend. IRIS-10X. Pkt. 15c; oz. \$1.00

-Vilmotin Choice Mixed.

Pkt. 15c; ox. 60c

TRIS.-10x. Pkt. 25c -Scier's Blend.

ISATIS (Y-sah-tis)

Woad, Annual, biennial and perennial plants (Crucifer Family). Erect or branch-ing with small yellow or yellowish flowers. There are two species especially orna-mental, both easily grown from seed.

-glauca. ISA1-1. Perennial, used in the border, flowers ellow in very large clusters, to 4 ft. tall. ISAT-1, Pkt. 15c

ISOLOMA (y-soh-LOH-ma)

Greenhouse plants grown for their range-purple or scarlet flowers. 4 ft., flowers purple with spotted limb.

IXIA (IK-si-ah)

S. African herbs related to Iris, producing slender spikes, small funnel-shaped lowers in bright colors. The foliage is mass-like, spring flowering and not hardy in the N. The bulbs should be planted in he fall. They are specially good for the Vost Coast region.

IXIA-1, Pkt, 50c IXORA (ik-SOH-rah)

Warm house woody plants with show ower clusters and evergreen foliage. Servery desirable, of easy culture with the showlest flowers combined with evergeen foliage; spring seeding best.

-coccined.

Most popular greenhouse
white and yellowish flow XOR-1, Pkt. 50c

IXIOLIRION (ik-si-oh-LI-ri-on)

Siberian Blue Bells. Summer blooming bulbous plants with violet or blue lily-like flowers in flat heads. They are tender and bulbs must be litter and stored in-doors over winter.

IXIO-1. Pkt. 50 montanum. IXIO-1. Pkt. 50

For RG or border in sun, rather sandbil; rather large bright lavender-blu
ars in May; fairly ardy. 15".

JACARANDA (jak-ah-RAN-dah)

Tropical American trees or shrubs of Begonia Family. Easily grown from seed and some are used as street trees in the South but in the North only as greenhouse specimens.

specimens.

-acutiolia.
Sometimes listed as I mimosifolia.
Sometimes cut fernilike leaves and legans intely cut fernilike leaves and leaves of large blue flowers. Sometimes listed Elegans fiftely cut folloose clusters of large

IASIONE (jaz-i-OH-ne)

Annuals and perennials of the Bellflower amily with blue or white flowers bornen heads and useful in the border or rock arden; all are easy to grow in ordinary ood garden soil, in sun or partial shade

perennis.

1AS-1. Pkt. 20c
Sheperd's or Sheep Scabiosa. Forms
Affect reseltes or oblong leaves with globallar heads 1-2" across, in paie blue. Plant
3-3" apart, 1 ft. tall, HP. Our strain is
being greatly improved over the regular
ype. After flowering cut back for flowers
to fall.

IASMINUM

Tropical or sub-tropical deciduous or vertireen shrubs, some climbers. They can be grown outdoors in the S. but are preenhouse plants in the N. where they re grown for their showy fragrant flowers; good loamy soil is ideal.

-humile. JASM-1. Pkt. 25c A favorite plant in the S. for growing A rayorite plant in the S. for growing against pillars or fences, producing a vast number of floxible branches with small leaves and I" long tubular yellow flowers, very fragrant; full sun, to 20 ft., half hardy shrub. JOHNNY-JUMP-UPS, see Viola saxatilis.

JUNIPERUS *

Juniper. Small and medium sized ever-green trees and shrubs and includes many of the finest ornamentals used in landscaping. Most of them are very hardy and they grow well most any where, ex-cept in shade and wet ground; a few are found, however, in marshes.

-pseudo sahiana: JUN-1. Pkt. 30c Small tree or shrub to 30 ft. with spread g branches, leaves gray or green with

JUN-2. Pkt. 30c a. hrub with thick a

KALANCHOE (ka)-an-KOH-ee)

Succulent perennials, shrubby in form and grown out doors in far S. but are accellent greenhouse plants, seed sown in an rar S, but are ake fine pot plants, seed sown in lake fine pot plants for Xmas. A l, ample moisture when growing, no drafts, They are very good at well worth growing.

es, small orange up 2-3 ft. spikes

KALANCHOE (kal-an-KOH-ee)

shrubby in form

KALA-3, Pkt. 35c

KALA-1, Pkt. 50c

KALA-2. Pkt. 50c

KENELWORTH IVY: see Cymbalaria.

12 ISSUES \$1.00 AS ISSUED

IRIS-9. KOCHIA (KOH-ki-ah)

(Summer Cypress, Mexican Fire Bush, Burning Bush). Fast growing annual plants mostly used as specimens and for hedges; the foliage is small, dense and a bright green in the spring but a deeper shade in the summer turning bronze-red in the "Leve" breve to grow in moderately rich soil

KOCH-1T —scoparia ▼. trichophila.

Of globular dense habit and turning to

KNIPHOFIA (nip-HOH-fi-ah)

(Torch-lily, Red-hot-Poker, Poker nd Flame-flower, also listed as Tri

-caulescens. KNIP-7. Pkt. 30c
A vigorous species with broad Yucca
ke leaves and dense racemes about 6 in
one of his comprised of tubular flowers 1½ in
one of his company of the company o KNIP-7. Pkt. 30c

gracilis. KNIP-2. Pkt. 15c KNIP-4. Pkt. 10c -Early hybrids. ican grown hybrids.

4s. KNIP-5. Pkt. 15c Perennial, American gr -Pfitzer's Hybrids. Vary large brilliant re Uvaria Hybrid, gr. fi. KNIP-3. Pkt. 15c

Pkt. 20c
A splendid NEW color range and in

ect form. —Lubbe's Selections. KNIP-3L. Pkt. 20c Än European growers ood. -Verricres, Hybrids, KNIP-1. Pkt. 15c Creamy whiteand coral red flowers,

KNIP-6x, Pkt. 15c

LACHENALIA

Cape Cowslip, Small bulbous plants from Africa usually with 2 based leaves, red ryellow flowers in racemes or spikes; and in pots of rich loam in Aug., keep a cool frame till late in Nov., then remove side with a 50° night temperature; when that pripened keep dry and in dark lace till Aug.

—gl icina. LACH-1. Pkt.
To 1 ft., flowers 3/4" long, erect, wired, yellow or tinged blue.

LAGURUS (lah-GEU-rus)

(Hares-tail or Rabbit-tail Grass). An mnual ornamental grass, sometimes rown indoors as a pot plant and also for ry flowers in the winter, can also be used s an edging grass. 6-9-inches.

LAGU-1. Pkt. 15c; 1/4 oz. 25c ovatus. EAGU-1. Pkt. 1: Clump forming with soft up to 2 in. long, 1 ft., HP.

LANTANA (lan-TAH-nah)

Shrubby plants resembling Verbenas to which they are related. They are tropical loants and natives from the Gall States outh and are fine greenhouse plants as well as for the garden. Beinr tender they must be started easily indoors and proceed against cold and frosts. Seeds are low to germinate.

-Bruant's Dwari Hybrids. LANT-1. (L. camara). Widely grown reenhouse and an excellent sum

greenhouse and an excellent summer ding plant. Low compact plants with Verbena-like flower heads in white, orange, scarlet, etc. They are pere-but tender in the N. -Columbian species.

LANT-3. Pkt. 25c wing Lantanas.

LANT-2. Pkt. 15c French Hybrids.

This is a French strain which is clair to be extra choice. Otherwise same

LAPEIROUSIA

(lap-ay-ROO-zhi-ah)

African bulbous plants having Freesiathe red and blue flowers. Hardy is N.
n sandy soil and with protection; also
trown in GH for cut flowers; lift and
tivide bulbs every 2-3 years.
LAPF-1. Pkt. 20c

ruentα.

right scarlet flowers, 1

LATHYRUS (LATH-i-rus)

Both vines and erect plants, annuals and perennicis with tendrils and showy lowers in white, shades of red, yellow mid purple. The perennicis grow well in radinary soil and will stand some shade while the annuals require deep mosts soil and full sunlight; provide supports and if lowers are kept picked the blooming seriod will be lengthened.

LATH-IX. Pkt. 10c on pillars, fences, old trees, and stone piles, 5-6-ft. Plants early

n spring.

— Pink Beauty. LATH-2, Pkt. 10c

LARKSPUR

improved strains we are offering, it is hard to conceive a more effective cut flower. They are cool weather plants and for best results should be sown in the fall. In warm sections, such as Southern California, they are sown as early as Auagst.

LK SEED COMPANY, DIMONDAL

like redishes and the entire plant pulled to go to market. For the home garden, on the other hand, plants are thinned out to the proper distance and allowed to branch homally for a more brilliant show of color. In the colder sections, seed should be sown broadcast in November in its permanent position in the garden. If very severe, a light mulch covering should be applied. Seed will, therefore, remain stratified and dormant throughout the winter months and with the spring thews and first warmth will germinate and commence to grow. As Larkspur seed requires a chilling for best germination, this is the ideal treatment for best results in spring sowing

COCKADE STRAIN:

A new type, recently introduced that has been especially liked by the florists and commercial growers. Tall, symmetrical plants, bearing long branches of full double florets; be sure to try this new type this year, 4-ft. High class blend of all the varieties and colors.

-Cockade Type, Mixed. LARK-1 Pkt. 10c; oz. 80c; lb. \$9.0 -Rosy-lilac. LARK-2RL, Pkt. 15c on-pink. LARK-2SP. Pkt. 150 Sapphire. LARK-2S. Pkt. 15c — Pastel Shades. LARK-2. Pkt. 10c

oz. 80c; lb. \$9.00

Beautiful blend of soft pastel colors, orrectly blended for cutting.

—Blue Cockade. LARK.-27. Pkt. 15c orrectly blended for Gaussian.

—Blue Cockade. LARK.-27. Pkt. 15c
A rich lilac-blue, exquisite color.

—White Cockade. LARK.-28. Pkt. 15c

— white in this beautiful type.

Giant Imperial Type:

Tail, upright, compact, basal branching in habit, they are most popular for cutting and garden display. Delphnium-like spikes of double flowers on 4-5-ft. stems, requir-Giant Imperial Mixed.

LARK-3X.

Pkt. 10c

Pkt. 10c na but half the space of the old type.
These will be the best for the average but-door grower. Oz. 75c.

— Blue Bell.

LARK-10. Pkt. 1\$c

These will be mo-out-door grower. Oz. :

— Blue Bell.

— wiful mid-blue LARK-5. Pkt. 10c; -Blue Spire.
ep oxford blue. ——Blue Spire.

Deep oxford blue.
——Cattleya.

A NEW late flowerin ecommended LARK-11, Pkt. 15c

recommended.

— Carmine King. LARK-6. Pkt. 10c:
Improved. A new very distinct improvement over the old Carmine King; holds its color under trying conditions and has the largest florets of the King type to date; deep carmine-rose.

eep carmine-rose.

— Corad King.
A bluish white color.

-Daintiness.
LARK-JB. Pkt. 15c
LARK-JD. Pkt. 15c
lavender-blue with
carge and more fully double florets.

— Dazzler.
LARK-IS. Pkt. 15c
LARK-IS. Pkt. 15c

Early flowering bright carmine.

Exquisite Pink Improved. LARK-16. Pkt. 15 Exquisite Rose. LARK-17. Pkt. 15

se-pink.

-Gloria Improved. LARK-18. Pkt. 15c
ep rose on salmon. Deep rose on salmon.

Lilac King.

LARK-19. Pkt. 15c

Rich lilac.

-- Lilac King.
Rich lilac.
-- Lilac Queen.
A NEW rich lila LARK-20, Pkt. 15c

LARK-21, Pkt. 15c LARK-3LA, Pkt. 15c -Lilac Spire. LARK-3LA. Pkt. 15c

Brilliant pink on salmon.

—Pink Perfection. LARK-12. Pkt. 15c -- Rose King. LARK-29. Pkt. 15c LARK.-22. Pkt. 15c

-Rosalind: ose suffused s Rose suffused salmon.

Sweet Lavender, LARK-23, Pkt. 15c

A NEW light lavender-blue: very profits LARK-24. Pkt. 15c A NEW rose-pink, shad

— White such large double flowers.

— White spire. LARK.26. Pkt. 15c.

A pure white. very popular.

— Miss California. LARK.7. Pkt. 10c;

Beautiful deep rose on salmon.

PRICES ON ABOVE VARIETIES, SEPARATE: Pkt. 15c; O Pkt. 15c; Oz. 90c;

Stock Flowered Strain:

Dark Blue. LARK-4DB. Pkt. 15
LARK-4LB. Pkt. 15 LARK-4LB. Pkt. 15c LARK-4EP. Pkt. 15c LARK-4LF. Pkt. 15c -Light Blue. -Exquisite Pink. -La France.

La France.
A dainty salmon-public Arks-anRosemund.
A pure rose self, fade proof.

—Tati Branching, Mixed.
Pkt. 10c: oz. 70c; lb. \$7.00
A tail branching type, 4-ft, tail, that will especially suit large border plantings. It had been color blend.

LARK-9X. Pkt. 10c; 70c; lb. \$7.00

oz. 70c; lb. \$7.00

Made up of all colors and types, es
secially valued where one wishes to seat
er the seeds in waste places or roadsides

LAVANDULA (la-VAN-dew-la)

Lavender. A fragrant plant grown for ornament in the garden and for its sweet seen, when dried; the dried flowers are used to fill sachets and to perfume clothing and linens. It is grown commercially for the production of "oil of spike", aromatic vinegar and lavender water; not being hard it is not grown much in northern gardens and must be protected over winter by mulching with coarse material. Set plants 2-ft. apart in their permanent location, in a dry, light limey soil and full sun; in rich or moist soils there are produced on an ideal location. Formally listed as L. officinalis and L. vera; annual, 2-ft. —officinalis and L. vera; annual, 2-ft. —officinalis and L. spica, L. vera; Subthub, 3 st. flowers lavender, ½" long; give protection in the N. The leaves are used for their sweet scent.

—Munstead Strain. LAV-1, Pkt. 15c:

LAV-1. Pkt. 15

Dwarf, deep lavender, 1-ft., a choice -Vilmorin Hybrids. LAV-2. Pkt. 10c;

French hybrids, beautiful flowers. LAVATERA (lav-ah-TEE-rah)

Fast growing, herbaceous annuals an shrubby perennials; the annuals are colo ful with mallow-like flowers, easily grow. The perennials are specially suited to the West Coasts section and all will bloot the first year with a little extra attention do not transplant.

-arborea LAVT-1, Pkt. 10c

assurgentiflora. LAVT-8.Pkt. 20c Calif. Windbreck. 10 ft. shrub, rose-purple, flowers 2" across; planted in Calif. for a windbreck and arnamental purposes; not hardy in the N.

trimestris var., splendens, Mixed. LAVI-2. Pkt. 10c

Hardy annual, white and rose-pink, mal ow-like flowers on large plant for show r cutting, 3-ft. cutting, r cutting, 3-ft.
.—Red, LAVT-2R. Pkt. 15c.
.—White. LAVT-2W. Pkt. 15c.
.—splendens Sunset. LAVT-2SS.
Pkt. 15c.

Pkt. 15c Pkt. 15c
An improved flower in rosy-carmine.

Loveliness. LAVT-3. Pkt. 15c
A new and very highly recommended
German variety, large rose flowers.

splendens, Mixed. LAVT-25X.

De 10c

Mixed colors in the improved type.

—thuringiacea. LAVT-4. Pkt. 25c
Light blue flowers, HP, 4 ft.
treated as annuals in the N. and some-

Pkt. 10c

LAYIA (LAY-yah)

Daisy-like annual plants easily grown a sunny border; grow best if sown direct bed but can be started indoors early elegans.

LAY-1. Pkt. 15c. elegans.

LAY-1. Pkt. 15c

Flay Tips. Pretty Calif. wild flower, 2 ft.

All, fine for border, flowers yellow rays

pped with white.

LEMON VERBENA: see Lippia citrìodora

LEONTOPODIUM

(le-on-tuh-POH-di-um)

(le-on-tuh-POH-di-um)

-dipinum, IEON.1, Pkt. 25c

The much prized Swiss Edelwiss (AY-del-vys). A tiled perennial with white scrolly folloge perennial with white scrolly folloge and perennial with white chief and the standard perennial stand

— White.

Pure white flowers; everlasting; growers open meadows at 12,000 ft.

LEON-3. Pkt. 20c in having flow differ

sibiricum.

Differs from L. alpinus twice as large and oinum in having flow and the leaves diffe

LEPTOSIPHON

-French Hybrids. LEPO-1, Pkt. 20c in April or May, blooms in July 8" tall; also good winter flower for

LEPTOSYNE (lep-TOS-i-nee)

Sometimes described under Coreopsis; are somewhat succulent, finely divided caves and 'long stemme', yellow flowers; readle as annuals in the N, and somewines grown under glass in the winter; really and quickly grown from seeds, dong well in a light soil and a sunny location.

-maritima, gr. fl. LEPT-1. Pkt. (Sea Dahlia). Leafy stem and flov in across, yellow, 3-ft. tall, hardy ad. LEPT-1. Pkt. 15c

LEPT-2. Pkt. 15c Leafy stems, smaller than L. maritima, olden yellow flowers, hardy annual, 1-ft.

LEUCADENDRON

(leu-kah-DEN-dron)

So. African trees or shrubs (Protea Family). Not hardy in the N. Grown outdoors in Southern Cal. and Fla. or under glass in N. LEUC-1. Pkt. 256 (Silver Tree). One of the most noted trees of the Carper Good Hope region where it with its arrow silvery white leaves closely set upon the stems; the dried leaves are used for decorative purposes. Packet contains about 20 seeds.

LEUCOTHOE (leu-KOTH-oh-ee)

Deciduous and evergreen shrubs of Heath amily doing best in moist sandy peat soil n partial shade; a few species can be grown in the N.

—Catesbael.

LEUK-2, Pkt. 25c

evergreen with white April-May; not hardy

Catesbael.
Dropping L 6 ft. evergreen wit flowers in racemes, April-Mary; no in N.

daylside.

3½ ft. evergreen, flowers whi shaped nodding; Oregon to Calif. LEUK-1. Pkt. 50c

LEWISIA (leu-IS-i-ah)

A genus of low growing perennicis of the Portulaca Family with narrow fleshy leaves, often in roseties, and pretty warry or satiny cactus-like flowers, borne singly or in clusters. They are natives of the western states, perfectly hardy and should be given an oben, well drained position in the rock garden and a mulch of leaves in the winter. Perfect drainage must be given them because of the thick starchy root which requires a period of rest.—heckner.

Sprays of silvery-pink flowers, 6" tall. HP.

-howelli. A showy LEWS-2. Pkt. 25c

someth.

A showy plant for creating and or light shade; are and apricot flowers, late spring. HP, 6" glossy evergreen vers streaked with rose, late spring. HP, 6".

This is spoken of as "one of the finest four rock garden plants in the world" and was Lewis and Clark's best find. State flower of Mont. Gas a dense rosette of narrow leaves chove which rise beautiful silky short stemmed blossoms 1½-in. across, vary in color from white to deep rose,

LIATRIS (ly-AY-tris)

Perennial plants being borne closs against long wand-like spikes, very at tractive all summer and into autumn, effective when massed in the border. Easily raised from seed and easily transplants, callilepsis.

LIAT-4. Pkt. 150

dised from seed and easil
-calliepsis. I library

Purple flowers and shou nder L. spicata or L. scar

-pycnostachya. Europie flowers in dense ill. hardy in N. —

-praecox. L. —

-cariosa. L. LIAT-5, Pkt. 25c

LIAT-2. Pkt. 30c LIAT-3. Pkt. 20c -scanosa. - Kobold. LIAT-3K. Pkt, 30c

A shrubby biennial with dark veined angents flowers, 6-10 ft. perennial grown as an annual.

LAVI-6. Pkt. 20c
Calif., Windbreak. 10 ft. shrub, roses rounded flowers, thereby perennial, 5-ft.

Best is light rich sandy loam rather dry than wet.

LIBERTA (li-BUR-t-ah)

LIBE-1, Pkt. 25c

Herbaceous perennials with broad and leaves showly marked and many ellow flower heads on 5 ft. stems; easily rown from seed-sown in April 1/6" deep; very showy border perennial.

orum, Orange Qu

Heads 4" across and in a pretty

LIGUSTRUM (li-GUS-trum)

loerkea.

-douglasi.
LIMN-1. Pkt. 20e
-douglasi.
Hardy annual plant with finely cut yelwish-green leaves and fragrant white
owers, shaded at the base into pink and
ellow. This attractive little plant grows
a masses in low damp places and is a
very flower in the wild garden; easily
rown from seed.

LILIUM

(Lily). Growing Lilies from seed hos become a very popular hobby with flower growers; very fine bulbs can be easily grown from seed, sowing them in flats of good garden soil, sand and leaf mold, equal parts and covering \(\frac{1}{2}\)-in deep; seed may be sown anytime, the growth is mostly root growth the first year, transplant out the second and by the third year good sized bulbs may be had, with many species even blooming within a year. Some sorts germinate readily, others longer and some of the hybrids very variable. We will mark offerings with planting symbols, as follows: (A) Sow March or April, outdoors or month earlier indoors, germinate in 3-6 weeks transplant following spring to nursery row. Also can be grown as in next culture. (B) Bost to start in frame or greenhouse in early spring or outdoors

All of the following-Auratum offerings are from a very noted Lily hybridless and all from the pink strain, which is a renuine mutation and not the result of hybridizing with Speciosu. This seed is f great value to those interested in high lass Auratums.

— suratums.

— Gold Banded Lily. A truly magnificent ully, white spotted sparsely with reddish brown, each petal banded longitudinally with yellow, July-Aug, the largest of the littles, sometimes as much as a fit of the littles, the largest of the littles, and the largest of the largest with plenty of peet and leaf mold and amongst shrubs that shade the roots the with fair amount of moisture. Culture

LILY.-27. Pkt. 75c

Centifolium, LILY.30, PRL 90c (L. leucanthum var. chloraster). One of the finest of white lilles, magnificent in the border and valuable for hybridizing; ong white trumpets with a green stripe down each segment, in July. 3-6 ft. Culture (A).

—chalcedonicum. LILY.39, Pkt. 50c

-concolo.

LILY-34. Pict
-condifolium.

A Japanese Lily, not real hardy out
N. and usually grown in pots for we
com, greenish white, tubular, Aug.
m roots, carry bulbs over wints
to plunged in cold frame, plant in
elf drained place sheltered from si
m. Culture D.

We can offer seed also at \$20.00 pe

\$2.00 per ounces.

LILY.-32. Pkt. 50c hybrid from α Lily hybrid-

with releved pectals. It. Culture (8) -qiganteum.

In woodland, in moist loam rich in moid, this mannificent lily is entirely ha
and hardy. The stem is very flick
is much as 12 ft. high, with large qlue
preen leaves; flowers are trumpet-sha
is no more in length, finged green
ide and striped and splashed with
unurple within. Seed is of slow germ
ion and some time is required for po
develop into flowering stage. Cul

Tender plants of the Iris family, with sword-like foliage and large white flow-ers in early summer. They can be grown outdoors in the South, planting seed in the fall.

grandiflora.
Is especially free flower.

LIGHTFOOTIA

African Beliflowers with small blue, white or pink flowers, for greenhouse culture in the N. -lardiciola. Very dainty RG plant of the Campanula family, 9-12" tall with small blue-mause belis on siender 8" stems, summer.

LIGULARIA (lig-u-LAY-ri-ah)

Privet. Deciduous or evergreen shrubs native of Europe, Asia and Australia. Useful as hedges and very ornamental. Some are not hardy in the N. especially the evergreen species. Easily grown from seed.

LIMNANTHES (lim-NAN-theez)

Meadow Foam. Formally in the genus

weeks transplant following spring to nursery row. Also can be grown as in next culture. (B) Bost to start in frame or greenhouse in early spring or outdoors in the S. Gemination 3-6 weeks, carry e-dlings over in frame or cool house the first winter, transplanting them out in the spring, (G) April-lune outdoors in welf-mack the grown and proposed the spring, of the spring of the spring, transplant second all miles of the spring spring, transplant second and transplant start of the spring approach to growth the 2nd spring and transplant 3rd or 4th spring according to growth. (E) Usually hybrids of very variable reaction. The easy ones follow (A) or (B) and the hard ones are best under (C), Note proper culture under each variety description.

NOTE: We can supply Lily Bulbs on almost every variety, either in the spring or the fall. Ask for the special lists.

Due to the continued unsettled conditions in Europe, we may not be able to offer as large a list in seeds as we should, but each week brings in a new variety so that we hope to be able to extend the list considerably before the season is over.

-Aufatum x rubbovitatum. LLLY.25.
Pkt. 75e
-centi-gale.
English cross of LL. centifolium and egale, which gives fine flowers of the egal type 3-5 ft., HP. Culture (A).
-Centifolium. LHY.30. Pkt. 50c
(L. leucamhum var. chloraster). One of he finest of white lillies, magnificent in a border and valuable for hybridizing:

LILY-34. Pkt. 50c LILY-39. Pkt. 25c

LILY-13. Pkt. 75c new German hybrid lily, ower like L. regale, white.

ble species in any Lily easy but best on heavy a spotted orange flowers e down each petal; flowers s often called "the orange

(A) or (B).

LILY-22. Pkt. 50c

LILY-21. pkt. 50c re.

LILY-22. FR.

Interemely rare species from Bulsometimes regarded as a variety
arniolicum. The flowers are bright
unspotted, Culture (D), 3 ft., HP.

florum procoox. LILY-25. Pkt. 35c.

white flowers exactly like longWhite Queen except that this has
wers per stem. Easy from seed,

LILY-41. Pkt. 30c

ritagon.

£H.Y.4. Pkt. 25c
rks Cap). Purple with dark brown
3½-ft. Culture C.

LILY-M2a. Pkt. 30c

n. LILY-24
Pkt. 30
scap flowers in

erate sized across, dimenting lines, of the slow germinating lines, of (i) is best, 3 ft., HP.

Housoni, LiLY-23. Pkt. 30c

Pkt. 50c agon is much n the colored should give

LILY-6. Pkt. 25c

species of striking beauty, owers on slender erect stems, ow outside and soft yellow ad towards the base with k, very sweet scented, rosy.

Philippinenee, formosanum, Lily.7.

Pkt. 25c
(Philippine Lily). White tinted green at a culture B.

LILY-9. Pkt. 25c; oz. \$1.00; Ib. \$10.00 cry yellow throat, 3-6 ft. Cul

White Queen. LILY-9W. Pkt. 25c nuitolium, becautiful hardy lily of easy culti rooting, blooming in June; par e; to 2 ft. tall; small recurved flow aling wax red. Coral Lily. Culture LILY 27. Pkt.

popular species, deep purple, July-by self sown bulndy loam and peat

Motholicol), Mony fregrant roser-wers with deep purple enthers. If all Notholiron mecrophylum are really hardy and quite easily grown-oduce their leaves in autumn admirecture treatment of the control rose-pink decition and derminate apring, others not for apring, others not for apring, others, fragrant and fragrant apring, fragrant apring fragrant ap

LILY-33. Pkt. 50e LILY-12K, Pkt. 25c

IMNANTHES (lim-NAN-theez)

all annual plants, easily grown from LIMN-1. Pkt. 15

tice, Sea Lavender, Sea Pinks. Com LIMO-10. Pkt. 15c

LIMO-10. Pkt. 15c

P. 6-in. LIMO-11. Pkt. 20c ads of silvery-gray flowers, HP. n. LIMO-1. Pkt. 15c; ½ oz. 95c

nical with immense lavender-purple best in a dry location, 2-ft. Espe-valued for floral designs. 7 Hybrids. LIMO-4NH. Pkt. 15c LIMO-4MR. Pkt. 15c

Suworowi. LIMO-2. Pkt. 10c; ½ oz. 75c Russion or Rat-tail Statics. Hardy annual with bright rose spikes, 30-in. tail. This is an easily grown house plant as well as for the garden, seed planted in SINUATUM: Bienniai or perenniai, grow as a hardy annual; leaves form a low rosette at base of the stiff angular branching flower stalk. These are very popular for dried flowers.

-Kampi's Tall Improved. LIMO-4.

Pkt. 10c; oz. 50c
Improve blue, especially valued on the tarket.

arket.

marktkonigen. LIMO-5. Pkt. 15c
A new Swiss strain in a perfect blue.

Market Grower's Blue. LIMO-8.

Pkt. 16c; ox. 35c; ¼ bb. 85c
A standard market strain of value.

-True Blue. LIMO-7. Pkt. 10c; ox. 50c
A fine California blue market strain.

-Passe: Shades. LIMO-9. Pkt. 15c

New Weblied Mixed LIMO-9.

Pkt. 15c LIMO-8X. Pkt. 10c; ox. 45c; ¼ lb. 85c

Tender herbs and shrubs of Verbe Family with rose, purple or white flow in spikes or clusters.

in spikes of clusters.

—citridotra. LIPP-1, Pkt. 2

Lemon Verbena. Lemon-scented folica
in Calif. or Fla., it can be grown outdor
and reaches 10 it.; in N, it is tender. The
do well outdoors in the summer and or
be taken indoors in writer. LIPP-1. Pkt. 20c scented foliage;

LINARIA (ly-NAY-ri-ah)

Rather low growing plants, annual, bi-ennial and perennial (Flgwort Family), iradling and exect. The flowers are like ministure Snapdragons. The annuals should be started indoors. They are all easily grown from seed: Kenilworth lay formally classified here is Cymbalaria Murclis (which see).

er flowers having RG plant, HP, 6" LINA-6. Pkt. 500

Pit. 50c

Pit. 15c: ¼ ox. 60c

Pit. 15c: ¼ ox. 60c

Grows 8-in. tail and covered with dainty
flowers in shades of pink, rose, cream,
yellow, lavender and white, blooming
irsely all summer and into the fall.

—Fairy Bride.

LINA-2. Pit.

LINA-S. Pkt. 15c Pkt. 15c; ½ oz. 50c flowers in yellow, to tc. June-Sept., 1.44

-reticulata.
Purple-net Toad-file LINA-8. Pkt. 150

LINA-12, Pkt. 50c lsewhere; gray ha flowers; 3" tall.

ing. Annual to 1½ ft., very garden annuals, especially for are easily grown from seed a plants are to grow. There varieties, all of which have points and these are now

LINA-IFR. Pkt. 15c

Excelsior Hybrids.

Fairy Bouquet.
Link-1FB. Pkt. 15c

Small genus of S.W. American annuals with head of both ray and disk flowers.

—Texana.

Star Cup. An easy attractive everblooming annual with flowers that have five wide golden petals arranged to form both a star and a cup, cuts well, 2 ft.

LINNAEA (li-NEE-ah)

LINN-1. Pkt. 50c.
A dainty trailing plant, glossy evergreen leaves and bell-shaped very fragrant boreglis. small pink lowers. HP.

LINUM (Ly-num)

Flax. Annual and perennial plants at hrubs having blue, white, yellow and no lowers. They are very popular in flow gardens. Grow in full sun, the annual can be sown direct to garden; they do r tand frost. The perennials can be sto d indoors and some will bloom first yec LINM-1. Pkt. 15c

-flavum.
This is a pretty tial, golden yello tardy in N. LINM-1C. Pkt. 15

especially attractive

nowering Flax. Annual 1½" across; it is very coits blue flowers making out flowers. Its varieties fine. This mixture containeties.

LINM-3Z. Pkt. 15c LINM-3R. Pkt. 15c

LINM-3, Pkt, 10c:

used much for cut flowers.

-roseum, LINM-4. Pkt. 10c; ½ oz. 40c

-rubrum, LINM-5. Pks. 52

Same in rose colored flowers. Same in rose colored flowers.

— pubrum. LINM-5. Pkt. 10c; ½ oz. 40c
Same in red flowers. Very popular.

— narbonnense. LINM-8. Pkt. 20c
2 ft., HP; considered as one of the

best RG plants; sky-blue flowers with LONICERA (loh-NIS-e-rah)
white center and stamens.

LINM-6.
Very popular and easy shrubs and

The most reliable perennial Flaz. The flowers are a good blue. 18 inches.

—White. LINM-6W. Pkt. 15c

—lewisi. LINM-7. Pkt. 25c

Nothing more graceful than this native Mont. blue Flaz. 18-24-in. tall. lune-luly.

—salsoloides nanum. LINM-9. Pkt. 40c

For a scree or sunny ledge; coral buds and white blooms, 3", not hardy in far N.

LIPPIA (LIP-i-ah).

Tender herbs and shrubs, mostly native of warm countries and grown in GH in the North.

the North.

—chitrodora.
Lipp-1, Pkt, 15.
Lomon Verbena. Shrub, to 10 ft., flower white in spikes or terminal poincles leaves have a lemon scent. These can be arown outdoors in such places as S Collif. In the N. they make nice plant for boxes and backets and good foliagplants for winter house plants; they can be plunged into the border during the warm summer months.

LITHOFRAGMA

(lith-oh-FRAG-ma)
Il plants of the Saxifrage family vestern America with rounded, deep basal leaves and racemes of a few showy pink or white flowers. They codland plants and will grow unde

The petals are so deeply cleft as tive a fringed appearance to the flowers coasionally produces tiny bulblets in the afaraxils or in place of flowers, 4-12". He

LITTONIA (lit-TOH-ni-αl-)

LITT-1, Pkt. 25c

LOBELIA (loh-BEE-li-ah)

Annual and perennials, flowers genelly blue or red. For garden purposes the goldwided into the goldwide this perennais, nowers generally blue or red. For garden purposes the red divided into the 2 classes. The annuations must popular, are used as greatest once plants, in beds and also as edging hey are tender annuals. LOB-14. Pkt. 15cd Lobelia.

cardinalis.

Cardinal Flostriking when high in colon branches of the -Queen Victoria LOB-14V. Pkt. 25

This is a dark ed flowers varie rows 4-5 ft.

best in moist soi L. erinus:

LOB-2BG. Pkt. 15

Dwarf, compact, ske-Blue Stone.
New. Dwarf plants LOB-1, Pkt. 15c LOB-2CB. Pkt. 15c clear light blue

LOB-3. Pkt. 15c n with rich deep

Dwarf strain in Emperor Willi This is a dwar autiful flower, LOB-6. Pkt. 15c LOB-12. Pkt. 20d familiar L. erinus

erecia.
A compact for om India, with LOB-2Th, Pkt. 15c

-Mrs. Clibran.

LOB-13, Pkt. 25c

LOB-2SB. Pkt. 15c Snowball. irf pure A very dwarf pure -White Lady.
A compact well form ERINUS PENDULA:

LOB-8, Pkt. 15c LOB-10. Pk.. 20d

stemless, from

Branching annual, 12", from the Med

regions.

—inodora.

Golden Ageratum. Golden yellow, a very good plant for edging and bedding, annual; use with Ageratum for yellow combination; also fine for winter dried flowers. Easily grown in any type of soll, space 10-in. apart for cutting, closer for edging or bedding, mid-summer bloom. 2-ft.

12 ISSUES \$1.00
MAILED REGULARLY
AS ISSUED

Very popular and easy shrubs and vines, alled Honeysuckle. Quite easy and prompt om seed and quickly develop into flow-

Erect growing small leaves of profusion of fractiardy. Fragrant.—ciliosa.
Low sh-LONI-1. Pkt. 50c

ciliosa.

Low shrub for the bord orange, nearly 2" lo horls. HS.

scandens. LOPH-1. Pkt. 150
A hardy vine with rose flowers, peren nial best grown as an annual.

LOTUS

The genus is confused with the comname of water plants called Lotus, we are Nymphaea. The correct genus belt to the Pea Family. They are native So. Europe.

—letragonolus.

Winged Pea, Asparagus Pea. A cre
ing annual leguminous plant with purplred flowers and pods, which are edi
when young. They thrive in sunny,
locations and valuable for ground co
and on banks. LOT-1. Pkt. 15c

LUCULIA (leu-KEU-li-ah)

Tender shrubs from the Himalayas har g large leathery leaves and show rrymbs of white, rose and red flowers sily grown under glass in moderal mperature and bloom through the win

-gratissima. LUC
The most reliable species, om seed.

LUFFA (LUF-ah)

Lootah. Propical climbing plants with large white flowers and cylindrical oblone, fruits. When ripe they have dry papery shells which contain a network ostrong fibres which is commonly called "dish cloth" and is used for washing purposes. Culture same as for acourts. LUFF-1, Pkt. 10c

Green Snake
Very long fro
acutangula. LUFF-2. Pkt. 10c Cloth. Large fruits. drica mocrocarpa, LUFF-3, Pkt. 10c

There are two important kinds, a bien ital and a perennial that are used to tried flowers in this genus. The seed point are flat and when matured, these open, making a very pretty spray for use it bouquets or the entire plant can be used a bouquet the flowers are white the flowers.

UPINUS (lu-PI-nus)

Fhe flowers, shaped like those of the eas, are borne in great profusion on long temmed spikes; both annual and perenial sorts are excellent for display in the order; sun or partial shade and requires noisture. Blooms May and June and if with back will produce second crop of

Blue Lupin, collected on Kodick Isla and not yet identified but no doublt Arcticus, which is beautiful. 18-in., co cream, pinkish lavender, magenta co shades of purple and bit. LUP-1

nder Perennial shrub growing manyellow Tree. LUP-2. Pkt. 15c
rock garden dwaf, very rare in
vation and a scarce species. aridus.
A rock garden dwa

-pubescens.
3 ft. annual, pods
this species belong
fered in the trade.
-Rose Queen. " long, seed small most of the hybrids LUP-4RQ, Pkt, 15c

LUP-13. Pkt. 50 species for the ex orden, easily grown -lyalli.
A greatly admired osed sunny rock gaut not long lived, HP. -mutabilis. LUP-6. Pkt. 15c

Blue and white flowers, sweet subcarnosus, LUP-10. Pkt. 10c; oz. 45c

L. Hardwegii:
Annual to 2 ft., blooming July pods 1" long, seed small. Very punnual Lupine.

LUP-3B. Pkt. 15c LUP-3W. Pkt. 15c LUP-3CB. Pkt. 15c LUP-3Z. Pkt. 15c Blue. Shite.
-Celestial Blue.

egii Mixed LUP-3Hx, Pkt, 10c LUP-6C. Pkt. 15c bluisl

-- Cruickshanksii. A smøll seeded LUP-6Cs. Pkt. 15c Hardwegii Giants:

A taller suc King Blue. LUP-3Gb. Pkt. 15c LUP-3Gw. Pkt. 15c LUP-3Gx. Pkt. 10c Giants Mixed.

-hartwegii, Giant King, Blue. LUP-3.
Pk. 15c

Annual, 3-ft. this is a recently introduces room with larger flowers, closer spaces in longer spikes and in more distinctions. Cxford blue.

—Mixed. LUP-4. Ph. 10c. ed. LUP-4. Pkv. 10c: oz. 70c, 2-ft. in blue shades, white, yel-

Annual, 2-ft. in blue iow and rose.

-nanus, Blue.
Small seeded type, n
1-ft. annual B.
-Extra Dwarf Mixed.
Coulkshanki. LUP-5. Pkt. 15c LUP-5X. Pkt. 15c

White shaded yellow and purple.

L. polyphyllus:

LUP-8M. Pkt. 15c -Pale Blue. -Yellow. LUP-8PB, Flet, 15c

Rose Queen

LUP-8NA. Pkt. 15c

-polyphyllus, Mixed. LUP-8, Pkt. 15c;

ox. 50c
Tall perennial with winged flowers looming most of the summer, colors

--Lupine Blend. LUP-X. Pkt. 15c This is a mixture of all the different Lupines, annual and perennial. Oz. 35c; ¼ lb. \$1.25.

LUTKEA (LUT-ke-a)

-pectinata. LUTI
Tiny spikes of pale yellow
f velvety green, HP, 4-6".

LYCHNIS (LIK-nis)

Brilliantly colored flowers and easily rown from seed; if sown early indoors nost of the species will flower in lune and luly, ordinary garden soil and a girly dry location with plenty of sun. hey are related to the genus Silene. The laminant color of the species is red and

arkwrightii Hybrids.

chalcedonica.

Mixed.

flos-jovis Hort's var. LYCH-9. Pkt. 25c Heads of pl. flowers over silvery ros-

flowers in heads, salmon, and other shades; fine ling plant, flowering first prly, 1 ft., HP.

LYCH-6N. Pkt. 15c

½ os. 30c fiery red flowers, 15-in.

LYSIMACHIA (ly-si-MAY-ki-ah)

ure situano...
er, very pretty.
LYSM-1. Pkt. 20c -punctata.
Spotted I

LYSM-2, Pkt. 36-

MACHAERANTHERA

Most desirable for eatting, best of the large blue-lavender enters and good families. Long blooms bl

MACLEAYA (mah-KLAY-rah)

sheltered position do well in shade al', where a little MAHO-1, Pkt. 25c

-Moerheimi. LUP-8Mh. Pkt. 15c

LUP-8Rz, Pkt. 15c -Salm -Salmon Queen. -Terre-Cotta. LUP-8Sm. Pkt. 15c LUP-8TC. Pkt. 15c

LUP-8RH, Pkt. 25c

Very finely cut foliage suggesting a nossy saxifrage, forming green carpets ands across, with short spikes of bloom, butte easy on the rock garden on the massy saxilitate, yards across, with short spike, yards across, with short spike, a lag yarden a lague tock. Shady side of a large tock. LUTK-1. Pkt. 25c. "wellow over a mate with the shady over a mate wellow over a mate

alpina. LYCH-7. Pkt. 50c Alpine Catchfly. HP, 4" tall, pink, for

LYCH-10. Pkt. 20c

LYCH-3B, Pkt. 15c

floscuculi. LYCH-8. Pkt. 50c

LYCH-11h, Pkt. 15c Forestii Hybrids. LYCH-6, Pkt. 20c

A very dwarf strain of this species. viscaria splendeus. LYCH-4. Pkt. 10c:

ains all the various speces and hybrids on Lychnis

Loosestrife, which is also used for the enus Steironema, both requiring similar

MACH-2. Pkt. 15c

MAHONIA (ma-HOH-ni-ah)

MARIGOLDS

AFRICAN MARIGOLDS are strong

FRENCH MARIGOLI 3 are very light rs and require a limited amount of

water, too strong teeding and watering that has any real metit and have seen real by newer and improved varieties. Seed can be started indoors, but this type a APRICAN MARIGOLDS are strong requiring plenty of water, there-

TALL AFRICAN NOVELTY TYPES.

AFRICAN MARIGOLDS. These are the trace flower type, the plants usually 3-5-ft gh and the flowers up to 4-5-fn, across new make excellent displays in the ower border, can be be used as hedges and produce areal amenats of out flowers comes in oderloss fellage in some vari

-Treasure Chest.

Pkt 15c; 1/2 oz. 80 A striking brilliant blend of African and argo Chrysanthemum flowered types with wide range of color and bloom forms the arrive flowering.

-Crown of Gold. MARY-1, Pkt. 10c Collarette type with odorless foliage, rolden yellow flowers.

—Gigantea Sunset. MARY-2. Pkt. 10c;

1/2 oz. 80c Grant Flowered, Mixed, Huge flowers im across, colors orange, yellow and t-in. across, colors orange, yellow and printors, 34/24t.
Full double huge deep orange flowers 3/54t.

MARY-3, Pkt. 15c --- Orange ½ oz. \$1.20 Marv-4. Pkt. 10c: -Golden Glow 1/2 oz. 60d

1/2 oz. 60c Golden Yellow. Odoriess foliage. -Chrysanthemum Flowered. MARY-4C

Beautiful hybrids in various shades.

-Honeycomb. MARY-4H. Pkt. 10c Honeyco

—Honeycomb. MARI-18. FR. 100 Clarless foliage.
—Mission Gients, Goldsmith. MARY-5.
—Pkt. 10c: ½ oz. 90c
A new persencitity in Marigolds of expertional merit. Plants about 1½-ft. with
an extra amount of vigor and under field
into the plants, which are base
branching produce 8-12 slems of exceltent cutting bright blooms, 4-5-in across
and in clmost perfect ballshape.

ball-shape. MARY-S. Pkt. 15c Golden yellow, inc

Buff's Beauty. MARY-14B, Pkt. 156 -Canary Bird.

Odorless foliage. MARY-14R, Pkt. 10c

-Mayling. Moonlight. MARY-14ML, Pkt. 10c

Silver Light. MARY-14SL. Pkt, 10c MARY-14S. Pkt. 10c

Dwarf Double African

-Golden Queen. MARY-19GQ. Pkt.
-Primrose Queen. MARY-19PQ. Pkt.
-Orange Queen. MARY-19Q. Pkt.
-Dwarf Double Mixed. MARY-1

TALL AFRICAN DOUBLE SORTS: Tall

All-Double (Fistulosa Type). An especially train with enormous train with enormous l type. 100% double ormed flowers. They flowers and are fa-

tith the Florists. 2½-ft.

uble Gold. MARY-7. Pkt. 10c;

½ ox. 80c

uble Lemon. MARY-8. Pkt. 10c;

½ ox. 80c

uble Orange. MARY-9. Pkt. 10c;

Pkt. 10c; ½ oz. 80c on Queen, MARY-11. Pkt. 10c;

Los Angeles florist strain, excellent cut ower lemon yellow, 21/6-ft.

-Golden Emblem. MARY-12. Pkt. 10c; 1/2 ox. 800 A rich gold with very large flowers id shade between Lemon Queen and

hid shade between Lemon Queen and brange Prince, 2½-ft.

-Orange Prince, MARY-13, Pkt. 10c;

1/2 oz. 90c
Los Angeles florist strain in true gold

CARNATION FLOWERED TYPES: blooms are shaped like a carn loosely ruffled broad petaled for 2½-ft. branching, nearly 100% d.—Burpee Gold. MARY-14.

mary-14. Pkt. Oc.

Odorless foliage, bright gold, flowers early 100% double.

Golden Crown. MARY-15. Pkt. 10c:

Tom Thumb, dwarf strain, 1-ft., golder ellow, excellent plant for low bedding. -Yellow Supreme. MARY-16. Pkt. 10c;

- Tellow Supreme, MARY-16, Pkt. 10c;

½ oz. 40c
An exceptionally prefty lemon yellow
(G. M. in 1935), 2-ft.

- Golden Supreme, MARY-164, Pkt. 10c

- Golden West, MARY-46, Pkt. 10c

½ ox. dwarf

-Guinea Gold. MARY-17. Pkt. 18c; Vivid golden orange of great merit, ex-ellent cut flower.

-Gypsy Jewels. MARY-18. Pkt. 10c Wide range of brilliant shades of orange, yellow and primrose. Dwarf growing aiganted type, sweet sconted 4-4/2-in. flowers on 12-15 in. plants early, compact, neat.

—Pot O'Gold.

MARY-19, Pit. 10c:

MARY-19. Pkt. 10c: ½ ez. 50c prange, 100% double, dwarf

to remain, miniming mean out to one place.

Mangolds are fairly hardy and therefore
they should be planted rather early;
the spring. There are more wonderful and the plants in both types did not to been did
veloped recently and wor will always offe
the best as the are introduced and we
especially urge every flower grower:
try at least a half dozen Marigolds ever

g owing giganted type, 4-41/2-in. on 12-15-in. plants. neat and con _Little Gignts. Mixed.

neat and compact.

sed. MARY-20.

Pkt. 10c: ½ oz. 90c

lwarf large flowered,
pretty in the border.

-Early Sunrise.

Collarette, Crown O'Gold. MARY-54 Pkt. 15 This won the G. M., A.A.S., 1937, odor ess foliage, flowers bright golden orange;

less foliage, flowers bright golden orangivery good.
FRENCH MARIGOLDS. Mostly smarplants 12 to 24-in, high, with smalls flowers then the African; they are espicially good for bedding and the small varieties, excellent for edging. Some make the property of the property o

NEW HARMONY TYPES:

(Tagetes Patula). —Gold Crest.

MARY-22, Pkt. 10c;

Golden yellow flowers, 2-in. crested enters of quilled petals surrounded by everal quard petals, very early and free owering, 8-in. tall.

Golden Bedder.

A new novelty from England, dworf rowing double, sich petals.

owing double, rich golden color.
Golden Harmony. MARY-23. Pkt. 10c.

minous golden yellow, both center guards, compact 11-in. plants, 100%

-Golden Supreme. MARY-24. Pkt. 10c. Larger flowers than Golden Harmony and taller, 1½-ft. Harmony. MARY-25, Pkt. 10c

1/2 oz.
orange, maroon collar, brand very even growth, early,
ody, MARY-26. Pkt 10c- ½ oz.
self golden yellow through Clear self golden yellow throughourly, free flowering, 11/4-in. flowers, 1-f-Orbit, MARY-27. Pkt. 10c; ½ oz. 35 Golden yellow center, reddish bruard petals, compact, 100% double.

Spotlight, MARY-28. Pkt, 10c; ½ oz.

MARY-32, Pkt. 10c 1 oz. \$1.00

Tall, winter flowering greenhouse variety, golden orange crested centers with reddish brown guard petals, 2½-in. across, very even growth, long stems, 100% double.

-Dwarf Harmony, MARY-33, Pkt. 10c. 1/2 ox. 40
Uniform 11-in, plants, coming in fancifu
we tone combinations from lemon yellow

FRENCH—Tall Double (30-in.)

Australian Giant. MARY-36. Pkt. 10c Fall double, or grendon tree. Brownish vellow flowers, 212-fit. —Josephine (Single Brown) MARY-52.

An especially good florist variety for cu

An experiment of the property of the property

-Tall Harmony. MARY-34. Pkt. 10c

Double Harmony hybrids, excellent utting or display.

FRENCH DWARF DOUBLE:

-Dobbie. MARY-48Db. Pkt. 15c MARY-42D. Pkt. 15c -Electric Light of Le

egion of Honor. MARY-48Gb. Pkt. 15c MARY-48. Pkt. 15c Orange Ball. -Robert Beist.

inches high.

Double. MARY-37.

Pkt. 10c; ½ oz. 50c

100% double, rich main uniform stripes; extra Dwart, compact ogany and gold elect strain, 1-ft.

elect strain, —Sunbeam. MARY-31. Pkt. 10c ½ oz. 350 w, pretty, 15-in. tall. MARY-48Mx. Pkt. 150

--Monarch Strain.

A great variety habit, all double.

--Golden Ball. MARY-48G. Pkt. 15c —Scarlet Glow. French Tall Single:

-Wildfire. MARY-33W. Pkt. 15

FRENCH-Dwarf Single (10-in.)

-Ferdinand. MARY-49. Pkt. 15 Single flowe ahogany red, ery free flow

MARY-41. Pkt. 10c -Fire Cross. √2 oz. 50c ep orange-yellow

lotched maroon, 10-in.

Flash, MARY-40, Pkt. 10c; ½ oz. 40c
New red and gold bicolor, a new single
ppe, Large single flowers 1¾-in. across
a glowing shades of tawny gold to maogany, plants mound-shaped, ideal for
orders and pots, also cutting, 15-in.

Gold Edged, MARY-41GE, Pkt. 15c

-Sora Edged, MARY-41GE, Pkt. 15c
-Legion of Honor. MARY-42, Pkt. 10c;
½ oz. 40c
Single dwarf yellow blotched brown.
--Naughty Marietta. MARY-41NM.

Pkt. 15c
Large flowered, light yellow maroon,
blotched.

-Red Head. MARY-41B, Pkt. 20c — Hed Hedd. MARY 41R. PR. 200
A new American variety, mahogany to bronze, 2" flowers cressed bold, plants 14"; very profuse bloomer and ideal for low beds or borders, effective in masses.

FRENCH DOUBLE MINIATURE

MARY-21. Pkt. 10c Soft butter yellow with marcon on center petals, very free flowering, 8-in. tail.

Spry. MARY-29. Pkt. 10c; ½ oz. 50c.

Yellow created centers with red guarateds. 1½-in. across, blooms in less that

weeks, 9-inches.

Sunkist. MARY-30. Pkt. 10c; ½ oz. 50c

Bright golden-ormge, dandy companion

Butterball, flowering very early 1½-2-in. MARY-47. Pkt. 15c Yellow Pigmy.

A very dwarf bright yellow, 10 in.

Gem Mixture.

Pkt. 15; ½ oz. 70c

A new Dwarf Marigold mixture we call
vare varieties, such as Spry, from which
his blend is made, the compact plants
etain their neat form throughout the sumner heat and continue to bloom from the
variest until frost.

—Signater numble—

arliest until fros Signata pumila Lagetes Brigh MARY-44, Pkt. 15c - signata pumila. MARY-44. Pkt. 15c ragetes. Bright yellow, tiny single swers in great profusion on compact ants; fine for edging or filling up bare solts in rockery, 8-in. - Golden Ring. MARY-44R. Pkt. 15c - Little Giants. MARY-45. Pkt. 10c;

Deep orange in color, only 6-in. tall, beautiful for edging or for bare spots in rockery, very free flowering, tiny single flowers.

-Gnome, MARY-43. Pkt. 10c; ½ oz. 50c Tagetes signate pumila. A very dwar compact single form, pretty orange color ceautiful edger and for rock garden, 6-in

MAGNOLIA (mag-NOH-li-ah)

Deciduous and evergreen shrubs and trees; many are very attractive when in bloom having very large flowers. Most of them are not hardy in the North and especially the evergreen sorts. They are difficult to transplant and thus when grown from seeds, more liable to come established. Grow in rich porous, moderately moist soil, preferring a sandy or peatity composition; seed can be started in pots and when established moved to their permanent location.

Campbelli, Mixed. MAGN-1. Pkt. 25c —Campbelli, Mixed. MAGN-I. Frt. 22c
Flowers in white, pink and red, and
purple outside, measuring 10 inch across,
goows to 70 ft. tall and hardy from Va.
southward.
—Red. MAGN-2. Pkt. 25c
MAGN-3. Pkt. 25c

MAGN-3. Pkt. 25c MAGN-3. Pkt. 25c MAGN-5. Pkt. 25c with pretty white

MAGN-6. Pkt. 256 MAGN-7. Pkt. 506 -obovata. -wilsoni. Shrub or small tree with moderate-size leaves and fragrant white cup-shape flowers 3-5 in. across, June, 20 it.

MALCOMIA (mal-KOH-mi-ah)

Malcolm Stocks. Low annuals and pere ials, grown in the border for their sm centless flowers; either start indoors ia arly flowers or outdoors in the fall. maritima.
Virginia Stor
12" tall; sow cession of bl
Colors mixed.
— Yellow. rs in the fall.

MALC-1. Pkt. 15c nual of easy culture very 2 weeks for suc makes fine borders

MALC-IY. Pkt. 15c MALC-1Z, Pkt. 150 MALC-IFQ. Pkt. 15c

ty, nice flowers.

MALC-1CG. Pkt. 15c

MALC-1W. Pkt. 15c

MALC-5. Pkt. 15c -Brilliant Re

MALC-3. Pkt. 15c

MALOPE (MAL-oh-pee)

grandiflora, alba, MALO-1, Pkt. 10

Mcllow-like annucls common in Euro-sean gardens; large flowers blooming rom early summer till frost from seeds launted early in good garden soil. Hardy nuad 3-ft., white flowers.

purpurea. MALO-2. Pkt. 10c; ½ oz. 25c Same with purple flowers —rosea. MALC-3. Pkt. 10c; ½ oz. 25c.
—Mixed. MALO-4X, Pkt. 10c; ½ oz. 25c.

MALVASTRUM (mal-VAS-trum)

A genus of plants and sub-shrubs called False-mallow with spikes of red, orange or yellow flowers. Easy culture in ordin MALV-1, Pkt. 20

raise-mallow with sor yellow flowers. ary garden soil.

-coccineum.

Cow-boy's Delight.

are 6-10 in. tall; Aug
Prairie Mallow. F.

colored. nt, Orange-scarlet no-ugust; drought resistar Flowers red or copp

MATHIOLA (mat-THY-oh-lah)

Stocks. Annuals and perennials (Crucifer Family) of which the garden species consists of 2 species and one belonging to Malcomia. The genus Cheiranthus is related and to which the Walllower belongs. M. incona. (Queen or Brompton Stock or Silliflower). This is the main garden stock, it is perennial or biennial but grown as an annual and for late summer and autumn flowers. Seed is usually sown outdoors in May or June and bloom 15 weeks later, or start them 6-8 weeks earlier indoors. Keep at a temperature around 65 degrees. For greenhouse flowering seed is sown about end of Oct. Double Giant Excelsion:

STOK-12. Pkt. 150 re white. with pink, greenhous

-Brilliant Rose. STOK-12Z, Pkt. 15c Copper-Scarlet.

Lavender.

Ball's No. 14. STOK-32. Pkt. 15c
STOK-12V. Pkt. 15c
STOK-12V. Pkt. 15c
STOK-12V. Pkt. 15c
STOK-32. Fkt. 35c
ST Same as ower.

Large single pure white flower.

Double Giant Excelsior, Ball's No. 2

STOK-7. Pkt. 25 s one large flowering Mixea, STOK-13.

Early Giant Imperial:

-Gardenia.

A new type of Giant Imperial bred and selected for cut flower use; base branching each producing 12-15 huge double spikes, individual florets are large and double, 2-in. or more in diameter, in full bloom each spike will have 40-50 florets blooming at the same time.

—Blood Red.

STOK-16R. Pkt. 15c

—Lavender.

STOK-16V, Pkt. 15c

STOK-9. Pkt. 250

-Old Rose.

Rose-pi -White. -Early STOK.18. Pkt. 20c

A new group of Giant Florist; plants are base plant producing 12-15 hu individual florets are large

Mixed. STOK-18X. Pkt. 15c The very best blend of single flowered arieties.

—Super Giant Imperial, Chamois. STOK-18, Pkt. 25c

STOK-18. Pkt. 25c
STOK-19. Pkt. 25c
STOK-19. Pkt. 25c
STOK-21. Pkt. 25c
STOK-22. Pkt. 25c
STOK-22. Pkt. 25c STOK-19. Pkt. 25c STOK-21. Pkt. 25c

Perpetual Branching or Giant Perfection

An early double flowering strain, a favorite with the florist and high double percentage; strictly hand blended from the best named varieties, 2-ft.

Perpetual Branc 1 Mixed STOK-17

TEN-WEEK STOCKS:

(M. incana v. annua). Usually grown as an annual, flowers early and comes in all the Stock colors; this is a very popular intermediate type and listed in seed catalogs under Dresden Stocks, Cut and-Come-Again.

STOK-5W. Pkt. 15c -Snow White.
-Brilliant Rose. -Crimson STOK-5C. Pkt. 150 -Dark Blue. STOK-5B, Pkt. 15c STOK-5LB, Pkt

ble Dworf 10 Weeks. STOK-5 Pkt. 15c; 1/4 oz. 40c Pkt. 15c; ¼ cs. 40c
This type is especially recommended
for outdoor growing in the East and Middle West; blooming in 10 weeks from
seed. 1-ft.
—Double 10 Weeks, Tall. STOK-6.

STOK-5.

Pkt. 10c; ¼ oz. 75.

A beautiful blend of early flowering took with high double percentage, large owering, 1½-ft.

Giant of Nice or Ma

Comes into flower just as early as the Dwarf Ten Week Stocks and forms opyramidal-shaped plant; this the mospopular class for general garden use, 11/2

winter flowering type.

Mixed.
Snow White.
Scimon.
Stok.3W. Pkt. 15c.
STOK.3C. Pkt. 15c.
STOK.3D. Pkt. 15c.
STOK.3D. Pkt. 15c.
STOK.3D. Pkt. 15c.

Early (violated Branching, Mixed, STOK-2. Pkt. 20c; ¼ oz. \$1.00 Extremely base branching, this type does not produce a large center spike; 12-15 branches per plant, bearing double florets, are typical of this strain, 2½-tt.

-bicornis, STOK-20, Pkt. 10c; 1/4 oz. 30 Evening Stocks. A hardy annual, 15-in-high, sweetly fragrant after twilight hours or after a shower, small kilac flowers, July-Sept. Sow seeds indoors or plant out early in May.

Dragginsii.
STOK-27. Pkt. 50c
Rane hybrid stock, lovely mauve, very
ill, hardy perennial, an English grown
ybrid, from a fine collection.
-crassitolia.
STOK-25. Pkt. 25c

MATRICARIA (mat-ri-KAY-ri-ah)

Mostly annuals (Composite Family) with a few biennials and perennials, foliage freey cut with small flower heads. They are easily grown from seed, used in the border and are around 2-ft, tall.

—capensis alba plenissima.

MATI-1

MATI.I Feveriew. Also listed as Chrysanthemum perthenium. A pereanial but grown as an acunual. 2-fit white flowers, used especially for mixing in bouquets of other flowers inflated to Grysophila.

—exirmia gr. fl. Ball's Double. MATI-2.

exirming gr. fl. Ball's Double. MATI-2.

Pki. 25c; ¼ oz. \$1.00

One of the best white cut flowers, 20-in.

rll.

-Golden Ball. MATI-3, Pkt. 20c

This variety forms a dwart dense bush of over 12-in. in height covered with rich golden yellow ball-shaped flowers. It is of great value for pot culture and making up floral sprays.

Silver Ball. MATI4. Pkt. 25c Same as Golden Ball but with white double ball-shaped flowers.

—inodorum, Bridal Robe.

Pkt. 15c MATI-2S, Pkt. 15c MAURANDIA (mau-RAN-di-ah)

Perennial climbing plants of sleader nabit, native of Mexico and belonging to the Figwort Family. They are tender and can be handled as tender amads for summer baskets or for winter flowering vines. Thrive in fibrous loam with leaf mold and some cow manure. Fine also for trellis.

MAUR-1, Pkt. 25c ns. r trumpet-flov

MECONOPSIS (me-kon-OP-sis)

cool moist summer and a rich warm sandy oam in a sheltered partial shady position. They make an attractive group in the border. The annuals should be started early indoors and set out after frost danger is over; the perennials are best carried through the summer in pots in cold rame and set out in Sept.

—auranticca fit, pl. MECC-12. Pkt. 35c
The Welch Poppy unlike the Asiatic pecies, is very early unlike the Asiatic pecies, is very early and a real process.

frame and set out in Sept.

—aurantiaca fi. pl. MECO-12. Pkt. 35c
The Welch Poppy unlike the Asiatic species, is very easily grown under average garden conditions; makes dense tuff of bluish leaves 6 in. high above which are borne singly poppies 2 in. across in great profusion; in this form they are of rich crange fully double with some coming single. 11/2 ft., HP.

MECO-1. Pkt. 25e tty with large blue for a gool place in STOK-16Rz. Pkt. 15c STOK-16RP. Pkt. 15c STOK-16W. Pkt. 15c Perennial, Poppy-shaped the rock gard

> Welch Poppy. Single flowers.
>
> -betoniciolia. MECO.2. Pkt. 35c
> Perennici, to 6-ft., blue or bluish-violet
> flowers, 2-in. across in flat top cluster
> and one of the finest blue flowers grower
> tivation in the finest blue flowers grower
> that and drying winds and give applications of liquid manure during its flowering segment. and one of tivation but in the E. S heat and dr tions of liquing season.

> mg season.
>
> —cambrica.
>
> Welch Poppy. Perennial, 1½-ft., nuchcut leaves with silvery sheen beneath and
> large solitary pale yellow Poppy-like
> flowers.

MECC-21. Pht. 25c MECO-5. Pkt. 20 catheartí. Perennial, g

MECO-11. Pkt. 25c ecies with 5-petulied ork blue, pinkish or species with 5-petals dark blue, pinkish gly on very short ster always, blennial,

intergrifolia MECO-15. Pkt. 50:

nepalensis. MECO-6. Pkt. 26c
Yellow Himalayan Poppy. Large lemon
clored flowers in racemes, 4-6 ft. tall,

A most remarkable plant flowers a soft tomato-red and very arresting; comes about 50%, true from seed, the remaining plants being the usual blue or lavender. Same with purple Poppy-like flowers.

paniculata. MECO-9. Pkt. 25e.

MECO-19. Pkt. 59e.

-paniculata (special stock). MECO This is a very fine form with

quintuplinervia.
Yellow.
Yellow.
Farrer's beloved
warf, a true peremn
seed. MECO-13, Pkt. 75c "Harebell Poppy;"

dwarf, a true peremian, section seed.

simplicifolia.

Biennial with solitary Poppy-like about blue flowers, 3 inches across, rising from the tuffed rosette of leaves.

simplicifolia (PLUM RED).

NECO-17.

Pkt. 75c

A rare form secured from a Scotch col-

lection.

-simplicitiolia, Plum-red Form.

MECO-20, Pkt. 50c

This is a beautiful form of this species in a plum-red color.

-viliosa.

MECO-10, Pkt. 50c

Used to be listed as Cathcartia villosa. Heart-shaped leaves covered with white hair; golden-yellow poppy-like flowers on stems 1½ ft. long.

-wallichi.

Satin Poppy. 4-6 ft. biennicii forming

tems 1½ ft. long.—wallichi.
Satin Poppy. 48 ft. biennial formir
mound of finely cut, silvery foliage, as
ears pale blue flowers 2-in. across.

MELASTOMA

(mee-LAS-ioh-mah)

Tropical shrubby plants grown in GH for their showy flowers; require postade, plenty of moisture 'le grow use loam, peat and some sand for sc—Mixed.

Mixed kinds from Columbia.

MELIA (MEE-li-ah)

iustralia. The South.

-axedarach. MELA-1, Pkt. 35c Ching-berry or Umbrella-tree. Grown in the South where it stands a few degrees of frost; grows to 50 ft... with graceful pinnate foliage, fragrant liliac flowers borne in loose panicles, followed by yellow oval fruits that remain for a long time.

MELOTHRIA (me-LOH-three-ch)

Climbers of the Melon Family with small white or yellow flowers and attractive small fruits; treat same as for Gourds.——scabra.

MELO-1. Pkt. 15c
A perennial climber best grown as munual, start seeds indoors setting out is

may.

MENTZELIA (ment-ZEE-li-ah)

A very showy group, native to we merica, often shrubby; flowers howy, white or yellow and cap uits. Sow seed where plants an

MENT-5. Pkt. 15c

MESEMBRYANTHEMUM

(mes-em-bri-AN-the-mum)

nice pol light dry

Pkt. 20c MESE-2. Pkt. 25c Daisy. New. Very rich segutiful bright and varied

colors.

Now Cryophytum crystallinum. Iceplant, an easily grown annual and used for a ground cover in mild climates and porch or window boxes in the N.

-tricolor, Mixed. MESE 4. Pkt. 15c

A very low plant for RG or edging for ISSUES \$1.00

MAILED REGULARLY
AS ISSUED

MIBORA

-verna. MIBO-1. Pkt. 50c
A rare tiny flowering grass for rock
gradens, especially for carpeting small

MICHELIA (my-KEE-li-ah)

Asiatic shrubs and trees belonging agnolia Family. They are easily groom seed; not hardy in the North but a grown outdoors in the South

MICH-1. Pkt. 30c oce An or biennici, 8-in. MICH-2, Pkt. 30c MICH-3, Pkt. 30c

MIGNONETTE

(Bot. Reseda, re-SEE-da, odorata).
These sweet scented plants are excellent for pots or boxes, beds and borders and the improved varieties make fine cut flowers; they are also excellent for bees, yielding a large amount of excellent honey; full sun or partial shade and best in moderately rich soil, sow seeds in open ground as they develop rapidly and resent moving; successive sowings will furnish nich it is best to grow them as annuals, starting seeds as early as the first of May, 6-15-in. tall.

ee. MIG-1. Pkt. 10c; Allen's Defic Individual florets are of immense size, impact plants, very fragrant.

Machet Giant Flowering. MIG-2.

Pkt. 15c: 1/4 oz. 40c

This is a special straing pyramidal MIG-3

Pkt. 15c; 1/4 ox. 40c Golden yellow flowers cial strain. Golden yellow nower, and very fragrant. cher. Red Goliath. MIG-4. Pkt. 15c; New York Market.
MIG-5. Pkt. 15c; 1/4 oz. 40c

chet, Special Mixed. MIG-6.
Fkt. 10c: 1/4 . oz. 35c
MIG-8. Pkt. 10c odorate. MIG-8.
Sweet scented, can be sown in borders or this can be sown will be available for bee food.

- grandiflora. MIG-8G.
Has a larger flower than above.
- Bismarct. MIG-9.
A beautiful flat top and large
- Giant Pyramidal. MIG-10.
- Gabrielle. MIG-11. MIG-9. Pkt. 20c

wy spikes, red. MIG-3W. Pkt. 20c MIG-12. Pkt. 20c MIG-12W. Pkt. 20c

Extra giant flowers in White Pearl.
The best white.
Red Monarch.
Deepest red and in pe MIG-13, Pkt. 20c MIG-14. Pkt. 20c illiant red. lend. MIG-X. Pkt. 15c

MIMOSA (mi-MOH-sah)

Mostly tropical plants having affractive tathery leaves, in some species sensitive, hey are grown in the South out doors but a the N. they are tender plants. They are saily grown from seed and it probably ill pay to soak the seeds in warm water pop planting, especially if the seed is MIMO-1. Pkt. 25

MIMULUS (MIM-eu-lus)

Tender annuals and perennials, having roe oddly shaped 2-lipped flowers of tilliant colors; excellent for boxes, basis, house plants or for the border as well for the greenhouse, the more tender the whole grown outdoors should have me shade and protection from the wind at plenty of moisture. Germinate the ed at around 60 degrees. They are all rown as annuals.

Vivid red and yellow flowers; for dame, 2 ft.

alis aurantiaca, MIM-1A, Pkt, 25c This is a grand lotte twers, 1 it.

-cupreus (tigrinus) Hybrid.

Pkt. 150

1-ft. tall, with flowers in contrasting tripes and spots in many colors.

— Espana. MIM-3. Pkt. 150

MIM-6. Pkt. 25c

MIM-8. Pkt. 50c wisi.

MIM-8. FKL overset in the property of a park. A perennial growing masses size of a wash tub along cold streams with a property of the p

ize of a was schaius. Plant. Yellow flowers lov Plant. Yellow flowers lov

MIM-11, Pkt. 15c marge markings on Factorians.

Monkey Flower. A hybriwers of many colors having spots.

MIM MIM-10, Pkt. 15c

MIM-10Q. Pkt. 250

ith large scarlet c

MIM-5X Pkt. 10c

MIRABILIS (my-RAB-i-lis)

Four O'Clocks. Tender biennials grown est as an annual in the North, bushy lants with attractive red, pink, white, lac and yellow flowers, flowers opening a the P. M. on sunny days, fully to frost pace plants 2-ft. apart, 2-3-ft. tall. They nake the best for border or bedding. For hedge, plant them 1-ft. apart and in the order 2-ft apart. Best to sow seed in the pen ground about midde of May, they to not stand frost.

-Jalapu, Mired. MIRA-1. Pkt. 10c; oz. 25c Mired Four O'Clocks in all the colors.

in all the colors.
MIRA-ID. Pkt. 20c

mf. MIRA-1D. Pkt. 20c compact strain in all the colors. mf Variegated. MIRA-2. Pkt. 15c crowing with variegated leaves.

MIRA-3. Pkt. 10c sweet scented.
MIRA-4. Pkt. 10c
MIRA-5. Pkt. 20c
in trumpet-in-

tongiflora, White. MIRA-3. Pkt. 10c.
Much larger flowers, sweet scented.
—Violet. MIRA-4. Pkt. 10c.
uniflora. MIRA-5. Pkt. 20c.
Bright rose blossoms in trumpet-in
rumpet form, each long-tubed blossom
sing from a second "flower" of the same
vivid rose. Showy, and unusual. A free
bloomer.

MIRA-6X. -Mixed Four O'Clocks.

All types mixed.

MOLUCCELLA (mol-eu-SEL-ah)

Harman MULU-1. Pkt. 15c Bells of Ireland. The branching stems re closely set in elongated hyacinication with big bell-calyees of pale, canslucent green and within each calys is a curously formed little white flower to a fine cut flower or the spikes can be irried for winter. Easily grown, does well andry soils, perennial.

MOMORDICA

Annual and perennial tendryl climbing plants, they require a light rich soil; have deeply lobed leaves and yellow flowers, the fruits are very decorative when they burst open after ripening. Treat as tender minuals starting them indoors or out after rost danger is passed.

—Balsamina.

Balsamina.

MOMO-1. Pkt. 15

—Balsamina, MOMO-2. Pkt Balsam Apple. Moderate grower, orange colored fruits 3" long. —Charantia. Balsam Pear. Larger than Balsam Aj in tull its parts, and having orange oblong fruits, 8-in. long.

MORAEA (mo-REE-ah)

African Iris. Bulbous Irids from Africa many new to civilization, flowering ir spring in wide color range, culture simi-lar to Freesias.

Those that have rhizomatous roots are called DIETES and are treated the same as firs. Not hardy in. the N. but can be as a pot plant and grown indoors in winter; in the S. they can be grown outdoors.

—betenocoides. MORE-I. Pkt. 25c Grows on rooks at 12,000 ft., violet colored flowers and should be good in the rock garden.

Dietes. Low growing variety, broad bliage, prostrate habit, if staked will row 4-5 ft. Flowers waxy white.— Huttoni. MORE-C. Pkt. 40c Rather tender S. Af. Iris; tall spikes of ellow flowers, evergreer

ellow flowers, evergreer leaves.

-iridoides johnsoni. MCRE-2. Pkt. 25c.

Robist grover soon forming large

lumps, flowers 4" across, purest white

tith lavender and orange markings, bloom
ig once every 7-10 days thruout the year

letesl.

Oletes). MORE-3. Pkt. 25.
Cross between two rare species and constitute improvement, flowers over 2' cross resembling minicture Japanese Instance of vory, market with bright orange or yellow and violet Dietes.]

polystachya.

A very handsome spertaht lilac flowers. 3 ft. MORE-1, Pkt. 250

MONARDELLA

Annual and perennial plants grown in the rock garden and native of Calif., hav-ling fragrant foliage and two-lipped flow-ers: light sandy soil best.—villosa.

villosa. MONA-1. Pkt. 50
Pale lavender to light purple, growing well on hot, dry stony soils; intensely monatic and ornamental as well. 6". HF

MUSA (MEU-sah)

Banana. Grown in botanical greenhouses in U.S., a few species can be grown in the very far S.

In Use, in the very far S.

—enscte.

Abyssinian Banana. These are grown for their ornamental foliage; the fruit is inedible. The seed being hard, all an opening thru the outer shell for germinding, and soak 48 hours. Pot up on good soil and keep warm, 65 degrees night temperature. While plants are small they have be used outdoors during the warm.

MUSCARI (mus-KAY-ry)

Grape Hyacinths. They are quite easily rown from seeds sown in the tail or pring; fully hardy and indifferent as to oil but not wel locations.

Grape Hyacinth, bulb, 6" tall, pale blue wers, HP.

JUSC 1. Pkt. 50c species, 1 ft., stems aced bol, the lower a, the upper very small most species, HBb.

MYOSOTIS (my-oh-SOH-tis)

For-Get-Me-Nots. They all preter ocations, partial shade and plent coctions, partial shade and plenty water in the soil, they are fine as edulants and in boxes and baskets or ling. In combination with Pansies haglish plaise, they make an effectisplay also used in the rock garder or ground cover in the rosery; while tare mostly perennials, they all need with protection in the North where they carried over. Sow seeds early.

Very large flowered, This is a hybrid and namarie Fischer.

nnamarie Fischer.

-oblongata periecta. MYOS-2. Pkt. 30c

A fine winter flowering type, dark blue A fine winter flowering type, dark blue.

Royal Blue.

MYOS-3. Pkt. 15e
Dark blue, pretty, 12-inches.

Blue Ball.

MYOS-13. Pkt. 15c
Deep indige blue, compact, ball shared

Blue Bird.

Blue blue with large MYOS-20, Pkt. 15c

Dark blue w... Blue Eyes. Pright blue with whi MYOS-14. Pkt. 15c MYOS-10. Pkt. 20c

Bright blue with Boden.
Boden.
A new Swiss variety, owers of fine form.
Gerda Seager.
Blooms 6-8 days earli-Indigo-Blue.
Lindigo-Blue.
A high class German MYOS-4. Pkt. 20 MYOS-11. Pkt. 10c MYOS-17: Pkt. 20c

—Isolde Krotz.
A high class Come for pots, ext
—Marga Sacher.
Luce, excellent
—Messidor.
Large ilowered.
—Perfecta. MYOS-5. Pkt. 20c mt for foreing.

MYOS-12. Pkt. 15c MYOS-2, Pkt. 15c

erfecta.

looms in 8 weeks, large flowered blue, d winter flowering sort.

MYOS-21.

A dwarf form, 8" high, that flowers all summer; flowers ½" across, blue with a yellow, pink or white center. Nice for borders.

-Ruth Fischer. MYOS-18, Pkt. 20c Extra fine Ge rowth, free bloo fine pot plant. an variety, upright 1g, rich in color and

—Star of Love. MYOS-6. Pkt. 25c Very floriferous, sky-blue, exquisite pot

Sylphe. MYOS-19. Pkt. 15c ine (

-Victoria. MYOS-15. Pkt. 15c

The same but with pretty rose flowers.

Pot Myosotis, Mixed.

MYOS-15z. Pkt. 15c

The same but with pretty rose flowers.

MYOS-PX. MYOS-PX. A blend of the varieties that make the

-Mixed Myosotis. MYOS-9X. Pkt. 10c

All kinds mixed.

—arvensis.

Annual or biennial, the common ForgetMe-Not, will probably do better under neglect than the more highly developed varieties; sow it in neglected places. 1/4 oz. 25c; 1/2 oz. 40c.

MUSSAENDA (mus-SEEN-dah)

Rather shrubby tropical plants for the reenhouse, easily cultivated. Yellow, thite or scarlet tubular flowers in clusters and usually one of the calyx-lobes is enriged into a showy white or colored saflet.

MUS-1, Pkt. 40c

NASTURTIUM

Tropacolum (troh-PEE-oh-lum). Tenumuals not standing any drost, placeds in the open ground late in May sey cam, be started indoors in pots oxes; they do best in rather poor s na north exposure. In some localities eaves and seed pods are pickled and seed pods are pickled and seed pods are pickled and seed pods.

SEMI-DOUBLE GLEAM. Bi-h. tall, this is the most popular type.

Crimson Grow. NAST-16, Pkt. 15c
Deep glowing golden orange.

Fire. NAST-2F, Pkt. 15c
All double bright scarlet.

Golden Glecom. NAST-4, Pkt. 10c.

NAST-4. Pkt. 10c NAST-2NC. Pkt. 15c -Indian Chief.

New double sweet with dark leaves.

-Mahogany.

Sweet scented, doub NAST-2M. Pkt. 15

Sweet scented, doub -Moon. I Sweet scented, doub -Orange Gleam. nast-2Mn. Pkt. 15c le. NAST-1. Pkt. 10c: NAST-2Pz. Pkt. 15c NAST-17. Pkt. 15c NAST-2. Pkt. 10c:

-Crange Gleam.
-Primrose.
-Salmon Gleam.
-Rose Glow.
-Soft grendine rose.
-Scarlet Gleam.
-Sun Gleam.
-Sun Gleam.
-Sweet scented, brilli
-Sunrise.
-Sweet scented lemo: NAST-5, Pkt. 10c NAST-2SG, Pkt. 15c Sunrise. NAST-2SR. Pkt. 15c Sweet scented, lemon yellow. Supreme. NAST-2S. Pkt. 15c Sweet scented, double, 15c

ented, double, salmon cerise.
Glow. NAST-3. Pkt. 10c; Sweet scented, double,

-Vermilion Glow. NAST-3, Pkt. 10c;
Vivid scarlet, dark foliage.

-Art Shades. NAST-18. Pkt. 15c

-Mixed Gleam Hybrids. NAST-6X.

Pkt. 10c; oz. 30c; ¼ lb. 80c

GLORE TYPE, GIANT DOUBLE

FLOWERS, 12 inch Black Beauty. NA
A very compact, black
lowering deep scarlet.

Delightful. N. NAST-3BB, Pkt. 15c NAST-3D. Pkt. 15c Soft salmon-cerise.

Scarlet Emperor. NAST-7. Pkt. 10c;

Dark foliage.

Golden Rose Emperor. NAST-8
Pkt. 10c; oz. 40c; 1/4 lb. 90c NAST-R

Dark foliage.

Golden Globe. NAST-9. Pkt. 10c Golden Globe. WAST-3. FRI 10c;
Golden yellow flowers

-Michogamy Gem. NAST-12. Pkt. 10c;
Orange Glory. Bright orange with gamet throat.

-Scarlet Globe. NAST-3RG. Pkt. 15c

-Ruby Gem. NAST-3RG. Pkt. 15c

NAST-3X. Pkt. 150 Any of the above varieties Oz. 30c; 1/4 lb. \$1.00.
Tall or Climbing Varieties:

NAST-4C. Pkt. 15c NAST-4D. Pkt. 15c NAST-4KT. Pkt. 15c -Chamelon. Dunnett's Orange. King Theodore.
Dark red, dark leav

Pearl. NAST-4P, Pkt. 15c Cream white.

Prince Henry.

Prince With NAST-4PH, Pkt. 15c

Von Moltke. NAST-4VM. Pkt. 15c Rosy blue.

Vesuvius.

Tall Single Mixed.

NAST-4V. Pkt. 15c
N 1ST-11 Pkt. 10c; oz. 30c; ¼ lb. 90c 18 inches tall or 4 ft. trailer. Special

Dwarf or Tom Thumb Varieties:

Grow 12" high and with single flowers.

Aurora. NAST-5A. Pkt. 15c
Terre cotta flowers. NAST-5B. Pkt. 15c Beauty. Yellow, spotted.
Cattel's Crimson.
Person color. NAST-5CC, Pkt. 15c Chamelon. NAST-5C. Pkt. 15c Cream white, spotted and veined with

-Crystal Palace Gem. NAST-5CP Pkt. 15c
-Empress of India. NAST-SEN. Pkt. 15c
-Dark leaves, velvety dark scarlet flow-

A rich brilliant available NAST-5FL Pkt. 15c -Fireball. NAST-5FL Pkt. 15c Compact, dark leaved, bright scarle rrown well above the foliage, very

Golden King. NAST-5GK. Pkt. 15c
Dark leaved, golden yellow flowers, olendid.

H. M. Stanley. NAST-5St. Pkt. 15c.
Compact, dark leaf, dark bronze flowers.

King of the Tom Thumbs. NAST-5K. Pkt. 15c

Bright scarlet, compact, dark leaves.

King Theodore. NAST-SKI. Pkt. 1sc
Black red, dark leaf.

Lady Bird. NAST-SLB. Pkt. 1sc
Splendid rich yellow, scarlet spotted,

PANSY SEED

We give particular attention to trains and varieties we offer in Par and carefully check every source, lso from the results obtained by wetomers all over the county. In e

and carefully check every source, and also from the results obtained by our sustomers, all over the country. In every case we supply the very best obtainable. Those ordering new crop Paneios in the a mort time can usually count on delivery about August 1st but there are seasons when this is later, sometimes 3-4 weeks. Pamsiae are best grown as a hardy annual or biennich, especially in the North, but in the South they can be treated as siennials entirely. Do best in a sandy loam soil not exposed too much to the not sun; they stond some shades ordinary good garden soil with some leaf mod makes so esed can be planted any time from early in March, indoors, to late in August. Transplant the seedings to flats as soon as the plante the eveloped into some size, set out in, their permanent location and after the soil has become frozen at the start of winter they should be given good much of course materials.

at the start of whiter they should be a good mulch of course materials.

The Pansy bed should have a during the growing season of fine material, so as to hold the soil moist and to protect if from too much heat from the surr this also protects the flowers from being soiled by the ratin splashing mud onto them. For exhibition blooms remove all khoms until about 3 weeks before the show and then leave but 4.6 shoots per plant. Well rotted manute as a mulch will benefit the plants and flowers. If stugs or cut worms bother, spray with lead arsentie. show of plant. benefit or cut

VIOLA TRICOLOR: SWISS GIANTS OR ROGGLI TYPE

This name has been applied to the lar owered Pansies, but it does not, howev notude all the better strains and the ore we list them under the one headi

The large flowering types usually rown; the various strains and varieties are their own points of interest and ralue as described.

-Alpenglow. PANS-1. Plet. 25c; PANS-24. Pkt. 35c -Alpenlied. -Alpenlied. P
A new Heinemann v.
with dark mahagany f
pecially recommended. seed available).
-Berna.
Velvety dark blue, la: nann variety, cobalt-gold ogany flakes; this is es-ended. (Small quantity of

PANS-32, Pkt. 25c -Black King -Black color, one PANS-31. Pkt. 25c

black.

Blumlisalp. PANS-30. Pkt. 25c ery attractive, large flowers.

-Claret. PANS-2. Pkt. 25c; ¼ oz. \$1.25

A beautiful was.

Flame.

Orange-scarlet. PANS-2F. Pkt. 25c PANS-2MB. Pkt. 25c Orange-sca: -**Mont Blanc**

-Moni Bianc,
Pure white.
-Orange Sun.
-Rheingold,
Deep golden yellow
In lower three petals.
-Silver Bride.
-Ullswater,
-Ullswater,
-Ullswater,
-University of the petals.
-PANS-2SB. Pkt. 25c
-Ullswater,
-PANS-6: Pkt. 25c;
-Udde of Thun).
- Marine-blue with darker

(Lake of Thun). Mari blotch showing throug -White Beauty. ree flowering pure -Yellow Master. PANS-7. Pkt. 25c;

PANS-8. Pkt. 25c; PANS-2SB. Pkt. 25c SB Mammoths.

reptionally fine. 1/4 oz. \$1.50 (Oz. tss).

—Best Holland Mixed, PANS-9. Pkt. 25c This is the best strain of one of the arger growers in the Netherlands and should be good.

SG Giante

arger growers in the Netherlands and should be good.

SG Gints.

The best strain from another European grower representing their best giant Pansless, very good. 1/4 oz. \$3.00 (Oz. iss).

WF 'Special Blend.

Pkt. 25c; 1/4 oz. \$1.25

This strain of Swiss Giants is from one of opi best growers and is characterized by a predominance of rich wine colored flowers which far surpasses, in form and range of drak rich colors any blend or Swiss Giants, we have seen. Plants are uniformly compact and most of the blooms are waved, giving them the appearance of being frilled.

Super Swiss Giants.

Pkt. 25c; 1/4 oz. \$3.00

An improved California strain with enormous flowers of fine texture and form coming in a remarkably fine color range and especially well marked, many being beautifully ruffled and curled; long stems and sturdy plants are characteristic of this particular strain.

Dwarf Swiss Giants. PANS-13.

Pkt. 25c; ¼ oz. \$3.00

A very dwarf compact new strain, extra
arly flowering in complete color range
unning to brighter colors.

VARIOUS STRAINS OF PANSIES:

America Blend. PANS-14. Pkt. 25c: An extremely bright blend, early flowering and dwarf with a good color range: ants sturdy, Howers large. --Cassier's Giants, PANS-2CG, Pkt. 25c

ssier's White Blotched. PANS-2CW.

Giant white flowers with 5 large s, very showy. , very showy.
Cassier's 3-5 Blotched.
PANS-2CB. Pkt. 25c
In many colors, all with either 3 or 5
lotches per flower; a showy blotched
rain.

train.

-Coronation Gold. PANS-15. Pkt. 25c;
Giant golden yellow blooms, this is a pecialty with one of our European rowers and is considered very high

Ruby King. NAST-5RK. Pkt. 15c Rudolf Virchow.
Rudolf Virchow.
Roey blue, pretty.
Spotted King.
Dark leaves, dark yellow flowers spotted

NAST-5V. Pkt. 15c

Scimonariose, color.

Single Dwarf Mixed. NAST-5X. Pkt. 15c
Any of the above varieties, Oz. 25c;
1/4 lb. 90c; 1/2 lb. \$1.55.

Single Dark Leaved Sorts. NAST-13.

Pkt. 10c; oz. 40c; 1/4 lb. 90c

class, with out blotches or markings.

— Englemann Giants. PANS-2EG, Pkt. 25c

-Maple Leaf Giants. PANS-2ML, Pkt. 25c ne large flowered strain of and substance, plants compa-growers having a luxuriant foliage and large leaves; both light and dark with rich

-Masterpiece. PANS-18, Pkt. 25cs

-SB Exhibition Blend. PANS-29, Pkt. 25c

metrical strain of plants bear ers of perfect form and substanultitude of new and varied color tions running to intense, the different perfect of the with overlapping petals above the follage on stout s

Schreiber's Black. PANS.-27. Pkt. 50c Schreiber's Red. PANS. 25. Pkt. 50c

rain of German Pansies.

-Schreiber's White, PANS,-26, Pkt, 50c
The height of perfection in

Schreiber's Mixed. PANS.-28. Pkt. 50c
A blend of equal amounts of the above

ree varieties.

-Florist or Market Strain.

Pkt. 25c; oz. \$4.75

An European grown strain of the highest vality and especially offered to plant rowers. Extra choice. -irimardeau. e. PANS-22. Pkt. 20c:

Brilliant mixture, extra choice and especially recommended where color effect is most prized in beds, border or edging. Plants are compact and especially free blooming, neat habit, very hardy; excelent blend in brilliant colors with some blotches, showy in mass planting.

—hiemalis.

Hotches, showy in PANS-23. Pkt. 2-hiemalis. PANS-23. Pkt. 2-hiemalis by PANS-23. Pkt. 2-Mixed, this type is the winter-flowering
cansy, in type like the Trimardeau bet
very early flowering.

Blend of all Giants. PANS-2X. Pkt. 25
This contains ALL the above giant flowthe contains ALL the above giant flow-

This contains ALL the above giant flowered Pansies, and is a blend far above the ordinary mixed Pansies usually offered; we make this particular blend, realizing that the average Pansy lever does not have room for all the different types and varieties, and this gives you them all in one package. 5 pkts. for \$1.00; 1/4 os. \$1.75 (Oz. tus).

Trimardeau:
This type is all even and make excellent plants for large beds; they stand more neglect than do the larger types and for bedding purposes are therefore superior to the other strains. 14 oz. \$1.00

Dz. cls).

Blend.
14 oz. 90c; oz. \$2.00 (ces).

PANS-3K. Pkt. 25e
2.00 (ces).

PANS-3FK. Pkt. 25e
Golden yellow with purple blotch.

PANS-3SW. Pkt. 25e
PANS-3Y. Pkt. 25e
PANS-3Y. Pkt. 25e

PANS-3SW. Pkt. 25e PANS-3Y. Pkt. 25e PANS-3Y. Pkt. 25e PANS-4X. Pkt. 25e - Bedding Pansies.

Hiemalis: Lee Pansies. These Pansies flower very early, even in the snow in early spring, the type is very much like the Trimarderu, smaller than the giant Pansies. They have a beauty of their own and should have a place in the RG as well as in the border. They will not stand the heat in summer, so should be protected in leaction on this account; cold does them good.

Blue Boy. PANS, IRR. Plot. 15ee

Blue Sky. PANS-1BS. Pkt. 15e -Claret. Helios. PANS-1H, Pkt. 15e A showy pure golden yellow.

-Celestial Queen. PANS-ICQ. Pkt. 156

A brilliant light blue.

A brilliant light

Jupiter.

P.

Sky blue with a dark PANS-1J. Pkt. 15e March Beauty. PANS-IMB. Pkt. 156 Dark velvety purple. Dark velv PANS-IM. Pkt. 15e

North Pole.
North Pole.
PANS-INF.
Showstorm.
A pure white, dark seeded variety.
PANS-ISS. Pkt. 150
PANS-ISS. e, attractive PANS-1NP. Pkt. 15a.

Orion.
Large flowered, in pure golden yellow.
PANS-IK. Pkt. 15c Large flowered, in proIce King.
Snow white with dark
-Winter Sun.
P. rk spots, showy. PANS-1WS. Pkt. 15c

yellow with Zurich Sec. PANS-IZS, Pkt. 15c A NEW clear light blue, very showy

-Woden. PANS-1W, Pkt. 15c Higgs, King in the garden.

-Hiemalis Pansies, Mixed. PANS-1X.

Contains all the above varieties. 1/4 oz. \$1.25, any of above (es). -General Pansy Blend. PANS-X. Pkt. 20c

This contains every kind offered and commended only to those wishing to row a general mixture; if you have parcular places, then grow the special rains, for uniform display.

Dwart plants with all dark leaves that are especially pretty in bods or boxes. —peregrinum. NAST-14. Pkt. 10c; ox. 35c Canary Bird Flower. Outck growing annual climber having curiously cut yellow flowers with curved green spurs, the whole flower vaquely resembling canary birds in flight good in any soil, 15 ft. NEILLIA (NEEL-i-ah)

Asiatic deciduous shrubs very close to Spired and belonging to Rose Family. Very graceful of spreading hobit with bright green leaves and small pink or white flowers in terminal clusters, fairly hardy and easily grown from seed.

NEMESIA (ne-MEE-si-ah)

Small half hardy annuals having bright ellow, orange and red Snapdragon-like owers: start seeds indoors in March, set

FOLLOWING ALL BELONG TO

FOLLOWING.
N. strumbosa:
Annuals to ft, most from this spe

NEME-13, Pkt. 150

Fire King. NEM

Dwarf compact variety. NEME-2. Pkt. 15c miety, blood red mph Mixed. NEME-3. Pkt. 15-onl, Mixed. NEME-4. Pkt. 15-

NEMF-5. Pkt. 150

NEME-12, Pkt. 150 Orange Prince.

Sutton's New Large Flowering.
NEME-10. Pkt. 15c

Blue flow
Twilight. NEME-6. Pkt. 15c - White Queen. NEME-14, Pkt. 15c

-suberbissima, gr. fl. NEME-8. Pkt. 20c Very choice mixture of dwarf plants. NEME-SX. Pkt. 15c

-Suttoni, Mixed. All large flower NEME-15. Pkt. 15d NEME-X. Pkt. 10d na, Mixed

NEMOPHILA (ne-MOF-i-lah)

Delicate annual plants, mostly native California. If seeds are sown early the spring in a semi-shaded spot in arden the small bright flowers will bloominuously all summer. N. Menziesii:

nese are listed under atomaria, insig etc., Baby Blue-eyes.

s, etc., Baby Blue-eyes.
-atrocoerulea. NEMO-1, Pkt. 15c.
-Bolburn Blue Bell. NEMO-2, Pkt. 15c.
-White Spotted. NEMO-3, Pkt. 15c. crambeoides albo nigra. NEMO-4. Pkt. 15c

Light blue veined purple.

— coelestis. NEMO-4C. Pkt. 15c
White veined purple.
—discoidatis. NEMO-5. Pkt. 15c
Brownish purple in center and white on day.

edge.

insignis, Blue.

NEMO-1. Pkt. 10c;

2 oz. 35c

Baby Blue Eyes. Lovely sky-blue flowers, sun or partial shade, sow in position, early to flower; beautiful for edgings or rockery, 6".

White. -Lilac. -Sky-blue

-Mixed. NEMO-2. Pkt. 10c; 1/4 oz. 450

NEPETA (NEP-e-tah)

Annuals and perennials with flowers in thoris of blue or white borne in spikes or lusters; many are used in medicinal pro ucts as well as useful in the flower

cataria. NEPE-3, Pkt. 23c -cataria. NEPE-3. Pkt. 20c Blue, sweet scented, perennial. -mussini. NEPE-1. Pkt. 10c A small blue flower with dark spots erennial, sun or partial shade, ideal foi cock garden; the plant is covered with hitch down, 8°, April-lune, HP. (Ground

rhaphanorhiza. NEPE-2. Pkt. 30-

NERTERA

Creeping perennials from S. Am.

-depressa.

Bead Plant. Stems 10" Long, matted, flores inconspicuous, orange gravits 1/4" across. Grown as a ground cover in Calif., under glass in N., sandy soil, shade.

NICANDRA (ni-KAN-drah)

physalodes.

An old fashioned amual with blue owers and white centers, similar to anysalis but with more showy flowers; stilly grown from seed. Called Shoo-fly kill house flies if some of the crushed aves and shoots are mixed with milk so at the flies can get to it, 3 ft.

NICOTIANA

(ni-koh-shy-AY-nah)

are sensitive to frost, prefering light and warm sheltered situation. State indoors in March or in cold framentucky the tobacco is sown in our beds during March and protected cotton covering, the seed is very finctions are should be used in planting if all the properties of the pro plants in the garden after the weather become warm, the later parts of May offer, besides the flowering types of stiana, most of the accredited varieties field tobacco, especially as grown in tucky where the White Burley type

white. NICO-1. Pkt. 10c west Scented White Tobacco. Pure the tuberose-scented flowers, bushy unching plants; plant in garden where sweet scent will be enjoyed in the ning, 3 ft.

NICO-2. Pkt. 10c wers in bright red Daylight. NICO-2D. Pkt. 15c

- Select Hybrids. NICO-2H, Pkt. 15c

Kermesina. NICO-8. Pkt. 15c

NICO-8. Pkt. 15c

-Miniature, White. NICO-3. Pkt. 25c ery sweet scented, 1½ ft. tall, fine bods.

NICO-4. Pkt. 10c iderae, Crimson King.

Rich deep carmine, 2½ (i.

Scharlachkonigin, NICO-5, Pkt. 10c.
A very large flowered dark scarliet 3 flowered dark scarli

NIEREMBERGIA

(nee-rem-BER-ja-ah)

(nee-rem-bln-ja-an)
ow growing half hardy perennials,
ually treated as amnuals flowering first
ar from indoor started seeds; require a
ren protected position especially at the
rt. They are fine for rock garden or
rades and few plants are better for

hippimamica. NIER-3. Pkt. 25c Cup-like flowers 1½" across, idvender-tue, best in sandy soil and full sun. —Purple Robe. NIER-4. Pkt. 25c Rich deep violet-purple, very desirable nade that will not fade. 8".

NIGELLIA (ny-JEL-αh)

damascenar, Miss Jekyll. NIGE-1.

Pkt. 10c: ¼ oz. 30c

Double Cornflower blue, one of the oretilest old fashioned annuals, good for atting or border, 1½ ft. Called "Loven-na-Mist."

in-a-White. NIGE-1W. Pkt. 15c
— Indigo-blue. NIGE-1B. Pkt. 15c
— hispanica. NIGE-2, Pkt. 10c: ¼4 oz. 40c
may annual, dark blue, 18 inches, at
tractive in mixed bouquets.
— Nigella Blend. NIGE-X. Pkt. 10c

NIGELLA (ny-JEL-ah)

Trailing herbaceous perennials grows annuals, with flowers resembling forning Glories but having more su tance; will thrive in hot dry sunny pounts useful in baskets or for border ockery, sow seeds where they are row though they can be started indoor ombines well with Portulaca, requirit he same treatment.

Trailing hardy annual with white flowers, 6".

NOMOCHARIS

Extremely becutiful Lily relatives, sug-esting miniature L speciosum. They are lmost unknown in this country and not unch can be said about their culture, eeds germinate irregularity, should be own in a pot so that the soil can be cansplanted without disturbing the seed-nos. Give Lily culture (B), grow in shade. NOMO-1. Pkt. 75c

NORDOSTACHYS

NORD-1, Pkt. 25c

uol.

-flava.

-flava.

-flava.

-flava.

-fruticosa v. Youngi.

-lamarckiana.

Evening Scented bowers 2" across, especially pretty in lamarckiana.
Evening Scented lowers 2" across, ackground plantings

ackground plantings, -missouriensis, Yellow flowers 4-6" uits 2-3" long, 1 ft. h OENO-5, Pkt. 15c

renow nower ruits 2-3" long -odorata. Yellow, swe s an annual. -Mixed.

OENO-4X, Pkt. 10c

OMPHALODES

reelwort. Low growing annuals and nnials very much like Myosotis, hav-white and blue flowers in racemes; do well in moist partially shaded as in the border; start seeds in the

Purl-forming plants of the Lily Family with racemes of small whitish flowers and grass-like foliage, often striped or spotted with white or yellow; useful for turf and border edgings, requiring no clipping; some rather lender in the N.

-intermedius. OPHI-1. Pkt. 50c -clarkei. OPHI-2. Pkt. 50c

ORNITHOGALUM

(aur-ni-THOG-ah-lum)

Annual or biennial, 2 ft., nodding greenisb purple flowers opening in the night,
fragrant

-sylvestris.

NICO-7. Pkt. 10c

Fall graceful plants topped with showertike clusters of starry white flowers with
long 'ender tubes which open in the day
time. not fragrant.

Annual or biennial, 2 ft., nodding greenisb quickly and strongly, making xcellent cut flowers which rise from pretty
rosettes of glossy, chamneled leaves and
to stems 3-6 ft. long at the end of which
is a great flower cluster that open succossive buds over a long period; flowers
large wax-like petals of creamy white
the control of the control

OSBECKIA (os-BEK-i-ah)

Little kown plants of the order of Mela-stomacece, ranging from herbs to ever-reen shrubs; the flowers, with five blovate petals, are showy and borne in leads or panacles. While quite tender, hey may be grown in the house or green-louse during the winter and plunged out-loors in summer, best in light shade. -White. OSBE-1, Pkt. 35c

sphacelata. OTKA-1. Pkt. 15c
Rosy Wings. This is definitely one of
the better annuals of recent introduction
and especially good in dry seasons; casy
to grow, long blooming period, flowers
1" across and carried in clusters of many
flowers, each flower having a dense
double center enriched by wing-like 3.
lobed petals in a very pleasing silver

OXALIS (OK-sah-lis)

Small delicate plants, some useful in the rock garden, for bedding, hanging baskets and in the greenhouse. Usually best to start them in the spring, requiring an acid soil of a porous mixture of leaf mold, loam and cand; liquid manure if applied near maturity will encourage flower production.

tion

—corniculata purpurea. OXAL-1. Pkt. 20c

The purple leaved bedding Oxalis with
yellow flowers, a perennial grown as an
annual.

OXSYPHORA

-paniculata tropica. OXSY-1. Pkt. 35c

-caeruleum.

OXYP-1. Pkt. 20c
An easily grown hardy annual that, when sown in April, blooms by the end of lune and continues till end of October. Also make a pretty pot plant flowers l'across, star-shaped in many flowere sprays, color an unusual blue of silvery veiled pastel quality as if printed on each sprays,

Peony. Only recently has interest de-reloped in the various wild species many of which flower weeks before the border cratelies, and make possible two months of peony bloom. The species are all ingle flowered, with varied and highly framental leaves, and of colors unknown in the border varieties, including pure yellow and bright scarlet. They are also very valueble for hybridizing and many new forms have been developed recently we crossing the species.

by in series with persons and persons with a very rare herbaceous species with eley cut foliage and rather flat flowers in across, white or pink, 2 ft. HP.

PEON-3. PEON-3. Pkt. 50c

brownii.

rembessedesii. PEON-11. Pkt. 7:
From the Atlas Mis., very early flower ing, having huge single plnk flowers i April amid green and red leaves; ham some in Autumn with its scarlet and blac seed boxes. PEON-11. Pkt. 75c

PEON-8. Seeds 15c ea.

A snagnificent form growing 5.6 ft. tall
with rich golden yellow flowers; still very
rare in cultivation and will be invaluable
in hybridizing.

outan, Mixed. PEON-10, Pkt. 75c PEON-2. Pkt. 75c species mixed.

species mixed. PEON-2. Pkt. 75c

From a large collection of European and Asiatic species. The color range is from blush and pale yellow to deep red, with many intermediate shades. The mixture is probably strongest in P. woodwardii which makes a dense mound of fern-like leaves, over which are borne in profusion rather flat flowers, 3 inches or more across, of varying shades of pink. Included also are P. lobata with fullip-like flowers of intense scarlet, the most brilliant color known in Peonles; multi-colored P. chamaeleon, including yellow flowered and numerous others. These will flower for weeks before the herbaceous border sorts begin to bloom and offer a wealth of color for border and cutting. HP, 2-3 it.

—woodwardii.

oodwardii. PEON-7. Pkt. 75c Flat pink flowers over mc inds of ferny liage; one of the quickest and easiest om seed, 1½ ft., HP.

-triternata. PEON-12. Sds. 4c each

PANCRATUM

(pan-KRAY-shi-um)

Peruvian Daffodil. Interesting white or reen flowered bulbous plants of Amar-litis Family. They are not hardy in the N.-illyricum. PANK-1. Pkt. 25c The hardiest species, useful for summer

PANICUM (PAN-i-kum)

Large genus of annuals and perennials of the Grass Family, a few being of value

PANs-1. Pkt. 10c for drying when ruets; annual, 2 ft.

PARKINSONIA

(pahr-kin-SOH-ni-ah)

or sub-tropical trees under mily.

PARK-1. Pkt. 25c actileata.

grusalem-thorn or Ratama. Small thorny personal receiver the with feathery pendulous roranches and loose clusters of fragrant reliew flowers; a fine hedge plant in far bouth standing dry conditions; easy from eed. Seed from Texas.

PARIS

PARIS-1. Pkt. 50 -polyphylla.

—polyphylia. PARIS-1. FR. 300
A very striking plant 20-50 inches high
with dark green leaves up to 6 inches
long; the flowers are very large, the
outer segments narrow and dark olive
green, 4-5 inches long, the inner segments
slight! shorter and yellowish green followed by a very large yellow or rust
calored herry: hardiness uncertain in the

PARNASSIA (par-NAS-i-ah)

Belonging to the Saxifrage Family, these clenis have smooth, mostly basal leaves and five-petaled flowers of white; like wet places and are much beloved by vilid-garden enthusiasis.

PARN-1. Pkt. 30c
One of the best, with inch-wide white lowers and rather broad leaves, hearthaped at the base; about 1 ft. high.

—padustris.

PARN-2. Pkt. 30c
Seed collected in Alaska and found in wet places and swamps.

PAROCHETUS (pa-roh-KEE-tus)

PARO-1. Pkt. 35c Sommock-pea. Also known as Bluealis. Low growing creeper of the Pea
mily with coball-blue flowers with pina
news, they are a very useful and the pean
to the pean to the pean
to the pean to the pean
to the pean
send and humus in a semi-shaded
cree; in the North they are not real
array; they also are fine in the rock
trade.

PASSIFLORA (pas-i-FLOH-rah)

Passion-Flower. Mostly tendril climbing lants grown indoors or out doors in the outh. They have resty and interesting towers and make nice climbers for the ouse; can be grown thus in pols, having me leaf mold in fibrous locan; give could be compared to the lequid manure when in growth.

Pkt. 50

Flowers 4" across ite and purple fruits

ellow: Brazn.

edulis.
Purple Granadilla
owers smaller than
urple, size of an e

incarnata. PASS-5, Pkt. 20c ding to pink or pink round flower, petals

PEDICULARIS

(pe-dik-eu-LÄY-ris)

Wood-betony, Lousewort. Annual and rennial plants of Figwort Family, owers 2-lipped, spiked clusters in whitish reddish colors. They are fine wild unden flowers.

garden lowers.

-densifiora.
One of the most brilliant, with fort-high spikes of scarlet flowers. Perhaps somewhat parasitic and seed should be sown in open woodland in well drained locations, 1 ft. HP. Very choice and rare.

—siphonantha. PEDI-3. Pkt. 25c Beautiful leaves and pink flowers for ockeries. —nepalensis. PEDI-4. Pkt. 25c

PEDI-1. Pkt. 25c PEDI-1. Pkt. 25c groenlandica.

PEDI-1. Pkt. 25c
Flowers are elephant heads, trunk, ears
and all. Grows in wet places, 12-18-in. tall,

PELARGONIUM

(per-ahr-GON-ni-um)

The genus to which the common Geranium belongs. It is quite distinct but related to the genus Geranium. The common house Geranium is listed under Parante. They do well in any good soil and many do well in naturalizing. The seed can be sown early, either indoor out and the plants grown on in the usual way. Raising the various Pelangonium and Geranium plants is very popular but to actually grow them from seed with the added interest of developing new varieties yourself, is very interesting.—spaced. Mixed.

special collection of frowing of Geranium s now seed being a time and many dif-nd types resulting in t grown in pots from e from seedlings and carse soil during the n the pots can then during the winter

with bright yellow flowers ar diage, thornless, flowers in te icles, sweet scented, summe should be fine for the South

A genus of ornamental grasses both annual and perennial; making the most beautiful plants for border or for specimens in the lown as well as for effect in busquets or for drying for winter use. Start seeds indoors in March growing the seedlings on in small pots if possible; give plenty of room and allow 12".18" apart in the garden.

-ruppelianum.

—villosum (longistylum). PENN-2.

Pkt. 10c: 1/4 ca. 20c

Short leaves and 4" purplish spakes at end of 2 ft. stems. The long feathery bristles give a plume-like effect. While a perennial it should be grown in N. as an annual. Hardler than most species and a very pretty grass for the sunny boxdes.

PEPEROMIA

Usually succulent and often prostrate plants from tropical regions; grow as obligge plants in G.H. in warm temperature and be careful of watering.

-Andean species.

PERILLA (pe-RIL-ah)

Halt hardy annuals valued for table to colored foliage and used in their bedding and sub-tropical efficient in any light loamy soil; start March indoors in gentle heart, in the did and colored to the many; nativalia and China.

PERI-1. Pkt. 15c ns crispa. -frutescens craspo.

Easily grown cannual especially reflect of its sep marconi with bronze metallice or margins curied, crisped and ted; used much as one would at it is much quicker in grown sier grown; sow seeds in pos

PETROCOPTIS

(pet-ro-COP-tis)

Small log growing perennials of the sink family with leaves tuted or in oseties, fine for RG; thrive best in rich rell drained loam, easy to grow from ead.

PHACELIA (fa-SEE-li-ah)

pHAC-1. Pkt. 10c
deep blue flowers, very
l for edging or rock
g in a dry soil and sunny PHAC-2. Pkt. 20 leaves and spikes of flowers; rather shows

PHLOGACANTHUS

(flo-ga-CAN-true

road.

thyrsiflorus.

A moderate-sized shrub, with na amily, bearing red and yellow sp

PETUNIA

NIER-1. Pkt. 15c

Attractive hardy annuals, seed being own as early in the spring as possible or reven in the fall as small plants often urrive the winter to bloom extra early in the spring. They are very useful as cut owers or for the border.

atriplicifolia gr. fl. alba. NOLA-1.

OENOTHER#. (ee-noh-THEE-rah)

-drummondi. OENO-1. Pkt. 15c

(om-fah-LOH-deez)

-Luciliae. OMPH-1. Pkt. 35c Sky-blue flowers, May-Nov., 8", HP.

ONOSMA (oh-NOZ-mah) Annuals, biennials and perennials of he Borage family. They have extremely titractive flowers in white, yellow or ourple, in one sided clusters. They make good border plants and the smaller one or the RG, especially amongst the light

OPHIOPOGON (o-fe-o-PO-gon)

Bulbous plants of the Lily Family with tily-like flowers in clusters at top of leaf-less stams. They are very pretty.

—caudatum.
Sea Onion. Popular house plant, has large bulbs held above the soil.
—amdersiae.

ORNI-1. Pkt. 25c
A splendid addition to the group of early grown bulbs for the summer garden; handle like Gladiolus, seeds germin-

d. rf Giants of Calif., Ramona Strain PET-5. Pkt. 35a

compact; colors are ruifled and fringed most critical.

PETSK. Pkt, 50c

Hybrida Type:

about 8" tail, with ower; they are es boxes and baskets PET-4FV. Pkt. 25c best of its class. PET-4HS. Pkt. 15c

PET-4TM. Pkt. 25cd flowers in several

PET-19. Pkt. 50c; 1/32 oz. \$2.00 see grow 18" tall, tath can be used are not so large toriferous and are radinary flower bed PET-4R. Pkt. 25c

PET-4RK. Pkt. 25c PET-4X. Pkt. 15c etunias, in-a choice

PET-12. Pkt. 20c

4 or. 50c deeper than Periwinkle and es lighter than Violacea, the ful dark violet et. PET-5CL Pkt. 25c

PET-SER. Pkt. 25c

PET-5BS.
Pkt. 25c pkt. 25c pkt. 25c the foliage in an extra dwarf com-strain, Mixed Colors.

PETUNIA-FIRE CHIEF

New Gold Medal Winner
has been some 11 years since a
introduction in flowers has been
aded the Gold Medal. Fire Chief
ited the award this year and it

worth Petunia.

t. high, belonging to the
graph of group — low compact mis—and covered with single wers of a pleasing brilliant scalled making them ideal for the red or for the border, should be grown in all Petunia nings this year.

Large Packet 35c

PET-14. Pkt. 25c; 1/2 oz. 75c of Heaven, Improved. PET-15.
Pkt. 20c: 1/4 oz. 70c

greatly improved form.

Gem Miniature. PET-5RG. Pkt. 25c

Rosy Morn. e white, the best white in this classi

1/8 oz. 70c PET-5TW. Pkt. 25c

PET-5VB. Pkt. 25c ivet Bone ity compact; deep verve, plvety Crimson. PET-25. Pkt. 3uc EW.. A real reddish velvety crimson are in habit to Snowball, Rose of Heavend others of this type; flowers large produced freely on bushy compact its: Will make a very pretty effect.

ewhat a running type; s, porch boxes, etc., 24"

nics. PET-6BP. Pkt. 20c PET-6BU. Pkt. 20c dy. PET-6CR. Pkt. 20c PET-6EP. Pkt. 20c PET-6W, Pkt. 200 ep Bh

Extremely large fringed and in shades of rose, pi well as dark colors, roats. They are especie Florist and used in sures and bedding, in the in beds in full sunshi

PET-7SM. Pkt. 50

mely large flowers ink and salmon. Types of Petunias:

PET-7DG. Pkt.50c

d Monsters. PET-7RM. Pkt. 50c and dark shades make up this case blend, deeply ruffled and lily velned, flowers 5".7" acros look as if double sed and Fringed. PET-8RF. Pkt. 50c nely line mixture of giant flowers, willy ruffled and fringed, giving ruffled and fringed, giving

PET-SDF A very choice strain of ouble flowers in blend e-Extra Double, Mixed. PET-8XD

Pkt. \$1.00 An extra double strain, ficwers, veined and deep heavily fringed.

—Dwarf Giants, Mixed. extra large throats and

An European strain of large flowers, uffiled in dwarf plants, suitable for pot ulture or where low plants are wanted. If it annual with viole or white flowers.

-gr. fl. Flutty Rufflee gr. fl. Fluffy Suifles. PET-8.
Pkt. 35c; 1/32 oz. \$2.25

A delightful blend, containing numerous shades of veined and bloolor pink and rose combinations not found in the separate color varieties; all flowers are finely fringed and so heavily ruffled that they appear double; by far the finest choice Petunia for the home garden and a prime favorite with the florist.

MINIATURE TYPE: 8" plants with good sized plain bright flowers, each plant compact and upright and making the most beautiful effect in edgings.

PET-22. Pkt. 25c. 1/32 oz. 50ch white throat, giv-t eyes" effect. Very

Dright eyes" effect. Very as an edging plant.

PET-24. Pkt. 50c;

1/32 oz. \$1.40

A new type Petunia, 8-12" call, plants reamin so neatly compact and erect all season it is sure to become most popular for hedding and pot plants. Medium sized, well ruffled and warved, deep throated wers continue to keep the plants completely covered. The unusually attractive color range from deep crimson to white in almost every imaginable shade and combination of marking; it has a pleasing belance of light and dark shades.

here are 160,000 to 250,000 Petunia seed in am ounce of seed.

PET-23, Pl*

1/32 oz. 500 exquisite varieties. uld make a grand ace in the rockery, A hand blend of 7 fery fine. These wou isplay for a bare pla s well as an edging.

PHLOGOCANTHUS

PHLE-1. Pkt. 25 -tryrsiflorus.

PHLOX

A genus with mostly perennicls and onsisting of a varied list of plants; all are easily grown. The perennial sorts do well in a rather heavy soil, but all thrive n any good garden soil. While the best nown are the fall perennials, they come a other types, creeping species that are utel of rock work.

Drummondii:

Annual, to 1½ ft., in many colors. Is e ordinary annual Phlox planted in garns and at its best effect when sown in asses, sow when frost danger is past and where plants are to grow, takes 20 ays to germinate.

ondi, Gigantec

Easily grown summer annuals prete runny situations, light rich loom; if a summer annuals prete to the state of the state o preferring i; if faded again in beds and

PHLX-3AS. Pkt. 15c large flowers. 1 ft PHLX-3B. Pkt. 150

PHLX-9. Pkt. 25 'HLX-10, Pkt. 20

large flowering dwar forming reand compact tall which are covered ers. Phese vary beauti tentered white or dari arr and uniform growth display of shades and the flowers, makes the

PHLX-3SB. Pkt. 15c PHLX-3LO. Pkt. 15c PHLX-3SP, Pkt. 15c

stellata sple

Yellow, Brown Eye, PHLX-3YB, Pkt. 15c

PHLX-3X. Pkt. 10c erent varieties as ve. Oz. \$1.50 (cul)

mmondi Varieties: out 6" high, plants compact, m fine for edging or in low

PHLX-4AP. Pkt. 15c PHLX-4SB, Pkt. 15c Apricot. Isabellin PHLX-4LO. Pkt. 15c

The English strain becautiful varieties in this class.

Fart Mixed. PHLX-4X. Pkt. 18c

the Oz. \$3.00 (uls). PHLX-1. Pkt. 15c

PHLX-6. Pkt. 50 Prostrate, with shiny leaves and big flowers varying from white to deep pink. One of the most beautiful species and easy in the Northwest but regarded as very difficult in the East; needs woodland conditions of shade and humas HP Very care species.

PHLX-8. Pkt. 15c

PENSTEMONS

A genus of perennici plants, both baceous and shrubby of the Figwort lily, all native of N. American and a Beardstongue
Penstemons bloom in spring, some e and some late. They are mostly in blue and purple range, with a few :

of the American in spring, some sy are mostly in mge, with a few reds, or orange. They come types of growth, suit-will be a spring location. They are lovely when the re selected and to be distributed by to be distributed by the spring are lovely when the respect of suiter and suiter a specific and the spring spring spring the spring spr appropriate species are selected and grown happily; are likely to be disappointing when not happy or not suited to the location. They require no special type of soil, but certain fussy species will shart-lived unless the soil is very porous. Some kinds will do well only in rock gardens, others are more appropriate to the perennial border.

Penstemons bloom so heavily that they often exhaust themselves and die. They may usually be saved if the flower stalks are cut of after blooming, water well, and give a little plant food. Bone meal

- aggregatus.
A floriferor PENS-57°. Pkt. 40c A floriferous and sh lender leafy stems, fl lue in tight clusters. luster-heads, 1-ft. tall. showy species with flowers large deep rs. The best of the

Inter in tight characteristics of the control of th

appearing rock plot ad enough flowers Resembles P. angus Long, pale tilac golden beard, 4-8-

PENS-88. Pkt. 50c name is perhaps not valid but it one of the finest of the shrubby s, with rosy-purple flowers, glaudiage, hardy shrub I ft.

Johr, typicus. PENS-1*. Pkt. 50c ow form, jagged blush leaves, tall 3 ft., with large flowers; seed was mentirely light vellow stand mentirely light vellow stand

bus tonage, hard, s...
bicolor, typicus.
Yellow form, jagged ems, 3 ft., with large om an entirely light

PENS-3*. Pkt. 35c

PENS-4°. Pkt. 350 mats to 2 ft. across ng mats to 2 ft. acro high, flowers over mse scarlet tubul d lower lip, it mak plant, very hardy

t. very hardy. PENS-C3. Pkt. 35c ure pink : **ardwellii.** PENS-84°. Pkt. 25c

rt., HP.

-canescens.

A tall and rather leafy species for the augher places in the border or for the lid garden. The quite large flowers in enrichasters vary from pink to magenta.

3 th. PENS-60°. Pkt. 30c

centranthifolius.
Scarlet Bugler. B.
ce, long season; s
ft., hardy, sunny PENS-C6, Pkt. 25

i. Norman Henry plush leaves and widel rose with a touch of or ed, 3 ft., found growin inders. This is a gen arge rock garden, hard -comarrhenus. nature introduced by nry; toothed glaucous dely inflated flowers o orange; many branch wing only in volcanic gem for the border or lardy in East.

PENS-P*. Pkt. 45c

cordifoliu PENS-C12. Pkt. 25c a. 8 ft. shrub, semi-es of scarlet flowers ches in summer. PENS-59°. Pkt. 35c

PENS-90. Pkt. 30c

A very dwarf mat- time shrub for
the rock garden; one of the easiest Penstemons in the east; small clear blue, or
the property pink or white, flowers along the
the property of the prope

PENS-9°. Pkt. 75c subspecies. Intense blue s, rather long stems tall

PENS-10°. Pkt. 60 ubspecies. A neat and den plant of fine habit border, forming mate eat quantities of stems whi'e to ochrolencus PENS-11° Pkt. 25° extus. PENS-12° atoni, sep. Pkt. 35

PENS-13*

n with downy stems and big basa and the usual pendant tubes o wax red, HP, 2-3 ft. PENS-15

Pkt. 250

PENS-72°. Pkt. 75c are blue, flushed pink out-arrow with widely spread-te leaves are gray-green,

alks.

the best of care, it is just enstemons for a certain race to planting to die each y erent reason. The easiest vis inconvenience is to had you need and thus rry if some of them die. is them from seed, which isse them from seed, which

broad, somewhat heart-shaped. For dry sunny places in the rock gar steep banks; it may be slightly in the N. as it comes from Tex N. Mex., HHP, 1 ft.

A neat looking nedium tall species seaves and small yeareamy yellow flow clusters; a soft color, color types, easy to g PENS.16" Pbt 40 alpine appearing with small green ellowish white to

the types, easy to grow problems. A tall plant with conspicuous carply toothed glaucous leaves a cowy flower spikes on stoutowers are large, inflated, rose ft. tall.

fruticosus. Woody shr PENS-18°. Pkt. 30c wers blue, 2-ft. tall.

White PENS-Flo. Pkt. 25c m of P. fruticosus.

PENS-92. Pkt. 40c

wers of pure blue; tufted plant,

garrettee. PENS-19°. Pkt. 50
Rather low with several erect stem
\$1.6" high with a few tiny green leave
and quite large deep blue flowers or
active spikes, very destrable for small PENS-19°. Pkt. 50c

gentianoides hybridum gr. fl.
PENS-97. Pkt. 35c
Mette's special strain, all giant flowered
mixed colors. glaber.

habit, fine purple to dy, 1-ft., best in coarse r-blue strain which we er next year.

Sensation. PEN PENS-62

Extremely showy flowers of many colors, ne for cutting; flowers for a long time of first season if starried indoors, HHP. 2tt.

-gramdillorus, PENS-22* Ptt. 35c
Very popular and showy; stout glaus leaves and stems to 6 ft., carrying merous large lavender blue flowers. be border plant, very hardy,

-grandiflorus, ssp. albus. PENS-23*. Pkt. 30 Extremely show ne for cutting; the first season if grandiflorus.

Comes about 50% true white flowers out the white flower is all white no avender, a sport from the type

Lavender Form.

PENS-66*

Pkt. 50c PENS-77°. Pkt. 75c heterophyllus. PENS-77°. Pkt. 75c
A showy and very variable species from
alifornia, not reliably hardy in the Midest and East but will survive with some
rotection. The plants are more or less
intibby and vary from 1-5 ft high with
colorestessized a various colors. The
societate-sized and the size of the
representation of the size of the size of the
representation of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the size of the
size of the size of the size of the size of the size of the
size heterophylius.

Selected blue strains, very good.
elected blue strains, very good.
-Pale Azure-blue Selections.
PENS-86°. Pkt. 300

Choice selected plants of this variety

—hirattus, Improved. PENS-24°, Pkt. 35°.

An easy eastern species, with rather arge leaves and a profusion of moderate-ized flowers. The color is usually rather oor, but in this selection only good colors will appear, pink to purple. HP. 2 ft. PENS-H4q

This perticular strain has been developed by Mrs. Henry and the coloring and informity is very high; in the species to coloring is rather poor but this strain arple.

s the pool rple.

hybrida, Southyate Gem.

NS-95. Pkt. 45 Pkt. 15c of hybrids that flowers

etty flowers. PENS-25°. Pkt. 50c

nesii.

pens-25. Fee care all pense appearing plant of very near alpine-appearing plant of very near alpine-appearing plant of very near alpine-appearing plant of the pense and numerous and the flower large density packed and numerous plant in Pens-27° Pkt. 59c pense appearing plant in the pense appearing PENS-30°. Pkt. 60c

PENS-28 . Pkt. 80ct the plant of somewhat but with no conspicu-its slender stems leafy spikes of blue Cowers notice. PENS-82*. Pkt. 50

long narrow sil-ender for sun, ons HP 6 inche PENS-31° Pkt

... much branched shrub to 4 and across, with tiny green leaves branch ending in a 6" spike of yellow flowers about 34" long prope hardy in far N PENS-68°. Pkt. 750

w very truly alph stone slides at hi dy mats from whi light green deep tipped with cluste

flowers, of varying shades of blue narrow green leaves; from the mount of southern New Mexico where it or sunny me

border or fine for

-palmerii. PENS-33° Pkt.

-palmeril, White Form Pkt. 40c

many stems of the type

PENS-81°. Pkt. 75c

Thin bright gre-prolla pink to ruite showy. PENS-RI. Pkt. 20c -Rattani minor

high.

PENS-87°. Pkt. 30c
species, with deeply
out but rather broad
color from pink and
Hardy and a good
1/2-21/2 ft., HP.

ne for the land to rome for the land to rome PENS-R3. Pkt. 25c

ft.

-rupicola.

Dense mounds usted all over vary vivid rosy
-rubicundus. PENS.R4 Pl- 30 small toothed leaves silvery gray powder; mine flowers; 6" high. PENS-40" Pkt. 60c

A very attractive ovely color of rose howy for the will order, stands some order, at the color of the will order of the color of the co species with unusual with a touch of blue, id garden or for the shade. Not a common

PENS-S1. Pkt. 30e

PENS-42°. Pkt. 30cm numerous able for eithe

dyish leaves bright-le flowers in large porish dry soil, sun, PENS-46°. Pkt. 25c

ruden.

PENS-47*. Pkt. 50c

Subglaber.

PENS-47*. Pkt. 50c

Ouite similar to P. glaber, very showy,

rv floriferous. large deep blue flowers

cacked on quite long spikes; very lovely

and ornomente' species

PENS-11. Pkt. 25c

Whorled Leaf P. Straggling shrub to

ft; long lar wands terminating in 1"

pht red tubular flowers, late bloomer;

rily rich soil.

PENS-13. Pkt. 25c

"thild HP with 14" Rousers ideas

rirly rich soil.

Tolmiel. PENS-T3. Pkt. 25c
9" tufted HP, with ½" flowers in dense

records.

-triflorus, ssp. integrifolius, PENS-48*.
-triflorus, ssp. integrifolius, PENS-48*.
-triflorus, ssp. integrifolius, PENS-48*.

PENS-59. Pkt. 25c

Pkt. 30c

Paul herbaceous species with large pensenged leaves dark green, very large tight nose-purple broadly bell-shaped owers in dense spike-like panicles. This neuld grow readily in cultivation and will be a favorite in gardens. This is a story rare species as yet. Highly recom-

triphyllus, spo., diphyllus. PENS-49

ow growing, with stems semi-rather small toothed leaves, are rather short, but quite broad blue-purple: not one of the show-ces but very attractive in the 'en HP to I fit ostruke; rather smo owers are rather sho drich blue-purple; r or species but very ok our on HP to I unificateralis.

very attraction to 1 ft
PENS-50° Pkt. 25c flowers more or less of throat; not difficult pretty in the garden.

PENS-74°, Pkt. 75c

PENS-51°. Pkt. 50c

wilcoxi. PENS-52°. Pkt. 30c Open panticles to 2 ft., clear blue, medfum sized flowers. Likes drainage as do most Panstemons and given this they will

PHLOMIS (FLOH-mis)

PHLO-1, Pkt. 15c -Purple Mixed.

PHORMIUM (FOR-me-um)

New Zealand Flax. Magnificent pl r subtropical effects, somewhat succ are produced in a report of a tall stem and yellow. Seeds the seedling grosture is required to a. A pot plant report of

-tenax. PHOR.1. Pkt. 4
The larger of the two species with a species with the species with t PHOR-1. Pkt. 40c PHOR-2. Pkt. 40c

mt half the size of P. ten reen leaves and slightly flowers, HHP, 3-7 ft. white, rose, violet yellov vv: foliage resembles for and warm regions. Th

PHYGELIUS (fy-IEE-li-us)

Small shrubs from So. Af. with flowers esembling those of Penstemon; are hardy only in the S. but good greenhouse plants n N. Need no special care.

-capensis coccineus, PriYG-2. Pkt. 50 This is the best form of Cape Figwort; all shrub, huge heads of scarlet flowers.

2HYG-1, Pkt. 50a

-capensis.
Cape Fuschia.
crimson in cluste
branches; showy. shrubby, flowers

on in clusters of 1-4 at end of hes; showy, 3 ft. ly large growing but desirable, bes ady, wild garden, flowers blue, 1-3 zy-June.

-Saier's Blend of Species. PENS-53 Pkt. 35c

This is a mixture of every species and the species we have in stock and including many unlisted ones, that we do not specificate to effect the specific to the specific transfer of the specific tra

tell just what they are.
—Small Flowered Varieties Mixed,
PENS-54, Pkt. 35c

PHOTINIA (foh-TIN-i-ah)

osition; easily grown from seed. -integrifolia. PHOT-1 Pkt. 25c

PHYLLODOCE (fi-LOH-doh-see)

Mountain Heath. Dwart evergree hrubs suitable for the rock garden, re uiring moist peaty soil and partial shade

PHYL-1. Pkt. 250

PHYSOSTEGIA

(fy-soh-STEE-ji-ah)

Dragonhead. Obedient F perennials of Mint Family, suc-any good soil, thriving best noist place with some shade. beautiul border flowers and

or cut flowers.

—virginica. Mixed.
Grows 2-4 ft. tall. flowers in spikes at the stems die down to the ground during the winter; make excellent cut flowers, HP.

—Rose-Lilac.

—White.

PHOS-3W. Pkt. 15c

PHYSALIS (FIS-α-lis)

Ground Cherry, whose tomato-like senclosed in a balloon-like calyx are easily grown, but may be started is like tomatoes so that they will carlier. The Chinese Lantern Plant quently grown for its brilliant orange ons" which are prized for winter they are easily grown, indoors like tomatoes fruit earlier. The Chiris frequently grown for

Alleksngi.

Cliness Lantern Plant.

Cliness Lantern Pl

PHYTEUMA (fy-TU-mah)

Homed Rampion, Perennials and the second of the second second of the second sec -Charmelii. PHYT-3. Pkt. 30 Dark blue flowers in globular heads

Scheuchzerl.

PLTY-1M. Pkt. 15c

Vhite. PLTY-1W. Pkt. 15c crs 1/3" long, rose-pink, spurred head-like clusters; 2 ft.

PIERIS (py-ER-is)

Exercises a shrubs and small trees native N Am. and Asia, of Heath Family by grow best in sheltered positions and are grown in the greenhouse; mois andy loam with peat or leaf mold best silv grown from seed.

y grown from seed. ribunda. PIER-3. Pkt. 50c ndsome small evergreen shrub, may

PIER-1, Pkt. 25 lormosa.

Drooping panicles aped white or pin. long; shrub or ther tender. to 6 in. long of urn-nk tinged flowers 1/3 small tree to 20 ft., PIER-4, Pkt. 50c

Japonica.

Magnificent large at the white urn-shape sprays to 5" long; far theliared location. at large shrub, evergreen; rn-shaped flowers in clustered long; fairly hardy to Mass, in rations. HS, to 30 ft. PIER-2. Pkt. 25c

PIER-5. Pkt. 50c pact evergreen shrub with le leaves; long arched racemes urn-shaped flowers in April; ra jul and fairly hardy. HS. 6-10 ft.

PLATYCODON (plat-i-KOH-don)

grandiflorum, Mixed. PLTY-1. Pkt. 150 nd blue flower. Flow ardeners as 'he most beautiful t lant in cultivation; thrives in deep rained sandy loam soil, easily g om seed planted early in the sprin

orn seed planted edity in the spinity.

-grandifforum, White. PLTY.2. Pkt. 20

Hardy in N; easily grown from seed coming the second year. Thrives in amy soil, full sun, showy perennials. PLTY-2, Pkt. 20

PLECTRITIS

--congesta.

PLEC-1. Pkt. 50c

PLEIOTAXIS

species.

PLEI-: Pkt. 50c
S. Rhodesian perennial, 4 ft., tall, very
andsome, bright crimson flowers in large
istle-like heads, stem and leaves cottony.

PLUMBAGO

Leadwort. Shrubby plants hardy in ut not in N. They grow in good soil a sually the old plant can be cut be everely in the spring.

n the spring.

PLUM-1. Pkt. 50c,
shrub from S. Rhodesia, pure
rers, likes some shade, drought
flowers in summer. zeyheri. A rare shr hite flowers, esistant, flow

PODOPHYLLUM

(pod-oh-FIL-um)

PODO-1. Pkt. 40

places.

-emodi.

A Himalayan relative of the commo Mayapple of northern woods but mumors handsome; mottled bronzy "imbrelle leaves and flowers white, mottled ripink followed by brilliant scarlet frui which are said to be edible; fully hard and easy from seed which may require several weeks to germinate; woodland chady R.G.

-species. PODO-2. Pkt. Collected in western China by Dr. is has very showy red fruits and home branches, true name still unknown

POLEMONIUM

(pol-ee-MOH-ni-um)

ll genus (Phlox Family) tall and hardy perennials, very few an The blue, white or violet flower bowy and the foliage resembling fer nucis. The blue, white or violet flower are showy and the foliage resembling fer fronds. Thrive in deep well drained loam soil. The dwarf species make fine rogarden plants; the taller ones for the border.

POLE-6. Pkt. 25

A lovely plant for RG or front of border, rumpel-shaped flowers of eft to rich pink wer ferny foliage, likes a bit of shade and is rather short-lived. HP, 1½ ft.—caceruleum. POLE-1 Pkt. 15c (Iacob's Ladder, Charity, Greek-vale-ian). Grows 2 ft., fern-like leaves and pageous sky-blue flowers with yellow tigners.

POLE-1W. Pkt. 15c

-album. policeruleum, Large Flowered Blue.
POLE-2. Pkt. 15c

Extra large flowered strain.
POLE-3. Pkt. 20c A very good native western species ound on rock slides, blue or white flowers. I-ft. tall, May-Aug.—occidentale, Native western bog species, robustrowth.

Native western rowth.

-pulcherrimum. POLE-5. Pkt. 25c
Easy and beauliful, rother short lived ut sell sows just enough to keep going, described by the sound of t Blue to purplish flowe

POINCIANA (poin-si-AY-nah)

A very poular tropical genus of shrubs and trees of the Pea Family, all native of warm regions; when in bloom they are among the most beautiful shrubs or trees. Can be grown in the warmer parts of the South and easy from seed. Thirve in dry soils; soak seed in warm water before sowing and plant in sandy soil. It is well to soak seeds of Poinciana in warm water a few hours before planting and transplant seedling immediately the first true leaves appear.

—gilliesii. POIN-2. Pkt. 50c Straggling shrub or tree, not prickly,

ens: pods 4" long, native S. Am.

POIN-1. Pkt. 30c
Shrubby with delicate evergreen in
scalike leaves and very showy red an
ellow flowers with long red stamens,
aridy only in the far South but may be
rown in the greenhouse and planted ou
summer. Does well in poor sandy soi

POIN-IF. Pkt. 30c ——flava. POIN-IF. Pkt. 30c
A stronger grower, with golden yellow flowers; glabrous shrub to 10 ft., flowers have bright red stamens 2½" long, pods 4" long.

POTENTILLA

(poh-ten-TIL-ah)

Perennicis suitable for borders, with some excellent r plants; thrive in sunny location good garden soil but prefer s blooming from July to Septem beds and rock garden tions in any sandy soils.

ooming from July to argyrophylla. Sprays of showy wello POTL-11. Pkt. 25c across and silky leaves; for front of border or edge of R.G. on sun, 18 in. HP. — atrosanguinea. POTL-Alla.

Pkt. 30c
Silvery foliage and scarlet flowers, 9" grower and represents the finest in the hybrids.

hil, HP.

—climes.

—porti-10. Pkt. 25c
—fulgens.

A silver-leaved trailer, with beautiful
almon-rose flowers, for the border or
arge rock garden, HP, 1½ ft.
—glbson! Scarlet.
—Nepalensis, Miss Willmott.

Porti-1. Pkt. 20c
—Nepalensis, Miss Willmott.

Pkt. 20c

Bright carmine, best of species.

—White Beauty. POTL-6. Pkt. 20c
Fountains of spowy blossoms, foliage in plossoms, foliage in marcon, 1½ ft.

POTL-13. Pkt. 25c -fragiormis.

POII-13. FRL 20-fragiormis.

Poolities Beautiful strawberryke leaves of green velyet, flowers golden
Allow, nearly 1" across, to 8" high, HP.

POII-8. Pkt. 50c

leaves of green verye low, nearly 1" across, ruticosa. I The of the best shru den bearing tiny rose —fruitcosa. POTL-8. Plt. 50c
One of the best shrubs for the rock
garden bearing tiny rose-like flowers all
summer; yellow or rarely pure white. A
variable plant in stature and habit of
frowth, ranging from prostrate forms to
state to the state of the state of the state
state of the state of the state of the state
state of the state of the state of the state
state of the state of the state of the state
state of the st

Pkt. 20c
Portl-2. Pkt. 20c
Rose to rosy crimson color hybrids.
-Warrensi.
POTL-3. Pkt. 15c -Warrensi, POTL-3. Pkt. 15c Large flowers in massed golden color, ery good. 18 inches. -Potentilla Blend. POTL-7X. Pkt. 15c Contains many kinds.

POPPY

(Common name for the genus Papaver.)
These beautiful flowers come in both annual and perennial sorts; they have a great range of color and we offer some new strains and varieties that are gargeous. They are easily grown by sowing seeds direct in the garden very early in the spring and in milder climates, even in the fall; their best show is in mass plantings in the border. The annuals especially resent transplanting; full sun and well drained soil is required.

POPPY SPECIES:
—albinum.

POPY-25. Pkt. 30c

-alpinum. POPY-25. Pkt. 30c
Nearly a stemless HP with white or
ellow fragrant flowers from the Flowers.

write.

—cardinale fi. pl. POPY-11. Pkt. 15c
Cardinal Poppy. Double flowers and putter to pure

-lateriteum. POPY-24. Pkt. 40c A hairy branched HP, 2 ft., with brick red flowers, broad petals, Armenia.

PERENNIAL POPPIES:

P. orientale:

The hardy oriental Poppies, with tuge flowers so prominent in the bord June. They grow rapidly from see iving excellent flowers and in a various rapid to the continuity true but the resulting plants ha eseedling sturdiness, that is lacking lants increased continuously from cutting the cu

Beauty of Livermore. POPY-3BL Pkt. 15c

Reselected crimson blooms.

-Brilliant.

-Bright fiery red.

-Olympia.

Double flowered variety, light scarlet.

-Rembrandt.

-Rembrand -Rembrandt. POPY-3RM. Pkt. 15c Mahogany-red flowers. -orientale, Scarlet. POPY-8, Pkt. 15c

Hardy perennial with large brilliant scarlet flowers. These not only will make a gorgeous showing in the border but in wild places, edge of woods and waste places, they seem to hold their own.

—orientale, Victoria, POPY.9, Pkt. 10c:

A beautiful salmon-pink with black

Collected from several sources both here and in Europe, and containing many fine varieties and hybrids. Scatter ½ oz. along the highway—very early!

NUDICAULE:

(Iceland Poppy.) A perennial, to 1 ft., blooming the first year from seed and rarely lasting more than 3 years. Its flowers are very beautiful and comes in a number of charming varieties, April to lune.

of Une.

—Amurense, Yellow.

(Yellow Wonder.) Sensational new loppy with showy Buttercup yellow flow-rison 2 ft. stems, easy, established plants iten start blooming in March.

Coonard Pink.

Gorgeous rose tints of varying intensity, true strain; soft pink to deep rose, pricot, salmon, etc., 1½, ft.

—El Monte.

The mey, beautiful deep tangerine-orange arrage fringed flower.

—Imperial Jewels.

POPY-2MI, Pkt. 15c

tringed flower. erial Jewels. POPY-2MJ, Pkt. 15

A new superb strong stemmed flower in an extra large color range, a gorgeous display.

—Gartford Giant Hybrids. POPY-19.

Pkt. 10c; ½ oz. 50c
Giant crinkly petalled flowers on long tems, ideal cut flowers if picked in bud; beautiful colors in white, orange and reds picotes-edged, 2½-3 ft.

—Haddon Strain. POPY-19H.

-Gibson's Giant Orange, 'POPY-2GG

Want something lavish? A mass of ese giant flowers in orange will do it -Keimscott Strain. POPY-22. Pkt. 20

The flowers of our new Kelmscott Strait are larger than we have ever seen before on any variety of Iceland Poppy, ofter measuring 3" across. Although the petal are of heavier texture they have the amedicate waxy appearance; the stems are longer and so much more stiffer they ten. Sanford's Giants. POPY-2SG. Pkt. 15c Immense flowers on stiff stems; very Immense flowers aried color range.

The Emperior.

POPY-2TM. Pkt. 15c, PRIMULA (PRIM-you-la)

hybrids.
—Iceland Poppies Mixed.

ANNUAL POPPIES: RHOEAS-SHIRLEY POPPY:

(Corn or Flanders Poppy): The common field Poppy of Europe and Asia, and in the Shirley type, it has become very popular in America, coming in many colors and shades. This plants to 3-4 in, apart, they should be sown very early in the spring, in the South in the late fall. Hardy annuals, petals are crinkled.

—American Legion. POPY-5AL. Pkt. 15c A dazzling orange-scarlet with black

POPY-12. Pkt. 10c;

Double Begonia-flowered in a rich and most attractive, one of the better new varieties, 2 ft.

-Dazzler. POPY-13. Pkt. 10c; 1/2 oz. 35c l double flowered orange-nia-flowered flower.

Scorlet Begonia-flowered POPY-5GY. Pkt. 15c.
Gaiety. POPY-5GY. Pkt. 15c.
White flowers with a pink edge, showy.
Ryburgh Hybrids. POPY-14. Pkt. 10c;
½ oz. 30c.

Beautiful double Anemone-flowered in sating shades of white, pink and old rose with white centers. Orange King. POPY-5GK. Pkt. 15c -Rev. Wilk's Strain. POPY-5RW.

An English strain of single flowers.
Salmon Shades.
Snowball.

Pkt. 15c
Popy.58S. Pkt. 15c
Popy.58B Pkt. 15c -Snowball. -Sweet Brior. POPY-15, Pkt. 15cs

Beautiful double Begonia-like flowers in a pretty Wild-Rose pink.

Single Shirley Mixed. POPY-58X.

Double Flowered Shirleys: Pounder Flowered Shirleys:

-Fantesy.

Very rich mixture containing many odd and dancy colors, all double.

-Begonia Flowered.

- POPY-SDB. Pkt. 15c

Many rich colors in double Begoniashaped flowers.

hadny fich colors in double begonia-hoped flowers.

| Jajanese Pom S. POPY-5DJ. Pkt, 15c Extra select double mixture of small lowered type.

| Salmon Queen. | POPY-5DQ. Pkt, 15c | Scarlet Glow. | POPY-5DG. Pkt, 15c -Double Shirley Mixed. POPY-5DX.

Shirley Mixed. Contains all the single flowered varies in huge satiny and brilliant colors, a large plantings these make a gorgeous ight. Try sowing them along roads, etc.

-All-Double Biend, POPY-17, Pkt. 10c. Lovely and dainty shades in beautifut sating flowers, many edged and shaded with other colors.

Carnation Flowered Type.

Double Carnetion-sheped annual Poppies.
Scarlet King, POPY.45K. Pkt. 15c
Ross Queen. POPY.46Q. Pkt. 15c
Powarf Hybrids. POPY.4FB. Pkt. 15c
Pireball. POPY.4FB. Pkt. 15c

POPY-4Rx. Pkt. 15c These are double, hardy annuals at 15c plors.

POLYGALA (poh-LIG-ah-lah)

Milkwort. Annual and perennials four glass or in the warmer sections of the country; the hardy native species do we n light soil and partial shade.

—artiata. POLG-1. Pkt. 30 POT.G. 1. Plet. 30c

-apopetala.

2-3 ft. high; flowers large, pink, ½"

cross and as grown in S. Calif., it

POLYGONUM

(poh-LIG-oh-num)

Large genus of annual and perennial reenhouse and hardy plants, of variable chits. Easy culture in good garden soil. fost of the annuals can be planted early a the spring in open ground.

—amplexicante. POLY-2. Ptt. 30c

A handsome border per tather heart-shaped leaves spikes 6 inches long of st or white flowers, HP, 3-4 ft.

emodi.

-orientale, Rubia.

Hardy annual, an interesting cut flower and border plant with red flowers, flowers July-October, 1½ ft.

-macrophylum.

POLY-1. Pkt. av.
POLY-2. Pkt. 35c
with leaves downy

July-October, 1½ ft.—macrophylum.
—macrophylum.
—mollis.
—mollis.

Abrubby species, with leaves downy heneath, and long narrow panicles of small white flowers. Will grow in moist places. HB. 3 ft. or more.

PORTULACA

(POHR-tew-lak-ka)

(POHR-tew-lak-ka)

Usually treated as a hardy annual in the North although they are perennials. They are especially pretty in beds, borders, adding or in the rock garden, requiring full sun and sverage garden soil on the foamy site, they stand dry situations. Seed should be sown direct to the garden, mixing some soil with the seed and then pressing the surface of the bed so as to make a contact between the seed and the soil, sow in April. Plants are low growing and the flowers are very beautiful, 2-3 in tall.

—grandiflora, Double Mixed. PORT-1, Pk. 20c.

Extra select, the flowers look like little roses, in pink, lavender, yellow, orange and red shades, very showy, 4 in. tall.

—Single Jewels. PORT-2, Pk. 20c.

A very free flowering dazzling crimson selection, about four times larger than ordinary single varieties.

4s os. 30c
Bright glistening flowers in all the colors
f Portulaca; they are especially pretty with their wide open flowers.

——All Mixed. PORT-4X. Pkt. 15c

A hand made blend of all.

PRENANTHES (pre-NAN-theez)

Rattlesnake Root. Plants for the border or better for wild garden, tail perennials, leafy stemmed, with small flower heads in spike-like panicles.

—tabarinowii. PREN-1. Ptt. 25-

and adapted to various uses, attempt to divide the offerings in to make selections easier. They

P sinensis.

Chinese Primroses. Grown mainly pot plants in the GH. Seed sown in lor. Feb. give flowers in the fall. The do not stand moving as much as other GH type Primroses, but they have y a very graceful effect with their dad fringed flowers; in many colors oversities.

Fringed, Mixed. A choice large flowered fringed mixture.

Giants, Mixed. PRIM-4Gx. Pkt. 35c

A choice blend of the large flowered

malacoides.

on Surprise.

PRIM-2C. Pkt. 35c Congratulation.
Brilliant salmon Best Mixed.

PRIM-2X. Pkt. 354 Fairy Primroses, a delicate too ant popular as a winter greenh ant. Seeds sown in March will pro-lants in late fall,

P. obconica.

Grown mainly in GH for pot plants, acking them ideal for the house with their targe, 1" across, bright flowers, tart seed in Jam. or Feb. for fill flowers.

-Best Mixed. PRIM-3X. Pkt. 35c. It makes a very popular winter house lant for greenhouse growing. This strain as a glamted-type flowers and is in the set colors. as gigantest colors.

- gr. fl. Mixed. PRIM-6. Pkt.
A bright blend of one of the promiuropean growers, large flowers. P. veris:

Cowslip. A doing best in n the border urbed; it com sties; sometime ardy outdoor Primrosetial shade a cool spo RG, and then left undis in many different vari called Polyanthus Prim oses. -elatior Hybrids. Oxlip. Pretty little urope, 5 in. tail v PRIM-5EH. Pkt. 20c Wild Primrose of N. with nodding yellow

Best Mixed. PRIM-5GL. Pkt. 25c

PRIM-54. Pkt. 50c (Often listed as una). The Moonlig ing bells of soft in with white meal; aremi-shaded places order. HP, 1 ft.

Auricula. PRIM-A8. Pkt. 25

ids. PRIM-52. Pkt. 50c PRIM-55. Pkt. 50c PRIM-43. Pkt. 50c

Berrywell.

-bulleyana.

Canaerapra

Id yellow fl Lovely orange, 18" tall, HP, do PRIM-39. Pht. 50c PRIM-16. Pkt. 90c called P. reylei). A

These are a very select strain with deep ich colors varying from purple and crim on right thru to yellow; they are very asy to grow; from lack Drake's collection -chionantia. PRIM-38. Fit. 506 Ruby-red fleshy leaves and flat cymes These are a very se ch colors varying from in right thru to ye asy to grow; from Id-chionantha. Ruby-red fleshy lec-yellow flowers, 3"

PRIM-23. Pkt. 50e

PRIM-D3. Pkt. 20c PRIM-D3c. Pkt. 20

Related to needs the elo low, I ft., HP.

PRIM-17. Pkt. 50e placed in the related genus Orngramma, as its flower parts are in instead of fives: the flowers are to bell-shaped, with long fringed lobs trich purple; does best in cool moist ates, seed is slow germinating, HP.—floribunda.

A greenhouse

int, though able to ads of golden yellow A giant to 4 ells in large l

PRIM-25. Pkt. 50c

This is by for the best white Primula and comes quite true from seeds a lock works Strain.

PRIM-37. Pkt. 504

PRIM-3. Pkt. 30 n yel PRIM-19. Pkt. 50

or blood crimson al leaves; a mos puite difficult; bes at quite difficua-ade in cold frame of PRIM-56, Pkt, 500 PRIM-56, Pkt, 500 let semi-shader rathe

PRIM-18, Pkt. 50e page.

PRIN-18. Pkt. 30c
ry becutiful species of the Nivalis
with large pendulous flowers vary
m white to deep yellow and rarely
or pink. It needs rich soil in very
hade and should, if possible, be
where it is buried in snow all
otherwise it should be carefully

for mass parallel for mass par ady moist above, in fine pint care, and is particu ft.

P. sikkimensis, with ils; young seedlings at become more vigor-in, 1 ft., HP. PRIM-22. Pkt. 50c

PRIM-41. Pkt. 50c

species with long-and foot-high naked angle a cluster of rrs. Seed germinates ats will grow in sun disture. HP. 1 ft.

PRIM-24, Pkt. 50 a, a species with rs in midsummer; stream or pool in PRIM-46. Pkt. 50c

be comewhat tender in a sheltered shady

PRIM-34. Pkt. 50c

el-shaped, drooping, purple flowers, and, PRID-48. Pkt. 50c ndelabra species for shady borders a woodlands, not dry; tall stems any tiers of deep purple flowers; are evergreen, and require coverwinter. HP, 2 ft. winter. HP, 2 ft.

(pro'n-bo-SID-ee-ah)

ecis Flower, Unicom Plant. Annu-ennial with large, long stemme large purple flowers and okr

discorrectly as Martynia. Natives on belt southward and grown both soft and immature are pickled, alone or with other vegetables. North start indoors under giass out after danger of trost is passed.

OTEA (PROH-tee-ah)

Trees, shrubs or stemless perennials from o, Africa and make very fine greenhouse dents; they are unusual looking plant with leathery leaves and large round ower heads; sandy peat solt, good drain ge, sunny arry position and careful water Bush, From S. Rhodesic, white

PRUNELLA (proc-NEL-ch)

Brunella. Small perennial plants of int Family, with purple or violet flower close-set heads or spikes. Used it ady part of border and rock garden easily naturalized in the wild quarder. R. rosec. PRUN-1. Pht. 20c Many spikes of rose colored flowers roen or edging plants.

PRUNUS (PROO-nus)

PNUS-1. Pkt. 25
Plum, especially good for sandy
gardens near the sea; low-growing
y bush with dull-green leaves;
owers and purple plums about
tameter. HS. PNUS-1. Pkt. 25c

trata.

PRUN-3. Pkt. 35

w shrub with small leaves and
flowers followed by small rathe
iit. HS. 6 ft.

PUERARIA (peu-er-AY-ri-ah)

PUER-1, Pkt. 10c

A twining ardy in N. ground but to Vine. (KOOD-zoo). A twining perennial vine, not hardy in It dies down to the ground by favorable conditions will grow 40-6 the summer. It bears spikes of fropurple flowers and makes an idea vine; is best grown from seed.

PULSATILLA (pul-sah-TIL-lah)

A botanical regrouping of the larg owered Anemones with ferny leaves; eas and hardy in well drained soil.

y in well drained soll.

sima. PULS-1. Pkt. 50c

tern American form of the Pasque
uite dwarf, with large soft violetwers and big plumy seed-heads.
rder. in sun. HP. 1 ft.

PURSHIA (PUF-shi-ah)

western shrub of Rose for leaves and solitoners along branches followed

"URS-1. Pkt. 40c

PYRACANTHA

(pir-ah-KAN-thah)

Fireihorn. Mostly thorny shrubs belong to Rose family; where hardy they are cautiful shrubs; a sunny position, wel rained soil is best.

—atalantoides. PYRA-I. Pkt. Gibbsi. Regarded as one of the small dark green leaves and masses wery brilliant scarlet berries; best tras a climber. PYRETHRUM: see Chrysanthemum

QUAMOCLIT: (EWAM-oh-klit)

Annual and perennial twining vines be orging to the Morning Glory Family, ofte alled Star Glory; treat as tender amual acily grown from seed; used as summ owering vines of light and rapid grown friving in rather light soils and is sur-lobate.

QUAM-1. Pkt. 20
Robust perennial with 3-lobed hear haped leaves and crimson flowers fading to pade vellow.

pinnata.

Cypress Vine. Slender annual twiner
20 ft, with leaves divided into fine read-like segments and showy scarlet owers. Easily grown; blooms mid-sum—White.

A pretty -- Pink. Owered form of above.
QUAM-5P. Pkt. 20c
QUAM-3. Pkt. 20c
A hybrid between Q.
anata. Palmately-lobed
red flowers with white
ft. blooms from midsloteri.
Cardinal Cli
cardinal and
aves and car
roats. Grow

-Mixed QUAM-4. Pkt. 15c

QUEEN ANN'S LACE

QANL-1. Pkt. 10c

An annual cut flower, 2-2½-ft. tall, with inely cut foliage and filmy white flowers numbels. It makes a very inely cut foliage and filmy white flowers a umbels. It makes a very good cul lower for a filler, is easily grown. Do tot allow it to go to seed as it can become a weed.

RAMONDA (ra-MON-dah)

Remondia: Small plants making flat settes of hairy basal leaves, stoms 3-4 bearing several 4-5 pointed flat flowers, sembles Sainipaulia to which it is re-ted. Fully hardy, likes north facing svices in rock wall, soil largely leaf old and sand. Sow seeds as for Saint-ulia, seedlings develop slowly.

myconi (Monkerrat). RAM-2. Pkt. 50c

-pyrenaica. RAM-1. Pkt. 50c

Brilliant lawender flowers Primula-like
owers, for north rock wall. 4 in., HP.

RHAMNUS (RAM-nus)

Buckthorne. Shrubs or trees, used mainly for their handsome foliage and attractive fruits; easily grown, will stand some shade, seed best sown in the fall.

RHAM.8. Pkt. 25c.

RANUNCULUS

(rah-NUN-keu-lus)

(rath-NUN-keu-lus)

A large genus widely distributed and known under the names of Buttercup and Crowfoot. The Buttercups are perennial and easily grown from seed; the Crowfoots have yellow flowers and both do well in well drained soil and sunny positions, Most of the species are perennial. Many of the Crowfoots make time rock garden plants.

ASIATICUS: (Turban or Perstan Buttercup). If is grown in the greenhouse or outdoors during summer and not consulted the sound of the control o

Pkt. 20c Claremont Hybrids. RAN-XC. Pkt. 20c Camelia-flowered Hybrids. RAN-XCm.

RAN-HX. Pkt. 20

Includes the above my RUN-4 Pkt. Such hirtellus.

A very variable Asiatic species and in its best forms, with 2 inch flowers of yellow, white or pale rose, on short stems; perennial and a plant well worth gambling RUN-5. Pkt. 25c.

RUN-5. Pkt. 256 RUN-6. Pkt. 356

A very choice non-spreading species or RG in sun; dense tufts of cut leaves and large golden buttercups in early pring. HP, 4". spring, nr.,

-superbus,

Beautiful spring flowers in shades o
pink, white red, yellow and rose; sow
seeds in flower pot, covered with glass are
remination requires 30-40 days, perennial

RHODANTE

RHOD-2. Pkt. 10-

RHODODENDRON

(roh-doh-DEN-dron)

They are easy to grow it given a few ome special attention to their requirements. They all prefer acid soils, most it them do best in partial shade and the argreen sorts need wind protection. All silke hot sunshine. Their gargeous owers and magnificent foliage well repay lose who give them the attention necessary. About all are at home on the acific coast, they also can be grown in e South but in the North only the hardy pecies should be attempted. They all quire an acid soil between pt 4.5 and 1.5.2, containing much fibrous material; e roots grow near the surface and thus ould be provided with moisture but nor soggy soil.

RODN-1. Pkt. 75c about 10 flowers 13/ to reddish purple color, 6-8 ft. (Cam

echtii. RHON-24. Pkt. 75c leciduous Azalia with vivid rose and leaves that turn bright yellow Autumn; hardy to Boston; late ag and fine for open woodlesseries, Camadense

A glorious mild climates 2 inches acro tree-like species, for The flowers are up to p scarlet with deeper sters. Grows as much Series nches across, s and in huge 40 ft. (Arbore)

ies). RODN-31, Pkt. 75c RHON-32, P' . 75c BHON-32, Pkt. 75c nuritum. rugustinii. RHON-5 . Pkt. Azor. Auor x Grie.son BHON-60 um. Pkt. 75

ROHN-4. Pkt. 75 barbatum Another rather t with somewhat su crimson or blood (Barbatum Series).

RHON-33. Pkt. 75c RHON-5. Pkt. 75c ROHN-5. Pkt. 75c rather tender, wi le tinged pink ar enhouse culture

-campanulatum.

Loose trusses of flow maging in color from urple; a very early but tall. (Campanulatum RHON-6. Pkt. 750 of flowers 1½ inch long, r from white to shades of early bloomer, shrub 12-15 aulgtum Series

RCHN-20, Pkt. 756 mpbellige.

-campylocarpum.
Perhaps the species, a modera 4-8 ft. tall, Has le 1½ in. long and 2 syellow or pale yel RHON-7. Pkt. 754 tinest yellow-flowered ate-sized rounded bush loose trusses of flowers in across, clear consellow, some in. long and 2 ellow or pale yearnt crimson blota onii Series)

RHON-8, Pkt. 756

RHON-9, Pkt. 75 A magnificent species with rather tubur brick-red, free flowering. Well worth ying, especially south of New York, 6 ft. ir flowers up to 2 in. long, of cinnabar innabarinum Series).

RHON-36 Pkt 754 An epiphyte with fragram flowers, 3½ long, white tinger externally with rose mon scented. For cool greenhouse, and so of the finest of all species. (Madeni gries). crassum. dalhousiae.

RHON-37. Pkt. 75c RHON-38. Pkt. 75c RHON-39. Pkt. 75c deleiense RHON-11, Pkt. 756

-deletense.
-desquamatum.
-eleaginoides.
A very small alpright yellow or into the property of the control of th e shrub with solitor ddish purple flower For slightly shadded agrden. (Lepidotun RHON-21. Pkt. 75

with foot-long leaver r more cream to pale ng. Regarded as one shrubs; rather tender from wind. TS. 50 ft

from wind. TS, 50 ft RHON-40. Pkt. 75 RHON-25. Pkt. 75 wers 2 in. long, white rose; very beautifurdy in N. Maddeni RHON-12. Pkt. 75

ery early flowering and fairly hardy). RHO.J-41. Pkt. 75 RHON-13. Pkt. 75

glacum.

A dwarf shrub
pale old rose
good one for
laucum Series).

egrands.

RHON-14. Pkt. 75c
RHON-14. Pkt. 75c
RHON-14. Pkt. 75c
A magnificent small tree with enormous
aves and big flowers of white or crean
tip purple blotches, in big clusters, pinh
bud. Hardy on the West Coast. (Grande

ries). Griffithianum. RHON-22. Pkt. 75 A magnifeent species with flowers up 1/2 in. long and 6 in. across, white ween spots often flushed with pink, hrub to 10 ft., tender (Fortunei Series).

RHON-42, Pht. 75 RHON-29

This seed comes from "thern Irelan nd is probably the only Rhododendroi at will tolerate any lime, it is especially and should stand northern winters also has been "sund in the Swiss Alp 2700 ft.

dgsonii. RHON-15, Pkt. 75 -hodgsonii.
A tall shrub wat open dark radul lilac.
particularly halconeri Series).
impeditum.
-Johnste Januar rather small flower nta-purple and fad-shiny green foliag-ome; rather tender

RHON-43, Pkt. 750 RHON-44, Pkt. 750

white flowers, Very fragrant hu -landium.
A bush or small owers of pale yellone of the more furness when well g RHON-16. Pkt. 750 tree with good sized by with crimson spots ssy species but attraction. (Companulatur

-Maddeni. RHON-23, Pkt. 75c

RHON-23. Pkt. 75c white flowers 134 in., for the cool green-il Series). RHON-45. Pkt. 75c RHON-46. Pkt. 75c RHON-47. Pkt. 75c RHON-8. Pkt. 75c RHON-21. Pkt. 75c RHON-21. Pkt. 75c RHON-21. pkt. 75c oreotre; hes polylepis.

ponticum.

A toll and vigorous growing species from Asia Minor with rather narrow leaves and head of 10-15 lilac-purple flowers about 2" across. Much grown in England and is one of the panents of many garden hybrids; not quite hordy N. of Philadelphia, it is very useful for gratting stock even in cold regions; mass plantings in light woodlands can be very effective.

— var. olelfollum.
— var. olelfollum.
— var. olelfollum.
— var. olelfollum.
— RHON-52. Pkt. 75c.
— rubiginosum.
— Schlippenbachii
— Schlippenbachii
— Smirnowii.
— sutchuenense.
— thompsonii.

One of the finest of all, 2 inch flowers

all, 2 inch flowers shy and waxy, ex-A tall bush, with leaves. Unfortun-

dast have not been successful. (Thomponii Series). RHON-18

Pkt. 75c
A variety with paler colored flowers. Hephropeplum. RHON-28. Pkt. 50c Very hardy dwarf shrub with rose-red

RHON-58. Pkt -triflorum.
-wightii.
A small tree with large rounded umbel of pale yellow flowers, spotted with crim son. Very attractive and early flowering this has not been tried in the East to ou knowledge. (Lacteum Series)

THON-62, Pkt. 75 RHON-61, Pkt. 750

RHEUM (REE-um)

A strong and vigorous growing Asiatic genus of perennials of which the Rhubark is the most popular, here. Other species are used for bold effect in the border.

—nobile. RHEM-1. Pkt. 40.

The stem is densely covered with over lapping downward pointing bracts, which care strikingly effective; a fine plant fo foliage effect, especially when young with its white leaves and stems; mulch well in winter, 4 ft., HP.

—acuminatum, RHEM-2. Pkt. 50c
A relatively dwarf shrub with stems
and flowers a deep red-purple; most effective against background of foliage,
HP. 2-3 ft.

RHODCHYPOXIS

(roh-doh-HY-pok-jis)

Beautiful little bulbous plants from , very rare in cultivation; making nse tuft of short grassy leaves aring throughout the summer, flat inted stars? of short throughout it inted stars 34 in. ac il drained sandy s diness uncertain bues. They can be ement window, app to dry out complete aurit. in across; like moist bu indy soil, in half shade, lain but will stand 20 de in be wintered in a coo w, apparently they prefer

RHOX-1. Pkt. \$1.00 -baurii. RHOX.1. Pkt.
The most showy with brilliant ro
hite flowers, flowering all summer
akes a charming pot plant as well;
sincrease and very rare in seed;
asotoland; ceol positions, hardy.

RICINUS (RIS-i-nus)

Castor Oil Bean. Tender annuals grown or their tropical foliage effect as conters to large beds; start seeds indcors in small losts for early plants, soil should be rich and well drained. The seed is recomended for ridding gardens of moles, loading the seed in the runways; the seeds are poisonous—do not let children play with them.

—borboniensis arboreus.

RiC.1.

Pkt. 10c; oz. 25c One of largest types, red stems and deleaves with a flower to 10-ft.

-cambodaensis.

-camboda

astro.

Duchess of Edenburgh. Very dark leaved.

Major.

OK. 25cp-1/4 lb. 90c

(Communis). Tall true Caster Oil Plants
eaves large, sometimes Stt. across.

RIC-3. Pkt. 25c

Very showy Ricinus.

-sanguineus.

RIC-9. Pkt. 20c

BIC-9 Pht 20c With red leaves.

-santibariensis.

A large variety with little if any red clor to the foliage, large flat seeds, moted bright red over gray or brown ground clor.

reen foliage, 10-12-ft. Tixed. -viridis.

ft. RIC-8X. Pkt. 10c ox. 25c; 1/4 lb. 55c

ROMULEA

Crocus-like bulbs for outdoor growing; owers lidac, purple, yellow, closely allied to the Crocus but not as hardy, not coming in U.S.

Publicodium.

Pale lilac flowers, yellow center tinted to the common striped with blue outside, com S. Africa.

ROMU-2. Pkt. 50c hartungii. A hort. va

ROSE

We hat here those species of the genus osa that are shrub-like and that can e grown from seed. The seed, as a rule, hould be planted outdoors in lete autumn r early spring, best in a frame, for pro-

ROSE-R. Pkt. 50c oss, 3 ft. tall. POSE-4. Pkt. 50 ROSE-5. Pkt. 40 highdownensii. -harrisoni multiflera. HOSE-3. Pkt. 20d railing or climbing ite flowers like clus om: Use as unde

The thorny type, rub with fragrant vired blackberry bloock for garden rose polyantha nana. This is a selection ROSE-1. Pkt. 20d -polyantha nama. NOSL-1. FR. 200
This is a selection with flowers in white lush or pink and rose, the flowers are inny and cover the bush. Easily grownom seed, and many even form flower he first year. Fine for rock garden, edging or pot plant, perennial.

-sericea.
ROSE-Z. Fair
-mericea.
RIMING and Wild Rose. Single white
lowers.
ROSE-7. Pkt. 40c
-prairie Rose, cl. To 15 ft., flowers rose,
and in far N.

RUBUS (ROO-bus)

Brambles. Native shrubby plants of the older regions, belonging to the Rose amily. Some are especially good fruits and a few grown as arnamentals.

—moluccanus.

RUBS-1. Pkt. 20c

RUDBECKIA (rud-BEK-i-ah)

Coneflower. Conical shaped disks daisy-like flowers; they thrive in any stand either sun or partial shade, the see-can be planted early outdoors or start indoors. They are sturdy growers at make fine displays in mass plantings the border.

e border.

-amplexicanlis.

3-ft. tall, flowering July-Seallow with dark black center. RUD-1, Pkt. 15c

-Autumn Tinte

-flava RUD-4. Pkt. 15c

Herbsw wering first yed

- Star of Kelve
Golden yello

RUD-10, Pkt. 20c New Hybrids. RUD-9. Pkt. 10c

Rudbeckia Blend. RUD-14X, Pkt. 15c; 1/4 oz. 50c

RUMEX (RU-meks) While most are weeds and not suitable or gardens, we list those that do have arden value. Easily grown from seed AJEM-1. Pkt. 30c -flexuosus. -flexuosus.
A JLM-1. FKL
A curiosity from New Zealand, lik
brown seaweed, probably not very lia

Palmetto. About 20 species of spine-ess and often stemless palms, native rom N.C. southward. Those that make trunks are very ornomental and can be grown in tubs and wintered in the green-ouse.

-texana.
Texas Palm. A small SABL-1. Pkt. 50c

SAINTPAULIA

(saynt-PAU-li-ah) Africa. ouse plants, hort stems lowers with red-pu warm temperature, with extenses avoice and protection from direct smallight. It soil should be rich in humas, and it plants require plenty of water. They me be raised from seed in the same man as Gloxninost the seed should be sown the surface of a pot filled with a night of equal parts peat, level mold and silvered the seed should be sown the surface of a pot filled with a night of equal parts peat, level mold and silvered the seed should be sown the surface of a pot filled with a night of equal to the part of the pot the covered with a soil and the pat then covered with a lower which a sheet of paper is laid, to clude light, the pot should be set in warm place, and watered very careful preferably by setting in a pan of wat Germination may be expected within the weeks, at which time the glass covering be raised slightly to admit some a the amount of air may gradually be creased. Great care must be taken to p vent demping-off. Seedlings should p duce interesting variations of color, inclusing possibly double forms.

—ionantha.

SAPUI. Pit. 5

SAPU-1. Pkt. 50c nantha The species commonly in though it seems probable

SALPIGLOSSUS

(sal-pi-GLOS-is)

Painted Tongue. Half hardy annuals om Chile, the "Paisly Flower", suggests rell the exotic beauty of its coloring; rich elvety tones of purple, blues, yellow reds and white veined with gold. Flowers fundshoped, 2½:in. across. They make helr best growth during cool weather, velvety tones of purple, blues, yellow red and white veined with gold. Flowers fur nel-shoped, 2½-in. across. They mak their best growth during cool weather flowering in July till frost, they are highly prized as cut flowers. Best in sandy so and partial shade, not too rich for best coloring; started about July they make fin winter plants for indoors. Height 2-fit Phey can be planted amongst perennicis. The seed is very small and care must be used in planting them, germinate them in light and warm. All are of species o shuacts or its variety, superbissima, which is unbranching and thus more upright or solumnar.

-Dwarf Giant Flowered.

SALP-2, Pkt. 20c

SALP-3. Pkt. 20c New Hybrids.
Choice large flowered
Gloxiniaeflora.
Beautifully marked

SAMBUCUS (sam-BEU-kus)

Elders. Small deciduous trees

SANTOLINA (san-toh-LY-nah) Grayish low evergreen shrubs with any-flowered heads or yellow or white

SAUSSUREA (sau-SEU-ree-ah)

Temperate zone plants of Compositionally with heads of blue or purple disk

-gossypiphora. SAUS-1. Pkt. 25c Dwarf plant, 6-12" tall, flowers in large

PENS-52°. Pkt. 30c

PHLOMIS (FLOH-mis)

urple Mixed. PHLO-1, Pkt. 150

PHORMIUM (FOR-me-um)

New Zealand Flax. Magnificent plants or subtropical effects, somewhat suggest

PHOR-1. Pkt. 40c -tenax.

PHOR.1. Pkt.
The larger of the two species
awas as much as 9½ ft. becies
methes wide, dark green with bright
argins and keel. The flower scap
and sold with tubular flower
ill red or pure yellow, HHP. 5-15 ft.

or pure yellow HHP, 5.15 ft.

PHOR-2. Pkt. 40ct
thalf the size of P. tenax, with
en leaves and slightly smaller
overs, HHP, 3-7 ft.
Blue, white, rose, violet yellow
show: foliage resembles ferr
erate and warm regions. The okianum.
plant half the size
green leaves an

PHYGELIUS (fy-JEE-li-us)

Small shrubs from So. Af. with fleesembling those of Penstemon; are any in the S. but good greenhouse in N. Need no special care.

-capensis coccineus. PriYG-2. Pkt. 50
This is the best form of Cape Figwort
tall shrub, huge heads of scarlet flowers

"ATYGL, Pkt. 50c Cape Fuschia. Sub-shrubby, flowers crimson in clusters of 1-4 at end of branches; showy, 3 ft. Fairly large growing but desirable, best in shady, wild garden, flowers blue, 1-3-ft., May-June.

-Saier's Blend of Species. PENS-53°

Small Flowered Varieties Mixed.
PENS-54. Pkt. 350 PHOTINIA (foh-TIN-i-ah)

rifolia. PHOT-1. Pkt. 25c

PHYLLODOCE (fi-LOH-doh-see)

PHYL-1, Pkt. 256

PHYSOSTEGIA

$(fy-soh-STEE-ji-\alpha h)$

For cut flowers.

- virginica. Mixed. PHOS-3x. Pkt. 20c
Grows 2-4 ft. tall, flowers in spikes at
tips of the branches; the stems die down
to the ground during the winter; make
excellent cut flowers, HP.

PHYSALIS (FIS-a-lis)

The Ground Cherry, whose tomato-like ruit is enclosed in a balloon-like calys they are easily grown, but may be starte modors like tomatoes so that they wiruit earlier. The Chinese Lantern Plar is frequently grown for its brilliant orang 'balloons' which are prized for winte

PSAL-3. Pkt. 20c

PHYTEUMA (fy-TU-mah)

Scheuchzerl.

PIERIS (py-ER-is)

Forgreen shrubs and small trees native N. Am. and Asia, of Heath Family, ey grow best in sheltered positions and me are grown in the greenhouse; moist nady loam with peat or leaf mold best. silv grown from seed.

Horibunda. PIER-3. Pkt. 50c Hondsome small evergreen shrub, may

PIER-3. Pkt. 50c

PIER-1. Pkt. 250

to 6 in long of urnak tinged flowers 1/3
small tree to 20 ft. PIER-4. Pkt. 50c -japonica. Magnificent large

Magnificent large shrub, evergreen; ittle white urn-shoped flowers in clustered sprays to 5" long; fairly hardy to Mass. In sheltered locations. HS, to 30 ft. —ovalifolia. PIER-2. Pkt. 25c -ovalifolia.

PLATYCODON (plat-i-KOH-don)

-grandiflorum, Mixed. PLTY-1. Pkt. 15c

om seed plante. grandiflorum, White. Hardy in N; easily g lardy in N; easily grown from set oming the second year. Thrives in my soil, full sun, showy perennials

PLECTRITIS

-congesta. PLEIOTAXIS PLEC-1. Pkt. 50c

--species.

PLUMBAGO

Leadwort. Shrubby plants hardy in S ut not in N. They grow in good soil and sually the old plant can be cut back everely in the spring.

n the spring.

PLUM-1. Pkt. 50c
shrub from S. Rhodesia, pure
vers, likes some shade, drought
flowers in summer. zeyheri.

PODOPHYLLUM

(pod-oh-FIL-um)

PODO-1. Pkt. 40c A Himolayan relative of the comme Mayapple of northern woods but mut more handsome, mottled brozy' numbell leaves and flowers white, mottled ric pink followed by brilliamt scartlet frushich are said to be edible; fully hand and easy from seed which may require several weeks to germinate; woodland a shady R.G.

species. PODO-2. Pkt. 5 Collected in western China by Dr. H its has very showy red fruits and han me branches, true name still unknow

POLEMONIUM

(pol-ee-MOH-ni-um)

FOLE-6. Pkt. 25c
A lovely plant for RG or front of border;
rumpet-shaped flowers of lot to rich pink
wer ferny foliage; likes a bit of shade
and is rather short-lived. HP, 1½ ft.
—cacruleum.
f(Jacob's Ladder, Charity, Greek-valeian). Grows 2 ft., fern-like leaves and
jorgeous sky-blue flowers with yellow
tamens.

gorgeous sk stamens. — album. A white v

eruleum, Large Flowered Blue.

Extra large flowered strain.

POLE-3. Pkt. 20c

restern species Extra large abhaydeni.

A very good native western species
ound on rock slides, blue or white flowers.
I-ft. tall. May-Aug.
-occidentate,
Native western bog species, robus

POLE-5. Pkt. 25 -pulcherrimum.

Easy and beautiful, rather short lived ut self sows just enough to keep going; ale blue flowers, light "woodland soils orgavels with leaf mold, gray foliage, ne rock garden plant, 6" high. H. Pol.E-7. Pkt. 20c

Blue to purplish flowers, 9" tall.

POINCIANA (poin-si-AY-ngh)

A very poular tropical genus of shrubs and trees of the Pea Family, all native of warm regions; when in bloom they are money the most beautiful shrubs or trees. Can be grown in the warmer parts of the South and easy from seed. Thrive in dry soils; soak seed in warm water before sowing and plant in sandy soil.

It is well to soak seeds of Poinciana in warm water a few hours before planting and transplant seedling immediately the lite true leaves appear.

—gilliesii.

POIN-2.Pkt. 50c Straggling shrub or tree, not prickly,

-pulcherrima. Shrubby with delicate evergreen mi-socilitie teaves and very showy red and lillow flowers with long red stamens; rady only in the far South but may bown in the greenhouse and planted ou summer. Does well in poor sandy so hot dry locations.

in summer. Does well in poor sandy soli in hot dry locations.

— flava.

A stronger grower, with golden yellow flowers; glabrous shrub to 10 ft., flowers have bright red stamens 2½" long, pods 4" long.

POTENTILLA

(poh-ten-TIL-ah)

Perennials suitable for beds and borders, with some excellent rock garden plants; thrive in sunny locations in any good garden soil but prefer sandy soils. blooming from July to September.— aggycophylia. Don't it is a

POTL-11. Pkt. 25c

The Empress.

POPY-21M. Pkt. 15c
Solmon-rose and pink.

Unwin Giamts.

POPY-21G. Pkt. 15c
Pkt. 30c
Pkt. 30c
Silvery foliage and scarlet flowers, 9''

The newest hybrids form an European tow growing and llower parts of grower and represents the finest in the hybrids. Silvery foliage and scarlet flowers, 9" xil, HP.

POTL-10, Pkt. 25c fulgens.

A silver-leaved trailer, with beautiful imon-rose flowers, for the border or roje rock garden, HP, 11/4 ft.

gibsoni. Scarlet. POTL-1. Pkt. 20c POTL-9, Pkt. 25c

Flowers June-October, 1 ft.

Nepalensis, Miss Willmott. POTL-5. Pkt. 200

Bright carmine, best of species.

White Beauty. POTL-6. Pkt. 20c
Fountains of snowy blossoms, foliage in atumn turns to bronze maroon, 1½ ft. POTL-13. Pkt. megelantha. Beautiful strawberry aves of green velvet, flowers golder, nearly 1" across, to 8" high, HP -tragitormis.

Pkt. 15c — Double French, Mixed. POTL-Hd. nepalensis Hybrids. POTL-2. Pkt. 20c Rose to rosy crimson color hybrids.

—Warrenst.

POTL-3. Pkt. 20c
Large flowers in massed golden color.

Pyth. 15c
Large flowers in massed golden color.

ery good. 18 inches.

Potentilla Blend. POTL-7X. Pkt. 15c
Contains many kinds.

POPPY,

(Common name for the genus Papaver.)
These beautiful flowers come in both annual and perennial sorts; they have a great range of color and we offer some new strains and varieties that are gorgeous. They are easily grown by sowing seeds direct in the garden very early in the spring and in milder climates, even in the fall; their best show is in mass plantings in the border. The annuals especially resent transplanting; full sun and well drained soil is required.

POPPY SPECIES:
—alpinum.

POPY-25. Pkt. 30c

HA.

-lateriteum.

A hairy branched HP, 2 ft., with bridged flowers, broad petals, Armenia.

PERENNIAL POPPIES:

P. orientale:

Beauty of Livermore. POPY-3BI

Reselected crimson blooms.

-Brilliant. POPY-3BR. Pkt. 15c -Brillam.
Bright fiery red.
-Olympia.
Double flowered popy-3k.
-Olympia.
POPY-3RM. Pkt. 15c

Hardy perennial with large brilliant scarlet flowers. These not only will make a gorgeous showing in the border but in wild places, edge of woods and waste places, they seem to hold their own.

—orientale, Victoria. POPY-9. Pkt. 10cr. A beautiful salmon-pink with

Collected from several sources both here and in Europe, and containing many fine varieties and hybrids. Scatter ½ oz. along the highway—very early!

NUDICAULE:

(Iceland Poppy.) A perennial, to 1 ft., blooming the first year from seed and rarely lasting more than 3 years. Its flowers are very beautiful and comes in a number of charming varieties, April to lune.

—Amurense, Yellow. POPY-2. Pkt. 15c (Yellow Wonder). Sensational new Poppy with showy Buttercup yellow flowers on 2 ft. stems, easy, established plants often start blooming in March.

—Coonard Pink.

Gorgeous rose tints of varying intensity, a true strain; soft pink to deep rose, apricot, salmon, etc., 1½ ft.

—El Monte.

-El Monte. POPY-2EM. Pkt. 15c

-Imperial Jewels. POPY-2MJ. Pkt. 150 ½ or. \$1.25
A new superb strong stemmed flower in a extra large color range, a gorgeous

n extra targe constraints.

Gard targe for the state of t

Haddon Strain.
POPY-19H.
Pkt. 50c
This is an extra good strain of the Gartand Poppy, grown in England. POPY-2GG

Want something lavish? A mese giant flowers in orange w

The flowers of our new Kelmscott St are larger than we have ever seen be on any variety of Iceland Poppy, o measuring 3" across. Although the per of heavier texture they have the adelicate wary appearance; the stems longer and so much more stiffer they t—Sanford's Glamts. POPY-2SG. Pkt. Immense flowers on stiff stems; varied color range.

—The Emperior. OPY-2TE. Pkt.

OPY-2TE. Pkt. 15c

grower and representation hybrids.

—Iceland Poppies Mixed.

RHOEAS-SHIRLEY POPPY:

(Corn or Flanders Poppy). The common field Poppy of Europe and Asia, and in the Shirley type, it has become very population of the property of

Double Begonia-flowers and most attractive, one of the better new varieties, 2 ft.

Double 3. The better the better new varieties, 2 ft.

Double 3. The better new varieties, 2 ft.

-Dazzier. tiful double flowered orange-egonia-flowered flower. POPY-SGY. Pkt. 15c lowers with a plnk adag. A beautiful double flowered orange-scarlet Begonia-flowered flower.

—Gaiety.

White flowers with a plnk edge, showy.

—Ryburgh Hybrids. POPY-14. Pkt. 10c:

Have the second of the second

—Orange King. POPY-5GK. Pkt. 15c
—Rev. Wilk's Strain. POPY-5RW. Rev. Wilk's Strain. POPY-SRW.
An English strain of single flowers.
Scalmon Shades. POPY-SSS. Pkt. 15c
Snowbail. POPY-SSS. Pkt. 15c
Sweet Briar. POPY-15. Pkt. 15c;
POPY-15. Pkt. 15c;
POPY-15. Pkt. 15c;
Topetty Wild-Rose pink.
Single Shirley Mixed.
POPY-SSX.
Pkt. 10c

POPY-5DF, Pkt, 15c containing many Popy-5DF. Pkt. 15c
Very rich mixture containing many odd
and fancy colors, all double.

—Begonia Flowered. POPY-5DB. Pkt. 15c
Many rich colors in double Begoniashaped flowers.

herped flowers.

- Jaimese Pom Poms.

Extra select double mixture of the powers of the powers.

Salmon Queen.

POPY-5DQ. Pkt. 15c

POPY-5DG. Pkt. 15c

POPY-5DG.

-Double Shirley Mixed. POPY-5DX.
Pkt. 10c POPY-5X. Pkt. 10c -Shirley Mixed.

—ontriey mixed. POPT-5X. Pkt. II Contains all the single flowered varities in huge satiny and brilliant color in large plantings these make a gorgeo sight. Try sowing them along roads. el

Carnation Flowered Type.

Double Carnation-stoped annual Poppies.
Scarlet King. POPY-48K. Pkt. 15c
Rose Queen. POPY-48Q. Pkt. 15c
-Powarf Hybrids. POPY-49H. Pkt. 15c
-Fireball. POPY-47B. Pkt. 15c —Ranunculus-flowered Mix

POPY-4Rx. Pkt. 15c These are double, hardy

POLYGALA (poh-LIG-ah-lah)

Milkwort. Annual and perennials four glass or in the warmer sections of the country, the hardy native species do we in light soil and partial shade. artlata.

-apopetala.

2-3 ft. high; flowers large, pink, ½"
cross and as grown in S. Calif., it

reaches 10 ft. POLYGONUM

(poh-LIG-oh-num)

Large genus of annual and perennical greenhouse and hardy plants, of variable habits. Easy culture in good garden soil. Most of the annuals can be planted early in the spring in open ground.

—amplexicaule. POLY-2. Pkt. 30c A handsome border perennial with rather heart-shaped leaves and crowded spikes 6 inches long of small rose-pink or white flowers, HP, 3-4 ft.

POLY-8. Plst. 25c POLY-1. Pkt. 20c --emodi. -orientate, nupth.
Hardy annual, an interesting out flower
and border plant with red flowers, flowers
July-October, 1½ ft.
-macrophylum.
-molls,
-moll

molks.

A shrubby species, with leaves dow beneath, and long narrow panicles small white flowers. Will grow in meplaces. HB. 3 ft. or more.

PORTULACA

(POHR-tow-lak-ka)

(POHR-tew-lak-ka)

Usually treated as a hardy annual in the North although they are perennials. They are specially pretty in beds, borders, edging or in the rock garden, requiring full sun and average garden soil on the loamy side; they stand dry situations. Seed should be sown direct to the garden, mixing some soil with the seed and then pressing the surface of the bed so as to make a contact between the seed and the soil, sow in April. Plants are low growing and the flowers are very beautiful. 2-3 in. tall.

—grandiilota. Double Mixed.

PORT-1.

- Single Mixed, PORT-3. Pkt. 10c;

46 cs. 30c Bright glistening flowers in all the colors Portulaca; they are especially pretty with their wide open flowers.

——All Mixed. PORT-4X. Pkt. 15c

A hand made blend of all.

PRENANTHES (pre-NAN-theez)

Rattlesnake Root. Plants for the border r better for wild garden, tall perennials, early stemmed, with small flower heads a spike-like panicles.

Tabarinowii.

**PREN-1. Pkt. 25e*

-Fringed, Mixed.
A choice large flower PRIM-4Fx. Pkt. 35c A choice large flowered fringed mixture.

Giants, Mixed. PRIM-4Gx. Pkt. 35c

A choice blend of the large flowered

P. malacoides.

A delicate looking plant, a winter flow-ering species grown almost exclusively in GH for pot plants; colors in shades of pink, rose, red and white; seed sown in March will produce flowering plants in the fall. They should be grown on the cool side.

Salmon Surprise.
Vivid salmon-pir
owers on strong PRIM-288. Pkt. 350

oliage. - **Best Mixed.** - Fairy Primrose PRIM-2X. Pkt. 35c

P. obconica.

Grown mainly in GH for pot plants, aking them ideal for the house with leir large, 1" across, bright flowers, tart seed in Jan. or Feb. for fill flowers.

Best Mixed. PRIM-3X. Pkt. 35c -Best Mix

Cowslip. A hardy outdoor Primrose doing best in partial shade a cool spot in the border or RG, and then left undis-turbed; it comes in many different vari-eties; sometimes called Polyanthus Prim-roses.

PRIM-5EH. Pkt. 20c Wild Primrose of North nodding yellow Europe, 5 in. flowers. —Red Shades. PRIM-5RS. Pkt. 25c PRIM-5VB. Pkt. 25c Invincible Bord

Auricuk From a tra nice. choice

PRIM-8M. Pkt. 20c Monarch Strain.

aurantiaca hybrids. PRIM-52. Pkt. 50c
A fine collection from Jack Drake.
Berrywell. PRIM-55. Pkt. 50c
bulleyana. PRIM-43. Pkt. 50c tovety orange, 18" tall, HP, da

PRIM-39, Plet. 58c

yellow no.

-capitata.
Rich Tyrian purple, leaves whitten
Rich Tyrian purple, leaves whiten
Rich Tyrian purple, leaves whi

PRIM-D3. Pkt. 20c —Rubin PRIM-D3cr. Pkt. 25e

e plant, though ab and some work. Prince of the following the f

This is by far the best white Primula nd comes quite true from seed; a Jack rake Strain.

PRIM-37. Pkt. 50c al on the leaves PRIM-3. Pkt. 30

n ye PRIM-19. Pkt. 50 or blood crimso al leaves; a ma puite difficult; be

in cold frame o

PRIM-18, Pkt. 50 PRIM-18. Prt. 50c
presents of the Nivalis
dialous flowers varypp yellow and rarely
peads rich soil in very
puld, if possible, be
buried in snow all
should be carefully

PRIM-21. Pkt. 50c

PRIM-22. Pkt. 50e

PRIM-15. Pkt. 50 species with long and foot-high nake angle a cluster of s. Seed germinate s will grow in su sture. HP. 1 ft. easily are

PRIM-46. Pkt. 50

y be somewhat tende n in a sheltered shad

white and the state of the stat

s Flower, Unicom Plant. Annuanial with large, long stemme purple flowers and okra

rectly as Martynia. Native t southward and grown both and for its fruits, which md immature are pickled or with other vegetables start indoors under glass ter danger of frost is passed

PROTEA (PROH-tee-ch)

Trees, shrubs or stemless perennials from Africa and make very fine greenhous cants; they are unusual looking plant ith leathery leaves and large rounties reads; sandy peat soil, good drainge, sunny airy position and careful water general and careful water general soil.

PROT-1. Pkt. 50c or Bush. From S. Rhodesia

PRUNELLA (proc-NEL-ah)

re easily nature.

gr. fl. rosea.

Many spikes

se from flat for

PRUNUS (PROO-nus)

PNUS-1. Pkt. 25c

PNUS-2. Pkt. 25c PRUN-3, Pkt. 35c trata.

ow shrub with

d flowers follow

iit. HS, 6 ft.

PUERARIA (peu-er-AY-ri-ah)

PUER-1. Pkt. 10c

ical regrouping of the large nemones with ferny leaves; eas

PULS-1. Pkt. 50cm form of the Pasque with large soft violet

PURSHIA (PUE-shi-ah)

Antelope Bush. Shrubby plant to 6 ft., gray leaves, small yell fairly hardy in N. in sunny w

PYRACANTHA

(pir-ah-KAN-thah) thorn. Mostly thorny shrubs belong Rose family; where hardy they are ful shrubs; a sunny position, well a soit is best.

ming Glory Family, ones-treat as tender amucis i seed; used as summe light and rapid growth light soils and its sun QUAM-1. Ptt. 20. al with 3-lobed heard d crimson flowers fading

der annual to divided into and showy so blooms

A pretty
Pink. ered form of above.
QUAM-5P. Pkt. 20c
QUAM-3. Pkt. 20c
hybrid between Q.
hybrid between Q.

-Mixed. **QUAM-4. Pkt. 15**

QUEEN ANN'S LACE

mery cut toliage and filmy white a umbels. It makes a very g ower for a filler, is easily gro ot allow it to go to seed as it ome a weed.

Ramondia. Small plants making flat parties of hadry basel leaves, stoms 3.4. In bearing several 4.5 pointed flat flowers, seembles Saintpaulia to which it is redad. Fully hardy, likes north facing revices in rock wall, soil largely leaf told and sond. Sow seeds as for Saint-aulia, seedlings develop slowly.

RAM-2, Pkt. 50

Buckhorne. Shrubs or trees, used uninly for their handsome foliage and tractive fruits; easily grown, will stand ome shade, seed best sown in the fall.

RANUNCULUS

(rah-NUN-keu-lus)

A large genus widely distributed and known under the names of Buttercup and Crowfoot. The Buttercups are perennial mad easily grown from seed; the Crowlosts have yellow flowers and beth dowell in well drained soil and sunny positions. Most of the species are perennial. Most of the species are perennial most of the species are perennial. Most of the species are perennial most of the species are perennial. Most of the species are perennial. Most of the species are perennial most of the species are perennial. Most of the species are perennial.

RAN-Xf. red Hybrids, RAN-XCr

RAN-HX. Pkt. 20c -Mixed Hybrids.

—Mixed Hybrids. RAN-HX. Pkt. 20c Includes the above hybrid strains.
—hirtellus. RUN-4. Pkt. 50c A very variable Astatic species and in its best forms, with 2 inch flowers of yellow, white or pale rose, on short stems; perennial and a plant well worth qambling

RUN-5. Pkt. 25c RUN-6. Pkt. 35c A very choice for RG in sun; and large gol spring. HP, 4", non-spreading species se tufts of cut leaves, buttercups in early

ring. HP, 4".

superbus.

RUN-3. Pkt. 25c

Beautiful spring flowers in shades of

nk, white, red, yellow and rose; sow

eds in flower pot, covered with glass as

rmination requires 30-40 days, perennial.

RHODANTHE: see Helipterum.

RHODANTE

RHOD-2, Pkt. 10c

RHODODENDRON

(roh-doh-DEN-dron)

require pH 5.2,

RODN-2. Pkt. 75

A glorious tender nild climates only. inches across, de-lots and in huge cl-us 40 ft. (Arboreum RODN-31, Pkt. 75

-guritum.
-gugustinii,
-Azor.
-Apor x Grie. RHON-32. P . 750 RHON-32. Pkt. 750 RHON-5 RHON-60

Pkt. 75 ROHN-4. Pkt. 75 -barbatum.
Another rather I with somewhat scrimson or blood (Barbatum Series).

-brachyanthum. -cceruleum. -camelliaeflorur RHON.33 PM 75 RHON-E Pkt. 756 ROHN-5. Pkt. 756 ometimes epiphy vers inch-wide, ne singly. For North, 2-6 ft. (0

Loose trusses of flor anging in color from curple; a very early b t tall. (Campanulatur flowers 1½ inch long, om white to shades of ly bloomer, shrub 12-19

Perhaps the species, a moder 4-8 ft. tall. Has 1½ in. long and 2 nit crimson blo nit Series). carolinianum.

RHON-35. Pkt. 75 RHON-8. Pkt. 75 greenhou**se** in, flowers tremely free ft. tall. (Mo

RHON-9, Pkt. 756 A magnificent spe-r brick-red, free fl rying, especially so ar flowers up to 2 Cinnabarinum Serie

dalhousiae. RHON-10. Pkt. 756 An epiphyte with fragrant flo In. long, white tinger externally lemon scented. For cool greenhouse of the finest of all species. Series). iMa

RHON-37. Pkt. 75c RHON-38. Pkt. 75c RHON-39. Pkt. 75c RHON-11. Pkt. 75c shrub with solitory -desense.
-desquamatum.
-eleaginoides.
A very small alpinight yellow or rebout 1 in across.

e shrub with solitor ddish purple flower For slightly shadde garden. (Lepidotu RHON-21. Pkt. 75

Large shrub or and clusters of yellow flowers 2 of the warld's fit and needs protec — Fargesii.

—formesu-RHON-40. Pkt. 7 RHON-25. Pkt. 75c vers 2 in. long, white rose; very becutiful dy in N. Maddenii

RHON-12, Pkt. 75c ery early flowering; and fairly hardy

RHO:J.41 PM 75 RHON-13. Pkt. 75c th inch-long flowers bry gromatic foliage front of the border. glacum.
A dwart shruk
pale old rose
good one for
laucum Series).

A magnificent saves and big flith purple blotcl bud. Hardy on I tree with enormors of white or cree in big clusters, pi West Coast. (Gran

Griffithianum BHON-22, Pkt. 756

RHON-29.

ind is probably the hat will tolerate any i ardy and should star t also has been unit 2700 ft.

hodgsonii. only knododendror lime, it is especially and northern winters and in the Swiss Alps

RHON-15, Pkt. 75c tall shrub wo open dark a dull lilac, carticularly honori Series).

RHON-43. Pkt. 750 RHON-44. Pkt. 750 pedit RHON-26

Pkt. 750 white flowers, ten-

RHON-16, Pkt. 75c

-Maddeni. Very sweet sung, tender but buse, 9 ft. (Mac

Series).
RHON-45. Pkt. 75c
RHON-46. Pkt. 75c
RHON-47. Pkt. 75c
RHON-48. Pkt. 75c
RHON-49. Pkt. 75c
RHON-50. Pkt. 75c micronthum molle. oleifolium. oreotre hes polylepis. pubescens.

nticum.
tall and
tasia Mino
head of
out 2" acros
d is one of us growing species rather narrow leave lilac-purple flower th grown in Englan ents of many garde andy N. of Philade

rents of many garden ardy N. of Philadel-ful for graditing stock s; mass plantings in be very effective. R. 51. Pkt. 75c RHON-52. Pkt. 75c RHON-53. Pkt. 75c RHON-55. Pkt. 75c RHON-55. Pkt. 75c RHON-57. Pkt. 75c

East have not been sonii Series).

Pkt. 75c -tephropeplum. RHON-28, Pkt. 50c Very hardy dwarf shrub with rose-red

PHON-58, Pks. 75 -trifloru -triforum.
-wighti.

A small tree with lard f pale yellow flowers, on. Very attractive an nis has not been tried nowledge. (Lacteum Schools) RHON-19, Pkt. 756

RHEUM (REE-um)

A strong and vigorous growing Asiati enus of perennials of which the Rhubar the most popular, here. Other species and for bold effect in the border.

BHEM-1. Pkt. 40c —nobile. RHEM-1. Pi The stem is densely covered with apping downward pointing bracts, are strikingly effective; a fine pic oliage effect, especially when youn is white leaves and stems; mulch winter, 4 ft., HP.

-acuminatum. RHEM-2, Pkt. 50c A relatively dwarf shrub with st and flowers a deep red-purple; most fective against background of folio HP 2-3 ft.

RHODCHYPOXIS

(roh-doh-HY-pok-jis)

Beautiful little bulbous plants f , very rare in cultivation; mo nse tuft of short grassy leav aring throughout the summer, inted stars % in. across: like m use rutt of short rring throughout it nted stars ¾ in. ac Il drained sandy s diness uncertain be es. They can be sement window, app to dry out complet

bauti. RHOX-1. FRL s
The most showy with brilliant ros
tile flowers, flowering all summer
tikes a charming pot plant as well;
increase and very rare in seed;
sotoland; ceol positions, hardy.

RICINUS (RIS-i-nus)

Castor Oil Bean. Tender annuals grown or their tropical foliage effect as centers is large beds; start seeds indoors in small ots for early plants, soil should be rich and well drained. The seed is recomended for ridding gardens of moles, lacing the seed in the runways; the seeds re poisonous—do not let children play with them.

Pkt. 10c; ox. 25c One of largest types, red stems and deleaves with a flower to 10-ft. -cambodaensis. RIC-2. Pkt. 10c;

-cambodaenais. RIC-2. Pkt. 10c;
oz. 25c; ½ lb. 60c
Dark foliage, blackish purple stems.
-Gibsoni. RIC-3. Pkt. 20c
oz. 30c; ½ lb. 75c
Dwarf with dark foliage with a metallic sitre.

chess of Edenburgh. Very dark leaved rior. RIC-4. Pkt. 10c.

RIC-4. Pkt. 10c; 25c; ¼ lb. 80c (Communis). Tall true Caster Oil Plants erves large, sometimes att. across. RiC-5. Pkt. 25c Very showy

sanguineus
With red le RIC-6. Pkt. 10c; ex. 25c: ¼ lb. 60c with little if any red large flat seeds, mot-gray or brown ground

-- viridis. RIC-7. Pkt. 10c; oz. 25c; ¼ lb. 60c Green foliage, 10-12-ft. Fit. RIC-8X. Pkt. 10c; ox. 25c; 1/4 lb. 55c

ROMULEA

Crocus-like bulbs for outdoor growing; owers lidec, purple, yellow, closely allied to the Crocus but not as hardy, not comion in U.S.

Pulb lidec flowers, yellow center tinted cloten brown, striped with blue outside mom S. Africa.

- hartungil.

A hort, veriety from S. Africa.

ROMU-1. Pkt. 50c.

ROSE

We list here those species of the genus osa that are shrub-like and that can e grown from seed. The seed, as a rule, hould be planted outdoors in late autumn r early spring, best in a frame, for pro-

alpina pendulina. POSE-4. Pkt. 50c ROSE-5. Pkt. 40c HOSE-3. Pkt. 200

riling or climbing te flowers like clus m:. Use as unde tock for garden roses.

—polyantha nama. ROSE-1. Pkt. 20c
This is a selection with flowers in white, lush or pink and rose, the flowers are iny and cover the bush. Easily grown rom seed, and many even form flowers he first year. Fine for rock garden, edgag or pot plant, perennial.

ROSE-7. Pkt.. 40c

RUBUS (ROO-bus)

Brambles. Native shrubby plants of the clder regions, belonging to the Rose amily. Some are especially good fruits

with very variable and red succuler es perhaps tende

RUDBECKIA (rud-BEK-i-ah)

Conical shaped disks ers; they thrive in any s or partial shade, the see i early outdoors or start

bicolor, Golden S

-My Joy. RUD-10, Pkt. 20c

RUMEX (RU-meks)

AJEM-1. Pkt. 30c

SABAL (SAY-bal)

om N.C. southwounks are very or own in tubs and

SABL-1. Pkt. 50c

SAINTPAULIA

(saynt-PAU-li-ah)

sion must which time two raised slightly to admit would not gir may graducally be increat care must be taken to premoing-off. Seedlings should promit the seedlings of color, including the seedlings of color, in

le forms.
SAPU-1. Pkt. 50c The species commonly in cultivation of the species commonly in cultivation of the species commonly in cultivation of the species of the speci

SALPIGLOSSUS

(sal-pi-GLOS-is) Painted Tonque, Halt hardy rom Chile, the "Paisly Flower", vell the exotic beauty of its color-elvety tones of purple, blues, vel and white velved. Y.

Choice large flowered hybrids, extra.

-Gloxinfactiora.

Beautifully marked large flowered SALP-3, Pkt. 20c

SAMBUCUS (sam-BEU-kus)

Elders. Small deciduous trees trubs, having large flat heads of v owers and dense clusters of small

SAMB-1, Pkt. 250

SANTOLINA (san-toh-LY-nah)

SANO-I. Pkt. 30c

SAUSSUREA (sau-SEU-ree-ah)

SAUS-1. Pkt. 25c

gossypiphora. Dwarf plant, 6-12" tall

QUAMOCLIT (KWAM-oh-klit)

Annual and perennial twining vines inging to the Morning Glory Family, of alled Star Glory; treat as tender amus

QUAM-5W. Pkt. 20

QANL-1. Pkt. 10c; oz. 65c flower, 2-2½-ft. tail, with and filmy white flowers

RAMONDA (ra-MON-dah)

RHAMNUS (RAM-nus)

RAN-XC. Pkt. 20c

umbels enclosed inside thick wooly sub-stance: silvery gray with black petals

SANVITALIA

(sam-vi-TAY-li-ah)

mbens, Double, SANT-1, Pkt. 15c

SALVIA

SALV-1, Pkt. 30c

Blaze of Fire SALV-2. Pkt. 40c

SALV-3. Pkt. 30c ers, stems stand up 200 spikes or more

Brightness. SALV-2FB. Pkt. 30 -Fireball.

Harbinger. SALV-5. Pkt. 30c f type, very ed let, 1½-ft., com SALV-2PM, Pkt. 30-

finest bedding var growing, bloomin SALV-6. Pkt. 30c Rocket.

SALV-14, Pkt. 25c SALV-18. Pkt. 35c

SALV-19. Pkt. 20 SALV-A5. Pkt. 50 SALV-7. Pkt. 20 c. SALV-B3 Spanish Salvia. Biennial or perennial ft., flowers bluish vicet and white in

SALV-20. Pkt. 25c all shrub from San Diego lowers usually bright blue, 1 parts fragrant, 2-3 ft., Clevelandii.

-SALV-8, Pkt. 25c coccinea.

The quickest and easiest annual Salviving long blooming season when see so swn directly where plants are and. So quick that it is not necessor sow under glass and transplant. So cow under glass and transplant sic carmine-scarlet flowers with deep bord relations of the state of Salvices. This is not a strain of Salvicent minescale where the second state of Salvices are successful to the second state of Salvices and salvices are successful to the second state of Salvices are successful to th SALV-15. Pkt. 15c

SALV-15. Pkt. 150
ccup Sage. Forms a large clump
ry foliage and lavender-blue flow
a soil, HP, 2-3 ft.
ccea, Blue Bedder. SALV-9 Pkt. 20

SALV-21. Pkt. 20c

patens.
Sky blue flowers, Cambridge Blue, SALV-21C, Pkt. 25c

Mauve Queen. SALV-21M. Pkt. 25c

very pretty mauve atensis. fine hardy perennic SALV-16. Pkt. 250 SALV-10. Pkt. 200

SALV-13. Pkt. 50c -interrupta

SAI -17, Pkt. 256

SALV-17BB. Pkt. 25c SALV-17W. Pkt. 25c

-Red Top SALV-17R. Pkt. 25c scaciosaefolia.

-turkestanica rubra. SALV-19, Pkt. 35c Red Turkestan Sage. Very docorative. Red Turkestan Sage.
white flower, HP.
—turkestanica rubra.

SALV-17T Pkt. 35c

SAPONARIA

(sap-oh-NAY-ri-ah)

Soapworts. Easily grown hardy and perennials, some species are k garden plants, belonging to the mily. abrica. Mixed.

SAPO-1. Pkt. 15c

ding plant, 9-in. SAPO-1W. Pkt. 15c SAPO-1R. Pkt. 15c SAPO-2. Pkt. 10c;

vaccaria rosea. SAPO-3. Pkt. 15c Rose flowers in graceful sprays like graceflowered Gypsophila, making the test cut flowers, flowers very pretty ardy annual, 2-ft.

SAPO-4. Pkt. 150 Hardy annual with predeal for cutting.

SAXIFRAGA

(sak-SIF-tah-gah)

(sak-SIF-ran-gan)

Rockfoil. Mostly hardy perennials, arrely annual, native of temperate and ractic regions: flowers mainly yellow or white and the leaves usually in rosettes t base of plant. All are beautiful and atteresting subjects for rock gardens or ralls, the plant being as ornamental as a flowers. Combined with Semperiyums and Sedums, they can make a rock arden. Seed can be started in late sumer, protected during winter and the

ng. spring sowing is

-aizoon minor

SAX-7. Pkt. 250 of grey

SAX-1. Pkt. 250 side, native western species, bes places, whi a July-Aug

-cartilagenea.
Encrusted type;
rather broad dull
e usual beading SAX-8, Pkt. 25c edium-sized rosette reen leaves, withou lime: white flower

SAX-9, Pkt. 25c crustata. very narrow silver, 11/2" HP. 4". SAX-10. Pkt. 25c

flowers.

im. SAX-10.

shining green leaves cu
d curied like a stag's horn;
te flowers. Likes more shade
oil than encrusted and

ouliformis, SAX-19 Pkt. 25 * SAX-11. Pkt. 25c

decipiens.

* SAX-11. Pkt. 25.

Mossy type; bright green mats of finely ut leaves in rather loose rosettes; flowers uitle large, white to red, in loose sprays. he Mossies are much easier and quicker han other types from seed, and will be appy in ordinary fairly moist soil in artial shade. HP, 4-8".

rtial shade. HP, decipiens, Mossy White. SAX-11A Pkt. 20c
A brilliant red Mossy, but seedlings will

sax4. Pkt. 35c are clumps of leathery eggves with leafy stems bearing golden stars ½-34 inch across. 1y places or will grow in a dation planting if not too arge for the rock

Indispensable plants lopes and crevices in there in time they will ense rosettes of greyish tith silver, and sprays for semi-shady the rock garden make wide mats; a leaves, bearded of white to pink HP. 3-12". SAX-15. Pkt. 35c

Saxifrage family, the RG, in gritty they will never HP 1-6"
SAX-2. Pkt. 25c

SAX-16, Pkt. 25c grey ro 6" across, pale on ½" stems; a vill vary. HP, 2".

SAX-17, Pkt. 25c obristli. SAX-3. Pkt. 35

autumn. For the of the rock garder SAX-U1, Pkt. 250

London Pride, SAX-20. Pkt. 250

SANTOLINA (san-toh-LY-nah)

pepnjour ibujõpe 103 pun suepud cayish evergreen shrubs or herbs ort, aromatic with flower heads o ow or white. Useful for low border dging, native Med. SNTO-1. Pkt. 50c scinonensis.

SCABIOSA (skay-bi-OH-sah)

Mourning Bride or Pin Cushion Flower.
Casily grown in an open sunny situations, seeds being either started indoors or solanted direct to garden; pinching back he annual forms will produce nice busing blants; keep flowers cut and they will sloom all summer, excellent cut flowers. As the annual forms flower best in the carly part of the season, start seed early or the best bloom, in milder sections sow n the fall.

caucasica, House Hybrids. SCAB-1.

Pkt. 25c
Green and bronze foliage, 10-12-tt. Many beautiful varieties mixed.
These improved giant hybrids are exquisite in the garden and an excellent cut flower, one of the loveliest perennials. Colors light and dark blue, and various mauves and lilac shades. SCAB-2

-columbaria, Lavender. Pkt. 20d al in an at

Orchid pink with a pink sheen, 2-ft.

1/4 or. 25c Satropurpurea:

With pink Sweet Scabious. Exect an

PIONEER SEED COMPANY, DIMONDALE, MICHIGAN th; come in many forms as below; the with small pea-like purple-pink flowers are indoors or outside in May, pinch can seedlings for bushy growth and insplant to about 8-10 apart; keep wers picked for continuous bloom, they kee excellent cut flowers.

SEDUM (SEE-dum)

SCAB-4 perial Giants, Hybrids. Pkt. 10c: ½ ox. 50c
A great advance in annual Scabiosa development extremely large well formed flowers which are fully double, composed entirely of broad firlly petais, rounded been to be a supersistent of the supersistent of excellent for florist or garden planting; new and unusual colors, 3½-4st.
—Imperial Giant, Blue Moon. SCAB-5.

Pkt. 10c; ½ ox. 60c Pkt. 10c: 1/2 ox. 50c

dark lavender-blue, made up of heavy, waxy petals without the ion center, pretty.

-Giant Flowering Hybrids. SCAB-6 Pkt. 20c An extra select large flowering compac

Tall large Flowering Mixed. SCAB-4X

3 ft.

—Blue Cockade. SCAB-4BC. Pkt. 15c
Purest azure blue, large flowers, tall.

—Fire King. SCAB-4FK. Pkt. 15c

EIGHT SPECIAL STRAINS ANNUAL

Definately a much better strain than the ordinary strains; selected by one of the sest flower seed growers thru many years, hese varieties have been improved to iter perfection in purity, size of bloom, as well as in the length of the strong wire tems. We especially recommend these arieties to critical Scablosa growers—Ageratum Riva

Pretty light

Azure Fairy.

blue, fine colo Azure blue, fine color.

Loveliness. SCAB-9. Pkt. 10c;
Scimon rose shades.

Orchid Shades. SCAB-10. Pkt. 10c;
Soft rose-tavender blends.

SCAB-11. Pkt. 10c; Soft rose-lavende -Peach Blossom. Peach blossom

-graminifolia. Soft lavender flowers ge, 6" tall, fine for F: -CAB-17, Pkt. 40c SCAB-18, Pkt. 30c

SPHÄERALCEA

(stee-RAL-see-ah)

Globe Mallows. Warm region plant nd shrubs grown in gardens for thei SCAB-12. Pkt. 10c md shrubs grown in SCAB-12. Pkt. 10c; Deep suffused salmon.
—Salmon Beauty. SCAB-13. Pkt. 10c; Pure salmon, rich coloring.
—Shasia Improved. SCAB-14. Pkt. 10c; Pure white of enormous size.

Blend of Above 8 Varieties. SCAB-15X.

Pkt. 10c; ox. 90c; ½ lb. \$3.00

SCHIZANTHUS

(sky-ZAN-thus)

Beautifully marked and unusually method flowers in chamois, rose, lavender, and purple shades with fern-like foliage, and purple shades with fern-like foliage, and partly shaded beds, doing best in cool imate; pinch tops off young plants to duce bushy plants; for winter use, sow is sept., for February to May bloom; for unmer bloom butdoors, sow indoors in arch, setting plants out when weather scomes warm in May. Schizanthus makes p beautifully in corsages, are long lasting and very pretty, 1½-fit.

g and very pretty, 1½-ft.

Crimson Cardinal.

An English novelty for this saccess. Cardinal.

th novelty for this season; has been ded very highly.

SCHZ-1. -Dr. Badger's Hybrids.

Action 2 Pkt. 2

Pkt. 2

Pkt. 2

Pkt. 2

Pkt. 2

Large flowers, brilliant range of colom light pink to deep purple through the colom light pink to deep purple through the large golden blotch. Plants co. ct. 12.14-in. tall. Outstanding for the large golden blotch plants co. ct. 12.14-in. tall. Outstanding for the large golden blotch plants co. ct. 12.14-in. tall. lants cor

SCHZ-2. Pkt. 15c tterfly Mixture. A tine bright mixture free flowering, ompact pyramidal plants, 12-15-in.

Chislehurst Hybrids. SCHZ-4. Pkt. 15c.
A large flowered pretty French strain in tolet and purple shades.

Hust Monarch.

SCHZ-7. Pkt. 25c.

—Hurst Monarch. SCHZ-7, Pkt. 2
A compact growing strain in a beau
ul blend and combination of colors.
—wisetonensis. SCHZ-8, Pkt. 4
Hybrid between S. pinnatus and
trahmi showing many variations in co
and form. rose shades, 16-in. -Schizanthus Blend SCHZ-5X

Schizanthus Blend. SCHZ-Pkt. 15c; ¼ oz. 9 Blend of above strains and others different growers. High class in ev

SCHOMBURGKIA

Epiphytes native of tropical America owers in terminal racemes or panicles ulture same as for Cattleya. SCHO-1. Pkt. \$1.00

—undulata.
To 12" high,
purple, very wa
pale rose and m
native of Columb

SCILLA (SIL-ah)

Very attractive and popular bulbs of ly family with rather narrow basal leaves and sprays of starry. Howers in blue, this and pink. There are a great many anny ideal for open wordlands. I amy good soil and increase rapidly; a cardens in this country; easily grown pecies, only a few of which are known —Mixed Colors.

SILL-1. Pkt. 30c. Hispanica and Campanulata, Mixed, pink,

SCHIZOSTYLUS

(skye-ZOSS-til-iss)

r Lily or Crimson Flag. A GH flower tting, from S. At., roots fleshy, flow-d and in spathes. r cuti. rs red and roccinea. SCHI-1. Pkt. 25c

Flowers 2" across, deep coprass-like, 2 ft. tall. SCROPHULARIA

(skrof-yew-LAY-re-ah)

SECURIDACA

Mostly hardy, succulent or fleshy, erect or prostrate plants, easily grown and of much use in rock gardens. They do best in a light soil and a sunny location; no rock garden can be considered complete without its Sedums; they are especially appealing to children. Sow seed in summer when the seedlings can be wintered over for setting out in their permanent position in the spring, or they can be started in the spring. SEDM-2. Pkt. 25c

A vigorus and spreading species fo RG, not to be put near choice plants; matt of rich green spangled with gold stars HP.4"

im. SEDM-1, Pkt. 20c SEDM-3. Pkt. 25c

SEDM-5. Pkt. 500 SEDM-6M. Pkt. 200 nd pinkish flowers prega

oreganum.

Purple foliage and pinkish flowers; eeping, mat forming to 8" Green foliage, flowers bright yellow ding to pink; hardy.

SEDM-86. Pkt. 25c SEDM-R6, Pkt. 25c

Rosea, SEDM-R6. Pkt. 25c Roseroot, Flowers yellow or greenish, "across in spring and early summer; ft., perennial. SEDM-4, Pkt. 25c

SESBANIA

microphylla. Graceful plant for marshy ground or by and; long willowy stems, golden pea apped flowers, 1/2" long, summer. From Rhodesia. SESB-1. Pkt. 50c

SEMPERVIVUM

(sem-per-VY-vum)

Succulent plants or sub-shrubs; leaves are thick and fleshy, generally forming rosettes, flowers are borne in dense heads white, pink, greenish, yellow or purple; all the hardy sorts are suitable for rock wond borders, the tender sorts make good house plants or for summer bedding. They do well in any soil, even sandy, easily grown from seed sown spring or late summer. rock work take good ling. They dy, easily ng or late

SEMP-1, Pkt. 40cm the Capary Islas

SENECIO (se-NEE-shi-oh)

Groundsel. Large and variable genus erbs, shrubs and trees belonging to Dats; amily, including the florist pot planeral. In general, they are easily rown in good loamy soil.

Termitter SENE-5, Pkt. 25

own in good loamy soil.

-diversifolia. SENE-5. Pkt. 25c
Low growing shrub with leyyow floers.

SENE-8. Pkt. 50c

SENE-8. Pkt. 50c

Javonicum. SENE-E2. Pkt. 15c -elegans.
Purple Ragwort. Annieds in loose corymbseddish, disk yellow, o

-jacqmontiana.
Collected in the Him
description as yet. no description as — macroglossus.

SENE-7. Fat.
Cape Ivy. Bright yellow daisies, glossy green ivy-foliage, a herbaceous climber, HP, loves sun, also a good climber for cool greenhouse. From the Cape.

SENE-3. Pkt. 200

SENE-6. Pkt. 15c

reenhouse. From the Cape.

SENE-3. Pkt. 20.
A native western species, light grandinge, 6-10 inches tall.

SENE-4. Pkt. 25.

Very attractive low climber with loss micles of yellow-rayed dataises in sum er; fairly hardy but should have some inter protection in N. Fine grown agains south wall. HHP. 3-4 ft.

Tam Thumb Mived. SENE-4. Pkt. 25c

Tom Thumb Mixed. SENE-Em. Pkt. 20c A dwarf form with double flowers grow-

SERRATULA

Perennials allied to Centaurea and lanted in the border, flowers purple and ither single or in corymbs.

CORONAGE. SERR-1. Pkt, 25c

SETARIA (c-TAY-ri-ah)

Tender annual and perennial grasses tart indoors and transplant after fros

SETA-i. Pkt. 15c

SHAMROCK

-True Irish. . SHAM-1. Pkt. 20c

Flowers are like miniature Hollyh n spikes or clusters; should be pla n rich sandy soil; the perennial spe

SIDALCEA (si-DAL-see-ah)

-Stark's Hybrids Hardy perennial SIDA-1. Pkt. 15c ordy perennial in a wide color ran ers like miniature Hollyhocks, 3-ft. SIEVERSIA (se-VER-se-a)

A small group of Western plants closely plated to, and often called, Geum; one r two are also found in N.E. Asia. They re rather dwarf, hardy perennials, with ompound leaves and geum-like flowers, ut are much more hardy; suited to the cock garden or wild garden. Culture same s for Geum.

s for Geum.

—ciliata.

SIEV-1. Pt. 30c
Soft, rather hairy deep cut leaves and
owers of old rose and cream followed
y plumy seed heads. A plant of cool
rassy meadows in the Rockies, easily
rown in the rock garden in full sun
r light shade, likes a fair amount of
oisture, HP. 6-18 inches.

SILENE (sy-LEE-nee)

Catchfly. Annual, blennial and peren-icle of the Pink Family, in all forms in carry species. Many are showy and of alue in the garden or rock garden. If ead of the annuals is sown in the fail such earlier flowers will be secured.— —accults. SILF-10. Pkt. 25c

accaulis. SILE-10. Pkt. 25c
A true high alpine, but easy in RG;
dense hard mats of tiny grass-like leaves,
and old-rose stars flat on the plant; likes
gritty soil and sun. HP, 1"

—alpestris. -alpestris. SILE-12. Pkt. 20c
Alpine Catch Fly. MP to 5" with glistenfruits scalet, persisting for long
fruits scalet, persisting for long

—alpestris flora pieno. SILE-9. Pkt. 25
RG trailer, making toose green matrelatively large and neart double whilflowers in profusion; not fussy but appurciates light shade and fairly moist solHP, 3".

An annual with bright SILE-11. Pkt. 5

SILE-1. Pkt. 1

--- compactal reach Blos Dwarf Double. flesh colored flow

--- New Art Shades.

Dwarf Double. A splendid mixture octaining all the new colors; a choice regarden strain.

— White,

Lobel's Catchfly. Hardy annual, 6

maritima.
Sea Champion.
dging HP; pretty yoliage, one of the
pendula, Rose.
10" annual, rose SILE-3. Pkt. Rock Garden

SILE-P2r. Pkt. 15

Byou.

Duble, salmon

Peach Bloss D SILE-P2p. Pkt. 20

Competery select
White SILE-P2w. Pkt. 15

SILE-P3. Pkt. 25 **Personi.**

Personi.

**Comes to us from England with the life of the li

rennial, rosy-purple flowers, trailing pretty border or rock plant, 6-in.

Abbottswood Var. SILE-6A. Pkt. 36 deeper English form. Abbottswood Var. Sile-5A. Pkt. 306
A deeper English form.
Wherryi. Sile-W1. Pkt. 25c
One of the best of the genus, clean
pink flowers throughout the summer, 5"

SISYRINCHIUM

(sis-i-RIN-ki-um)

seed. SISY-2. Pkt. 25c good plant for le G, where it will tufts, with a m yellow eye; ea

Blue eyed Grass. Flowers violet-purple,
'' long: 1½ ft., Calif.

-bermudianum. suddanum.

SISY-6. Pkt. 506
isually large blue flowers, a choice
for the sunny rock garden; not enhardy in N. HP, 8".

SISY-4. Pkt. 25c

(S. grandiflorum). Finest of the Grasswers, with big violet to white blooms
thin stems; rock garden, moist in
tring, but can dry out in summer. HP. 8"
grandiflorum.
SiSY-1. Ptt. 50c
The finest of the N. Am, grass flowers,
fine rock garden plant for sun or light
ade and this will withtstand summer
strictum.

SIEY-3. Pkt. 250 triatum.

SIEY-3. Pkt. 25c

prins large clumps and resembles an

when not in flower; flowers creamy

ow, blooming over long time, stems

Attractive specimen plant.

SMILACINA (smy-lah-SY-nah)

SMIL-1. Pkt. 20 Lily-of-the-Valley. 8-12-in. tall. May-lu

SOLANUM (soh-LAY-num)

A very large genus, the species most f interest having colored berries which are very decorative; they usually are rown as pot plants for winter use. Company known as Jerusadem Cherry.

Greenhouse plant, 15-in. tall, nall red ornamental fruits.
—Clevelandi. SOLN-2. A select variety of Jerusalem Cherry, cice foliage and bright fruits, for pots.

—galeatum.

Solin-15. Pkt. 30c
Seeds from Columbia. eds from Columbia. -Hlavacek's Masterpiece. SOLN-3.

SOLN-12. Pkt. 25c SOLM-8. Pkt. 20c

SOLN-10. Pkt. 35c

SOLN-S. Pkt. 20c

SOLN-14. Pkt. 25c soriested and ribbed.

SOLN-15. Pkt. 25c STREPTOCARPUS

SOLN-11. Pkt. 25c SOLN-7X. Pkt. 15c

SOLDANELLA

(sol-dah-NEL-ah)

ennial plants of Primrose Family have odding blue, violet or white fringers, native of Alps. Plant in mois places in rock garden.

SOLD-1. Pkt. 25c

SOLIDAGO (sol-i-DAY-goh)

Erect perennials, with golden yellow foldenrod Flowers. The Goldenrod is cory common and popular flower, it be ag the state flower of Nebr., Ky., and Ala SOLI-1. Pkt. 20 elengata.

Tall Goldenrod. A western species front. compact flower clusters, yellowers, 1-3-ft. tall, July-Aug.

-Aug. SOLI-2. Pkt. 200 Issouriensis. SOLI-2. Pkt. 20 warf Goldenrod: Western species, ye flowers 6-8-in. tall, flowering June

SOPHORA (soh-FOH-rah)

owy when in bloom and of ornatal value can be grown from seed, sally deciduous trees; very showy in bloom and ornamental on the most are too tender for the N. but make fine specimens in the S. Thrive rell drained sandy loams.

COPH-1. Pkt. 35c.

SOPH-1. Pkt. 50c ental shreb 5-7 ft. with raceme yellow flowers, native of Texas Hilors. SOPH.2. Pkt. 50-bean. Not hardy North; fragran o flowers, I inch long; seeds an if eaten.

PARAXIS (spah-RAK-sis)

and-flower, So. Af. cormous herbs wit ers in short spikes. Not hardy in th ut grown as queenhouse plants during winter; in the S. they can be plante-cors in late Nov. Set bulbs 2" deep sand under them. Seed should be in spring.

d. SPAR-1. Pkt. 25c tine S. grandiflorg, tricolor and albi tuberous rooted herbs for shad

SPATHODEA

(spa-THOH-dee-ah)

Flame. Gorgeous sight when in large flowers all over tree in sum-orange-red and larger than S. cam-not violet flowers. The flowers are

ularis. SPHA-1. Pkt. 200 d Hollyhock. This is good in the r, a western species, pink flowers et, June.

SPATHIPHYLLUM

oribundum. SP-T-1. Pkt. 90
very rare flower of the Aroids from
America: fine tropical plant with white

SPECULARIA (spek-u-LAY-ri-ah)

Small annuals resembting Beliflowers sed in the RG or border; sow seed where they are to stand, easily grown.

Speculum-Veneris.

Venus Looking 'Glass, Used as a daing plant; violet-blue or white toothed owers 1½" long borne 2-3 in axils one leaves.

SPRAGUEA (SPRAY-ge-ah)

Pussy-paws. Small alpine prants with roseties of thick fleshy evergreen leaves and heads of fluffy pink flowers on short nearly prostrate stems. For the rock garden in very light shade.

multicaps. SPRG-1. Pkt. 25c This seems to be the only known species; com the mountains of the N.W., light andly soils with trace humus; flowers ink to dark red, for rock garden, 1" tall,

P OF TEXAS, see Zanthisma. ATICE (STAT-i-c): see Armeria

Limonium.

Recent reclassification of the species
sted under Statice have all been reassified into the two groups under Limium and Armeria, thus leaving none
offer this old heading. To conform to
the species and varieties confused,
are tollowing the new classification.

STETCI DE 35CONVENDING. cosyrensis. STAT-Cl. Pkt. 35c. A next dwarf plant, from Pantellaria, nly 2" tall.

STIPA (STY-pa)

Spear, Feather or Needle Gtass, Perendel emamental grass, growing some 3 ft, with attractive leaves and bearded spikeleds. Easily grown from seed.

—pennata. STIP-3. Pkt, 20c Fagther, Grass. The most beautiful of

STRELITZIA (stre-LIT-si-ah)

Bird of Paradise. Plants of Banana amily with showy blossoms borne in lgid bracts. They are tender subjects and must be grown in the N. as tub

species for conservatory or warm leaves 3 ft. long grow at the the stem, the very large flowers

STRT-1. Pkt. 25c bulb with foliage like brilliant orange-red with ier than Freeias.

STOCKS, See Matthiola,

(STREP-toh-kahr-pus)

Cape-primrose. Choice herbaceous plant akin to Gloxinia and Saintpaulia, usuall stemless with showy blue or purpliflowers and broad basel leaves; easily grown sown is Feb. in a cool greenhous producing blooming plants the followin winter. They are grown as an indoor papalant.

STEP-1.

orchid flowered. STEP-2. Pkt. 35c
One of the easier house plants; long rough leaves; flowers as large as gloxinia, likac tinted blue to pure white, the lower and will deeper stripe; vory handsome and will grow quickly. TP.

-Hybrids. STEP-3. Pkt. 35c Gold Medal Strain. A very choice

STYRAX (STY-rax)

Deciduous and evergreen shrubs and trees native of the warmer regions; they are very attractive in habit and with showy white flowers in clusters or racemes. Do best in light and well drained soil; a few are hardy in the North. They make preity shrubs and lawn specimens.

—Hockerl. STAX-1. Pkt. 30c

SUTERA

—burkeana. SUTE-1. Pkt. 50
Small shrub from S. Africa, 24 ft. tall
Long erect stems and white flowers; very
good plant; strong soil. SUTE-I. Pkt. 50c

SWERTLA

Related to the Gentians but quaint rathe non showy flowers; give the same treat nent as Gentians; slow from seed. w from seed. SWRT-1, Pkt. 50

-multicaults.

Perhaps the best with large flowers of clear yellow to blue, 8 inches or less tall species.

SWRT-2. Pkt. 50c.

-bimaculata.

SWRT-3. Pkt. 50c SWRT-3. Pkt. 50c

SYMPHYANDRA

(sim-fi-AN-drah)

Very handsome and easily grown Bell-flowers, with blooms—nearly as large as the Canterbury Bell; they lik sunny ex-posures in rather light soil, self-sow in moderation.

-wanneri. SYMP-1. Pkt. 500 Excellent plant for crevices or slopes in the RG; large violet-blue flowers or ranched stems. HP, 6".

SYMPLOCOS (SIM-ploh-kos)

Sweet-leaf. Deciduous and evergreer shrubs and trees, native to the warmer parts of the earth, few of which are hardy in the North, but most can be grown out doors in the South.

—theafolia.

SIMP-1. Pkt. 25a

SYNTHYRIS (SIN-thy-ris)

Small pere ial plants of Figwort family with white and purple flowers very early n spring; fine in the rock garden. Thive n acid soil rich in humus and shady place.

An interesting species for the RG in sun r light shade; deeply cut attractive folige and very short spikes of blue flowers n earliest spring. HP, 2".

— payson!. SYNT-2.Pkt. 50c

m earnest spring. HP, 2".

—paysoni.

One of the finest species, easy in almost any soil, in sun or light shade; a treasure for the rock garden, never before offered in catalogs; very finely cut carroty foliage and 3" spikes of deep blue veronicalike flowers. HP, 6".

TALINUM (tah-LY-num)

Flame Flower, Genus of Purslane Family omprising many small fleshy perennial rith erect clusters of pink, red or yellow lowers. Some are hardy rock garder ubjects, others must be grown indoors it oots.

TALI-I. Pkt. 20 distinctive and posts.

ponts.

ponts.

TALI-1. Pkt. 20c
Coral Flower. A distinctive and very
line annual garden flower having many
slender stems bearing hundreds of little
Spointed stars of luminous rosy pink followed by airy long hanging capsule-like
of house plants; sow after soil is warm
a single plant can throw as many as 30
great bright plumes; foliage is decorative
sow in position, 2½-ft.

akanoganense.

TALI-2. Pkt. 20c

ow in position. 2½-ft.—

okanoganense.

An almost micropic plant with pearly white flowers; ½" tall; HP, needs good freinage and can stand some drought.

SWEET PEAS

We list the top varieties in Sweet Pear and while many fine varieties are offered under many different names, we adher strictly to the introducer's name, by trail ourselves and many reports from our customers in all sections of the country as well as very extensive trials by our Swee Pea growers in California, we are able to discard the varieties that have been sur possitive that, if your varieties are selecte from the list we present, you will have the best varieties one could possibly secure.

ne best varieties one could possibly secure.

A hardy annual climber requiring rich deeply worked soil containing clay but with good drainage; sunny situations are best but not exposed to hot dry winds during the summer. It is better if the soil can be manured and worked in the fall so that the soil will be in good physical condition in the spring; 1½-2f. is not too deep to work the soil in the fall. Sow seeds as early as possible, 2-im. apart and 3-in. deep covering with but 1-in, of soil and then gradually filling in the other 2-in. as the plants grow; some sand mixed in the top soil, especially with the white seeded sorts, will help. Thin plants to 3-in. apart. It is important that the support

The most popular type for garden use and mill produce the prettiest flowers; white all other types have their good points, the Spencers will satisfy most growers. We list a selection of the very best varieties here, each in its color classification, and we feel sure you will have little chance of finding better ones.

Prices: #11 Spencer varieties:

Prices: All Spencer varieties:

Pkt. 10c. oz. 30c. ¹/₄ lb. \$1.10
Barbara. SPEA-I. Pkt. 10c

Boany Briar.

SPEA-2. Pkt. 10c
Beautiful rose-pink, large flowered.
SPEA-3. Pkt. 10c
Beautiful light blue, long stems and a vigorous grower.

SPEA-3. Pkt. 10c
TALAUMA (ta-lar-YU-ma)
Tender evergreen trees of the large flowers and a vigorous grower.

Beautiful light blue, long stems and a vigorous grower.

Charming.

Rose cerise.

Flaqship.

SPEA-5. Pkt. 10c

Deep navy blue, large sized flowers and perfect form, artistically placed on long strong stems, a Silver Medal winner, Soct. Nat. S.P. Soc.

SPEA-6. Pkt. 10c

SPEA-6. Pkt. 10c

SPEA-6. Pkt. 10c SPEA-7. Pkt. 10c Flora.

Flora.
Clear deep lavender.
Golden Dragon.
Golden orange, wings orange rose.
Grand Slam.
SPEA-9. Pkt. 10c
Bright scarlet-cerise shaded orange, sunproof, a showy color of great appeal both
for garden display or for cutting. shaded orange, sun-of great appeal both for cutting. SPEA-10. Pkt. 10c

Maytime.
Golden cerise.
Patricia Unwin. SPEA-11, Pkt. 10c SPEA-12. Pkt. 10c

Beautiful gol ound color, be SPEA-13, Pkt. 10c

Rich deep rose-pink white near the base, long and strong.
Crimson scarlet, fine.
Salmon shrimp pink. Snow White. Smiles.
Red Supreme.
Deep crimsor SPEA-15. Pkt. 10c SPEA-17. Pkt. 10c

Deep' crimson..

Rubicund.
is as near perfect as
Solid paper white v
black seeded, flowers of
2-3-ft. tall.
Sunkist.
Cream, ploolee, edge
Sweet Afton.
Silvery pink.

Welcome.
Dazzling deep ss SPEA-14. Pkt. 10c e with no pink tinge; rs as large as Gigantic SPEA-30. Pkt. 156

SPEA-20. Pkt. 10c SPEA-21. Pkt. 10c ome. zling deep v flower.

what Joy. SPEA-29, Pkt. 15c good in every Windsor Blue. SPEA-22. Pkt. 10c

Windsor Blue.
Fine clear mid-blue, immense fit strong stems, the strongest growing blue yet introduced.
Youth.
White, pink picatee.

White, pink picates.

—Sater's Special Blend. SPEA-23X.

Pkt. 10c: oz. 30c: ¼ lb. \$1.10

This blend is strictly a hand made blend of the above varieties and in correct proportion as to color blend. Where a small planting is made, this is the ideal blend as it contains just enough varieties so that you will have a full color range for cut-ting. It is also a collection of all the out-standing varieties so far introduced. It is the last word in Spencer Sweet Peas.

is the last word in Spencer Sweet Peds.

—Gold Medal Spencer Blend, SPEA.24

Pkt. 10c; oz. 25c; ¼ 1b. 95c

This is a formula blend which contains

over 75 standard varieties and in addition
all the best novelties of the past year from

one of the large trial plantings; color blend

Early or Winter Flowering Spencers:

Choice Mixed. This type is earlier the Spencers and has been grown in the Southern sections of the country due me to its earliness; it is also grown exclusely in greenhouses for winter flowe however, it does as well outdoors in the North. This is a well balanced blend the newest and brightest colors.

American Beauty. SPEA-2AB. Pkt. 15c Rich crimson rose, deep crimson shaded. Annie Laurie. SPEA-2AL. Pkt. 15c Pure rose, white base, vigorous.

Pure rose, white base, vigorous.

-Ball Blue Supreme. SPEA-2BS, Pkt. 15c
Clear deep blue.

-Ball Rose Supreme. SPEA-2BR.

-Ball Rose Supreme.

SPEA-2BR Pkt. 15c wavy flowers, silvery rose-pina.

SPEA-2BB. Pkt. 15c

SPEA is its color. Large wavy news...

SPEA-2BB. Pkt. 15c
Beguilful dark blue, best in its color.

Burpee Orange.

SPEA-2BO. Pkt. 15c
SPEA-2C. Pkt. 15c

Cascade. SPEA-2C. Pkt. 15c
Best white, white seeded.
Elk Purple. SPEA-2EP. Pkt. 15c
Large reddish purple, long stems.
Giamt Pink.

Giant Pink. Sr. ink blenges, se at edges. renadier Imp. SPEA-2Gr. Pkt. 15c -Gre

Dazzling crimson-scarl
Kate Smith.
Long stemmed, large
iffused rose.
Mars. SPEA-2KS. Pkt. 15c

AS. Pkt. 15c ars. H. S. Reddick.

SPEA-2M. Pkt. 15c SPEA-2MR.

Brilliant flesh pink suffused salmon, nmense flowers, very long stems.

-Orange King.

Glowing intense orange, with adding.

-Oriental.

Deep cree-

Deep cream, black seeded.

-Princess Blue. SPEA-2P. Pkt. 15c
Rich belladonna blue, vigorous.

-Shirley Temple. SPEA-2ST. Pkt 15c
Delightful soft rose-pink, fluted, long

Cerise wings, orange arge flowers, long ste-Twilight.
The best lavender. SPEA-2T. Pkt. 15c

-Zvolanek's Salmon. SPEA-2ZS. Pkt. 15 Salmon-cerise, large flowers, strong

stems, robust.

NOTE: The packets are larger than
usual; any 4 for 50c; any 9 for \$1.00.

Per Oz. 60c (1s).

Early Spencers Mixed.

SPEA-2X.

Contains all the above varieties, each one of the best in its color and all proven to be profitable varieties. (Oz. 55c; is; lb. 8ts). -Cupid, Bo-peep. SPEA-28, Pkt. 10

Low compact plants for bedding or borders, blooming in June until frost, also called Bedding Sweet Peas; color pink.

Ruffled Spencers, Mixed. SPEA-26.

Pkt. 10c; oz. 30c; ½ bb. \$1.10

The unusual duplexness and extra frilliess of the flowers gives this type a double ippearance; they are very pretty.

Spring Flowering Mixed. SPEA-26.

Pkt. 15c; oz. 40c; ½ bb. 41.40

Spring Flowering Mixed. SPER-26.

Pkt. 15c: ox. 40c: ½ lb. \$1.40

A remarkable now intermediate season type, exhibiting strong heat resistence in combination with vigorous growth, externely long stout stems and a heavy crop of flowers over a long season. Adapted both to outdoor and greenhouse growing. It is especially recommended for the mid-sections of the country and in the South where Sweet Peas are grown, and where the heat makes it impossible to grow the

Tender evergreen trees of the Magnolic Family, rivalling them in beauty. Hard in the South only, they will require warm greenhouse in the North, with the same cultural needs as Magnolia.

same cultural needs as Magnolia.

—hodgson!

Cup-sheped flowers with spicy fragrance purplish blue sepals and white petals, fully six inches across. One of the most beautiful flowering trees, with large leathery leaves. 50 ft.

TARCHONANTHUS

-camphoratus, var. litakunsis.
TARC-1. Pkt. 50c ary shrub or small tree with masses of pale yelrom S. Rhodesia, with masses ow flowers in Spring, the cottony ball, aromatic scent attractive.

TEPHROSIA (tef-ROH-si-ah)

Members of the Pea Family with asholored foliage and clusters of a few red, urple or white pea-like flowers.

—candida. TEPH-1. Pkt. 35c

THALICTRUM (thal-LIK-trum)

Meadow rue. itternut Family, e border and ot Perennial plants of the Meadow rue. Perennial plants of the Justiernut Family, some very decorative in the border and others for the wild garden. Collage is attractively cut; flowers in nu-nerous large clusters, without petals but with large drooping stamens and some-imes showy sepals. They combine well with plants like Peonies and Iris. Easily grown in light, rich, loamy soil; few actives in moist swampy soil.

THAL-1. Pkt. 15c

adives in moist swampy soil.

-adiantifolium. THAL-1. Pkt. 15c
Fine cut foliage, fewer resy-purple
slooming early summer, 2½-ft.

-aquilegifolium. THAL-3. Pkt. 40c
One of the most dainty and beautiful of
he race with billowy masses of fluffy
lowers in white, aream or lilac; for cool
noist position in border; sun or light
hade, excellent beside pool or stream,
landy cut flower, very hardy. 1½-4 ft., HP.
—Delavayi. THAL-7. Pkt. 40c
Native of E. China, 3 ft., flowers purple
r lilar sepale.

Native of E. Marie of E. Marie

--- Rose Pink THALS PM 30

THERMOPSIS (ther-MOP-sis)

n number of lupine-like plants having ra-emes of yellow flowers. Easily grown in ight rich soil, in open sunny position and re useful in the border.

—caroliniana. THER-1. Pkt. 15c Massive spikes of golden yellow flowers, eminding one of Lupins, 3 ft., June-July,

rem

THUNBERGIA

(thun-BUR-ji-ah)

(thun-BUK-)1-ch)
Clock-vine. A genus of some 75 species
tender climbers from tropical regions
canthus Family). Several are green
suse vines, and they can be set outdoors
r summer flowering where they do
cely. In the warmer parts of the U.S
ey can be grown outdoors. Start see

raly indoors.

-clata. THUN-1. Pkt. 15c
Black Eyed Susan. Mixed. A twining
ft. perennial often grown as an annual
the GH; flowers buff with a dark
urple throat; tender in the N.

-tragrams. THUN-3. Pkt. 50c
A slender climber with attractive white
owers, 1½ in. across.

-Choice Mixed. THUN-2x. Pkt. 20c THUN-1. Pkt. 15c

THYMOPHYLLA

tenuilobia. THPH-1, Pkt. 20d Dahlborg Daisy. Pretry everblooming plant grown as an annual and unsurpassed for close edgings, bedding or rock garden filler. Myriads of tiny daisy-blossoms in a gold tone, over mounds of aromatic fern-foliage; sow early, 6-in. tall. Also grown as a perennial pot plant.

THYMUS (TY-mus)

Thyme. Aromatic plants with a pro-usion of small flowers in summer. Al-like sunny dry locations and are easily grown from seed which germinate readily, in heavy soils they are liable to winter still.

THYM-5. Pkt. 35c THYM-1. Pkt. 30c mastechinus.
Highly aromat
serpyllum.
lanuginosus. THYM-3. Pkt. 25c THYM-3L, Pkt. 30c

serpyllum album. White-flowered THYM-2. Pkt. 25c

nuiloba.

TIGRIDIA (TY-grid-i-ah)

Very beautiful bulbous plants

very bedunin bullows a shallow bowl urrounded by 3 triangles; easily grown rom seed which occasionally flower the irst year, treat like Gladdous. ——pavonia, Mixed Tolors, TIG-1. Pkt. 30c Best known of the several species, very showy and variable in color, hardy in open from Wash, south, sandy soil, full un. 246 ft.

TINNEA (tin-NEE-ah)

Herbaceous or somewhat woody perentials of Mint family with wharls of two ipped tubular purple flowers; ordinary oil, tender in N. TINN.1 Pt. 50. TINN-1. Pkt. 50c interesting bladder-like

TITHONIA (ti-THOH-ni-ah)

Natives of Mexico, called Mexican Sun-lower and belonging to the Daisy Family. They are robust growers and annuals Part but after danger of frost is past.

-speciosa Fireball. TITH-2. Pkt. 15e
A brilliant scarlet, 6-9-ft.

- Orange Vermillon. TITH-3. Pkt. 15e
Gilstening orange-scarlet flowers like
arge single Dahlfas; for background or
uting, 6-9 feet.

TORENIA (toh-REE-ni-ah)

Annual and perennial plants of Figwort family bearing 2-lipped flowers resembling small Gloxinias. Native of tropical Asia and Africa, they are tracted as amuals in N. or grown in the greenhouse. In Fla. they are used as the Pansy in the N. They thrive in partially shaded places and require regular watering. Set plants out after irosts are past and ground warm.

—fourniers.

TORE-1. Pkt. 25c

-fourniere. TORE-1. Pkt. While they are perennial they are prown as annuals in the North, used in separate and the North, doing be cartial shade, along water course of andy solis if well watered; flowers blue with golden centers, very free, cellent for pots, beds, window boxes, watered; flowers rich with golden centers, very free, exsilent for pots, beds, window bores, 9-ia,
——alba compacts. TORE-1W. Pkt. 20c
White compact variety.

TOWNSENDIA (toun-SEN-di-ah)

Perennials closely resembling Asters with rather large heads in varying colors from white, rose to violet and with ray. They are not commonly grown and are especi-ally suited for the Rock Garden.

—exscarpa. TOW 1-1. Pkt. Easter Daisy. Stemless perennial, 1" mauve color with yellow disc, for scree RG, pretty. TOW I-1. Pkt. 40c

TRACHELOSPERMUM

(tray-kel-oh-SPUR-mum)

r-Jasmine. Genus of S. Asiatic ever-vines with fragrant white flowers. grans. TRAC-1. Pkt. 46s fragrans.

TRADESCANTIA

(trad-es-KAN-ti-ah)

The genus is made to of plants having various habits, the tendor ones usually grown for their foliage effects and the hardy oner make attractive border plants with white, rose-purple or blue flowers; they are all easily grown from seeds. Wandering Jew and Spiderworts belong here.

Beauty Blend. TRAD-1. Pkt. 15s Hardy species and varieties, usually giving some flowers the first year; includes many fine named varieties, 3 ft., HP. TRAD-1. Pkt. 15e

TRICHOSANTHES -colubring. TRIC-1. Pkt. 15e Snake Gourd. Annual climber with white flowers.

TRICUSPIDARIA

(tri-cus-pi-DAY-ri-ah) (Crinodendron). Chilean trees or shruba greenhouse culture except in the South wers are borne singly.

-lanceolata. TRIG-1. Pkt. 2
Very attractive with drooping scar
unshaped flowers, fairly hardy in
heltered position. TR99-1. Pkt. 254

TRIFOLIUM

-repens folius atropurpure

A variety of White Clover that has eep bronzy red leaves with green marin; a pretty contrast grass.

TRILLIUM (TR.L-i-um)

Hardy perennial plants of Lily family aving short thick root-stocks. Leaves in rees and flowers a parted in pink, white, tolet or bullsh. They are beautiful woodend flowers, thriving in rich moist shady laces.

places.

TRIL-1. Pkt. 50c
Fragrant white flowers changing to rosepink, best suitable for wild garden, to
1½ ft.

TRIPTERIS Hyososerioides. TRIP-1. Pkt. 1Se Golden yellow flowers with black disk, arrdy annual, 2-ft., a pretty and airy So. Aft. daisy, easily grown, sow seeds early in the spring.

TRITELIA

uniflora.
Pale blue stors, 6" tall, growing into quib, RG.

TROLLIUS (TROL-i-us)

Globe Flower. Perennial plants we lobed and cut ledwes and flowers resembling large double Buttercups and beloining to Buttercup Family. They natura grow in swamps places but can be grown reasonably good garden soil that not too dry, May-July.

Occurge Globe. TROL-6G. Pkt. 20c
-Hybrids. TROL-6H. Pkt. 20c
-Orange Princess. TROL-6DP.

—acaulis.

A very rare but quite easy species for the rock garden, happy in rather heavy soil with plenty of moisture, in full sun. They have 2 inch buttercups of brilliant golden yellow in late spring and borne singly on short stems above a tuft of deeply slashed leaves. Seed is much easier to germinate than that of most Globeflowers, but should be soaked in warm water for 24 hours before sowing iP, 6 inches.

TROLL Pkt. 256

europæeus (St. Wolfgand).

Globe across, gararder, HP. -ledebourii. Orange Globe roist sunny TROL-4. Pkt. 50c 2 ft. tall, perennial

TROL-3, Pkt. 50c patulus. T. A dwarf globeflower for side a brook or pool; vellow flowers. P.P. TROL-5. Pkt. 60c

12 ISSUES \$1.00

MAILED REGULARLY
AS ISSUED

TULBAGHIA

P. mr of the Lily family, with um-niver shaped flowers in umbels; ten-fing for whidow plants.

TULIPA (TEW-li-pah)

TULP-2. Pht. 50c easily grown from white or re

TULP-7. Pkt. 20c

-chrysantha. TULP-4. Pkt. 50c border; golden yelle 114" long on sh

8".

nian. Mixed. TJLP-5. Pkt. 40c

Tulip. Bulb, 10", white flushed
i pink, very early, Feb.-Mar..

TULP-3. Pkt. 750 TULB-... Pkt. 35c

TULP-1. Pkt. 50c -stellata. auer.1. Pt. 50c arrow buds open to widely expanded ets, the outer segments flushed with time, the inner white, blotched yellow case; close to lovely T. Clusiana, and a care. Likes light sandy soil in sun fine for rock garden or border, HBb, inches. TULP-6. Pkt. 50c

TUNICA (TUN-ik-ah)

TUNI-2. Pkt. 20c Coat Flower. Hards -Saxifraga. rlower, Hardy per and spreading; flow summer.

UNIOLA (eu-NY-oh-lah)

Spike Grass, Native perennial gra Some species are grown as ornam UNIO-1, Pkt. 15e grasses.

—latifolia.

Perenniad, S-ft., pretty

URSINIA (ur-SIN-i-ah)

Mostly hardy amuals having daisy-like lowers in orange shades on long wiry teems standing 2-3-ft, hoove low tuffs of inely cut foliage; plants bloom profusely n mid-summer to late fall making a coloral addition to the sunny border; they can be petited up for winter bloom indoors.

USIN-1. Pkt. 15c IISINLA Phi 20c

USIN-3. Pkt. 20c -Aurora.

USIN-6. Pkt. 25c

USIN-7. Pkt. 25c pulchra compacta. orange, 2" a purple at the

USIN-2. Pkt. 15 llow and ord

VACCINIUM (vak-SIN-i-um)

Deciduous shrubs and trees native colder parts even to the Arctic Ci

VACC-I. Pht. 25c

VALERIANA

(vah-lee-ri-AY-nah)

Known as Garden of its fragrance nt hardy VAL-1. Pkt. 15c

red.

liss Mixed, VAL-9x. Pkt. 15c
Heliotrope. An old time garden
growing some 4 ft. high with
ite and red flowers, fragrant;
redn harden plant HP.

VANDA (VAN-dah)

VELTHEIMIA (velt-HY-mi-ah)

ch fibrous soil with est for growing the

ed for pot culture; 40.60 red-lowers 1½" long; ideal rock

VENIDIUM (ve-NID-i-um)

at flowers. Generally grown as annuals y starting the seed indcors; space a foot part, in sunshine and well drained soil.

-decurrens.

VNID-2. Pkt. 15c

2-in. single golden yellow flowers with lack centers, hardy annual, 10-in.

-tastuosum, Golden Orange.

VNID-2. VNID-2. Pkt. 15c

Pkt. 20c orange flowers with ross, silky gray foli

VNID-3, Pkt. 200 uble rowed Daisies with 3-4-in. It astel colors of cream, primrose, or, orange, usually with irr ng of brown, blue or black, 2-ft

VERBASCUM (ver-BAS-kum)

Thrive in full sunshine and hybridicadily with the genus Celsia, productions new color forms. As a rule th

VEBS-2. Pkt. 20c vello VEBS-2, Pkt. 35c niculatum alba -phoeniceum Hybrids. VEB Pkt. 15c

VERONICA (ve-ROH-i-kah)

Annuals and perennials highly usefu ve in an open seems, easily grown from seems vero. VERO-7. Pkt. 40c -peatinaia rosea.
Trailer with woolly leavowers, tr., HP.

VERO-10. Pkt. 25c VERO-HYB. Pkt. 20c VERO-M2. Pkt. 15c nse racemes: HP to Godeprayana. Hybrid, Sky Bk

spicata enziana Blue or pink flormes. 1½-ft.. per

- —Blus Shades. -spicata, Mixed. VERO-S5B. Pkt, 15c VERO-8x. Pkt. 15c

VERBENA

HORTENSIS (Garden Verbena).

Mammoth Flowering Strain: VERB-2D. Pkt. 15c

VERB-2E. Pkt. 15c

VERB-2L. Pkt. 15c -Lavender Glory.
Pretty shade of lave

re. -Luminosa. -La shaded to salr VERB-2Lm. Pkt. 15c VERB-2SP, Pkt. 15c

uty of Oxford VERB-2BO, Pkt. 156

moth Mixed VERB-I. Pkt. 15c

the ordinary Verbenas and flowers are muci plants decidedly more the varieties in this st compact masses of u

-compacia, Mixed. Grow about 6" his VERB-3X. Pkt. 15c

VARIOUS SPECIES:

abyssinica. aubletia con VERB-5. Pkt. 15c

violet-red, 10-in ne till frost, hard VERB-6, Pkt. 15c -- purpurcarmin Large flowered, I

VERB-7. Pkt. 15c bipinnatifida.

VERB-8. Pkt. 15c -bonariensis. 3-ft. high, a new at flowers, highly

VERB-9. as showiest strains from the Arroya compared with the recies, it is more masses are covers. Tobaty

mareisi, alba. WAHL-1. Pkt. 20c VERB-15, Pkt. 40c erinoides type VERB-10, Pkt. 15c

VERB-18. Pkt. 20 Purplish flowers in

VERNONIA (ver-NOH-ni-ah)

Ironweed. Peren ropical trees and used as plants in a good rich soil. plan in N. and bs in S. They are corder and do best

VERN-1. Pht. 50c

ill stand some frost; a very pretty species.

VERN-1. Pkt. 50c

ue Cornflower, a lovely color colesia: a large plant, sur

VERBESINA

encellodes. VEBE-1. Pkt. 20c
40-in. Butter Daisy. A showy and easy
mutual, quick from seed, that doesn't seem
to know when to stop blooming. Big buter-yellow daisies with wide jacged
telals and tuffed cushion centers, yellow
tiso. It cuts.

VIBURNUM (vy-BUR-num)

Deciduos and evergreen shrubs distributed ey are among the number useful shrubs and make y plants in the shrub borage is especially beautiful owers are showy and followers are showy and followers. Sow seed: VIR-2. Pkt. 25c

Tall evergreen s
t white or pink t
y black fruits. N
erubescens.

-iragrans. -nervosum.

VIDORELLA

residifolia. VIDO-1, Pkt. 50c

VINCA ROSEA (VIN-kah)

Madagascar Perwinkle is a tender pe ennial grown in the North as an annual t is a good garden subect with rosy surple flowers and used in parks as a edding plant with good effect sow seeds arly in a warm greenhouse and try te crasplant several times before setting out.

-Crimson. -White with pink sys.

VIOI.A

The genus includes a number of species of small, mostly perennial, plants having iteractive hase, white lavender or yellow pured flowers in early spring or summer. The Pansy is the best known (see case). Violets are second in popularity, while the proposition of the proposition

VIOL-2AR. Pkt, 25c

VIOL-1. Pkt. 25c

-Blaue Schonheit. VIOL-3, Pkt. 25c -Bi e Gem. V VIOL-2BG, Pkt. 25c

VIOL-2CL, Pkt. 25c

Chantreyland.
Pure apricot and very free blooming.
White Gem.
Gem Varieties, Mixed.
VIOL-2CL. Pkt. 25c
very free blooming.
VIOL-2WG. Pkt. 25c
Pkt. 25c
Olet colors.

Gustave Wermig. VIOL-2GW. Pkt. 25c - Ilong VIOL-2LO. Pkt. 25c

VIOL-2KH. Pht. 25c

VIOL-2LN. Pkt. 25c lendens. VIOL-2. wering, golden yellow. VIOL-2PB. Pkt. 25c VIOL-2LS, Pkt. 25c Lutea splendens

-Yellow. -Pluck. VIOL-2PL. Pkt. 25c per half purp

VIOL-2TH. Pkt. 25c VIOL-2SS. Pkt. 25c

Choicest and ne specially valued Orange Triump A new blend of VIOL-4. Pkt. 25c A new blend of new colors in Violos

-Above Varieties Blended. VIOL-6X VIOL-7. Pkt. 250 Nigra, Black Imp.

aint little pansy-flowers rve been nipped from bl-dingly floriferous, comes 3 months to bloom; treat

rhich they -**W-F Spe** nd. VIOL-11. Pkt. 35

This blend of bright gay colors for sur-posses any mixtures of Violas we have ever seen. The bright shades of self colors of red, yellow, blue and apricol combined with many shades which are plotched make these a supreme mixture.

V. ordorata:

The Czar.
Large flowered bive VIOL-3TC. Pkt. 25c

nperflorens VIOL-3SM, Pkt. 25c

V. Species:

Woodland plant, eaves and flowers white. HP, 6". VIOL-15. Pkt. 25c rith big egg-shaped varying from violet VIOL-A2. Pkt. 35c

this species, 4" tall. VIOL-16, Pkt. 50c

VIOL-14. Pkt. 50c

VIOL-E3. Pkt. 35c -legantula.

Alpine species

", best treated as

-glabella.

A western shadeaves and big yel

-halli.

One of the finest VIOL-17. Pkt. 25

violets. HP, 6"
VIOL-18, Pkt. 50c

VIOL-M6. Pkt. 35c soft blue flowers;

VIOL-P13. Pkt. 25c
VIOL-12. Pkt. 25c
viol-12. Pkt. 25c
chany-jump-Ups. Color
writilis. Little "pcnsy"
norry profusion from
tuma. Range of color
y wide, not easy to
flowers alike. This
hatemd summer heat
do Johnsy-jump-Up
Viola tricolor. Best

milar to V. nuttallii s in the RG. HP, 4".

-sarmentosa (V. sempervirens).
VIOL-20 Pkt.
An evergreen species from the Voast, with yellow flowers. HP, 6".

VIOL-S3, Pkt. 25c -sempervirens. VI Decumbent; yellow short

Blend of all Violas. VIOL-13X. Pkt. 20.
This is made up of all the above and

VIRGINIA STOCKS. See Molco

VISCARIA (vis-CAR-i-ah) Start indoors in March or April, genating them warm and in light. VISC-9. -nana compacta, Fiery Red.

VISC-9. Pkt. 200 VISC-6. Pkt. 100 oculata, Loyalty. VISC-8. Pkt. 10 Graceful plants 1-ft. high bearing dung the summer large showy brillia owers each with a dark center. cuty.

WALLFLOWER

thus (kay-RAN-thus) Cheirl,

C. cheiri:

Most of the Walli

nglish grown and from the very best purce; they are all high class.

-Blood Red. WALL-6. Ptt. 25c Single variety, highly selected stock, ne color, HP. 1½ ft.

-Cloth of Gold. WALL-7. Pte 25c.

Popular Large 1

opular large ety, HP, 1½ ft WALL-2CG. Pkt. 156 Covent Garde Early Wonde WALL-2. Pkt. 15c.

WALL-8. Pkt. 25c WALLS. Pkt. 25c

WALL-10. Pkt. 25c Fireball.
This is a ne WALL-3. Pkt. 15c variety of fiery red nally good. Peren

WALL-11. Pkt. 25c Fire King. WALL-2GK. Pkt. 15c

Golden Bedder WALL-2GB, Pkt. 15e Owart compac Glant Goliath WALL-GG. Pkt. 15c WALL-2GM. Pkt. 15c Golden Masco Large flow Golfath.

WALL-4, Pht. 20s WALL-12, Pkt. 25e

A rich yellow HP: 1 ft. White WALL-13. Pkt. 25c 9 inches. hite, a useful con-Nearest approast, HP, 1½ ft

to apricot-yellow, l ft. WALL-15. Pkt. 25c Primrose Mo WALL-18, Pkt. 25c

WALL-14. Pkt. 25c

Scarlet Emperor.
The best scarlet
-Vesuvius. WALL-2SE, Pkt. 15c WALL-2V. Pkt. 15c WALL-17. Pkt. 25cm flowers, a great Vulcan Impre

ty, crimson HP. 1 ft. WALL-2X. Pkt. 15c Blend of above
A choice blend Annual Wallflowers:

-Earliest Paris, Mixed. WALL-JBR. Pkt

Double Annuals

oss between Earliest Par

rown. WALL-4LB. Pkt. 15c rown. WALL-4LB. Pkt. 15c puble Mixed. WALL-4Tx. Pkt. 15c WALL-4Dx. A golden -Light Brov -Dwarf Double Mixed.

WAHLENBERGIA

(wahl-en-BUR-ji-ah)

enus of small annual and perenn of Beliflower Family with nodd aped blue flowers. They resem wers and are fine for rock garde ally in open and welf drained pr Grow as you would Campanules y pretty biennial, with Blues-s, blooming July-Aug. Germin well in light

grandiflora.
Usually known as Porum, the balloon flowers buds and blue or wowers. 11/2 ft., HP. WAIIL-0. Pkt. 75c

". HP for RG.
WAHLS1. Pkt. 36c neat grower for a moist spons and blue bells; HP, 1-4" high

WATSONIA (wgt-SOH-ni-gh)

ny situation iful along stream Evergreen, require sunny situation rough watering; beautiful along sta d pools, bloom late summer and ems 4 ft. tall, flowers in all shad alx, salmon, apricot, orange, red en ashes of roses, long lasting

WELU-1, Pkt. 50c

WELURTSCHIA

XANTHISMA (zon-THIZ-moh)

A genus of annual and biennial prith narrow leaves and yellow ray as in heads. Suitable for dry open produced should be sown where the

-texamum.
"Star of Fexas". Annual making of vivid sun reflect brilliant showing of vivid sun reflect golden yellow of any annual flow continuous bloom from the continuous blo

XERANTHEMUM

(zee-RAN-thee-mum)

Double Purple,
Double Rose,
Double White. XERN-1DP, Pkt. 15 XERN-1DR, Pkt. 15 XERN-IDW, Pkt. 15c

Pkt. 10c; ox. 8 stings with whi

XEROPHYLLUM

(zee-roh-FH-um)

Native perennial plants of Lity family, ummon name Turkey Beard. Usually own in the wild garden.

XERO-1, Pkt. 35c

YUCCA (YUK-oh)

Native of N. Am. and W. Indies, and sey come in many types, but used mainly or tropical effects in the garden. They do set in dry soils; a few are greenhouse.

Lesilæ grown from seeds. YUCC-6. Pkt. 25

YUCC-10. Pkt.

or specie TUCC-1. Pkt. 50c

YUCC-13, Pkt. 25c

ZANTEDESCHIA

(zan-te-DES-ki-ah)

e left and,
they must be and,
-aethiopica.

Ivory Calla Lily. Large white flowers.
Ivory Calla Lily. Large white flowers.
Ivory contains the flowers.
Ivory the history with white flowers.
Ivory they will be the flowers.
Ivory they will be they will be the flowers.
Ivory they will be the will be they will be they will be they will be they will be the

VITEX (VY-teks)

Grown for their showy flowers late in eason, shrubs and trees and few hardy

ZANT-2. Pkt. 50c

VITX-1, Pkt, 30c

VESICARIA (Vəs-ik-KAY-ree-uh) er Pod. Perennial herbs from Eur-own for their inflated pods and

VESI-1. Pkt. 35c

ZEA (ZEE-ah)

monly known as corn, but those he are mainly ornamental sorts. So

ZEA-2. Pkt. 20:
ZEA-3. Pkt. 25:
Dwarf Corn with narrow variegated vees, kernels colored. periecta. ZEA-2. Pkt. 20c

ZEA-3. Pkt. 25c

ZEPHYRANTHES

(zef-i-RAN-theez)

(zeti-HAN-theez)
hyr-lily, Belonging to Ameryllis Fommarow strap-sharped leaves, and fungeed flowers on erect stems. The lily belongs to this genus and all be planted more. They are beautiful to be planted more. They are beautiful useful; there are many different and some are hardy enough for orth, altho the bulbs should be lifted fall and handled like Gladious.

phurea. ZEPH-1, Pkt. 50c d comes from India and is ready august; sow when fresh.

ZYGADENUS (zig-ah-DEE-nus)

of grassy leaves and sprays of r greenish stars; variable in size ne species are poisonous if eaten; ther moist sunny places

orf alpine species for RG; soft creamers, 6", HP.

ZINNIAS

um weather loving plants or be sown until the soil carmed up and all danger ed. For best results, espe-smaller flowered, early where the pure inversed sor sor growing, large flowered sor sely be transplanted, ditho the li make more robust growth an duce more flowers if they can be where they are to remain are seedlings are 3-4-in, tall, thinne the proper distance. To induce heavy root system, irrigate youther than merely sprinkling ther little trench along side the row the water run slowly for sever that it will seep down deep in and make the plant food avaithe plants throughout the mass roots. Always cultivate after ean to conserve the moisture; by the you will have to water zinnice every two weeks or so, it gives, healthier plant and saves ter bill.

DAHLIA-FLOWERED

These were introduced in 1919 and since the series introduced the plems are 2½-3-ft. tall, very plust and bearing many strong stems of ally double, huge flowers which resemble as show type Dehlic.

—Canary Bird. ZiN-I. Pkt. 15c; oz. \$1.00 Rich canary yellow color.

—Crimson Monarch.

—Crimson Monarch.

—Crimson Monarch.

—Zin-3. Pkt. 15c; oz. \$1.00 Most unusual deep rossy layers.

Most unusual deep rosy lavender.

-Exquisite. ZIN-5. Pkt. 15c; oz. \$1.00
Light rose with a deep rose center.

-Illumination.

ZIN-2LM. Pkt. 15c

Deep rose self, one of the best.

Golden Dawn. ZIN-4. Pkt. 15c; ox. \$1,00

The best rich golden yellow.

Golden State. ZIN-2GS. Pkt. 15c

Beautiful golden yellow.

ZIN-2LU. Pkt. 15c

Large bright pink flo ZIN-2MT. Pkt. 15c or.
red, darkest of the reds.
e. ZIN-6. Pkt. 15c; oz. \$1.00

nd gold.

-Polar Bear. ZIN-7. Pkt. 15c; oz. \$1.00
Lerge creamy white.

-Royal Purple. ZIN-2RP. Pkt. 15c; -Will Rogers. ZIN-8. Pkt. 15c; oz. \$1.00 A lovely brilliant scarlet red. -Mixed. ZIN-2X. Pkt. 15c; Oz. 90c al Purple.

GIANTS OF CALIFORNIA

These were introduced in 1926 and have apidly gained in popularity. The plants re 3-4-ft, tall with long stems which dapt it particularly for use as a cut ower, the flowers are large and flat giv-ZIN-3BT. Pkt. 15c

Cherry Queen. ZIN-3CQ. Pkt. 15c

Brilliant cherry-rose.

Crimson Queen.

Enchantress. ZIN-10. Pkt. 15c; oz. \$1.00

Enchantress. ZIN-10. pkt. 15c; oz. \$1.00 ZIN-11. Pkt. 15c;

ZIN-12. PRt. 15c; ox. \$1.00 ox. \$1.00 A bright dark red.
Lavender Queen. ZIN-13. Pkt. 15c.

ZIN-14. Pkt. 15c; oz. \$1.00

rich pink.
ZIN-15. Pkt. 15c;
oz. \$1.00

ZIN-16, Pkt. 15c; os. \$1.00 ZIN-3RQ. Pkt. 15c

ZIN-17. Pkt. 15c; os. \$1.00

Glowing deep scarlet.

Mixed. ZIN-3X. Pkt. 15c; Oz. 90c | CREEPING ZINNIA.

This is a high class blend of varieties.

See Sanvitaka proc

Gladiolus Species

One of our readers at the Ontario Agricultural College writes that he is interested in studying the genetics and breeding possibilities of the different species of the genus Gladiolus. He, therefore, is anxious to secure as many as possible of the species so as to make the necesary genetical and cytological studies.

It seems to us that this worthy project for the Gladiolus enthusiast. We have been pleased to forward those we have and if any of our readers are interesed, we would be pleased to either for-ward bulbs or seed.

GET EVERY ISSUE 12 ISSUES \$1.00

—Howard's Giants. 'ZIN-23. Pkt. 15c;

½ oz. \$1.25

A striking new large flowered crested cutting zinnia, resulting from a cross between the Dahlia-flowered and Harmony types. The plants are 3-4t; tall and the flowers large. They come about 80% crested.

-Cactus-Flowered Giants. ZIN-24

Pkt. 15c; ox. \$1.00 This is an improved Fa owers averaging 41/2-in. Super Giants, Mixed, ZIN-19, Pkt. 15c;

A vastly improved strain of the Crown O'Gold type with large well formed flowers in soft pastel shades, each petal overlaid at the base with deep golden yellow.

—Harmony Type. ZIN-21. Pkt. 15c:

Scabious-Flowered, plants 2½-3-ft, bears or numerous medium sized flowers, reembling the annual Scabiosa and Harnony Marigold, Bright shades including
immon, scanlet, orange, yellow, pink and
hite.

Fantasy Type:

Petals are long, curved and pointed, re-embling those of the night flowering actus. flowers are 4-in. across and 2-in. leep. This strain includes Star Dust and Gold Dust

ZIN-4GD, Plet, 15c ZIN-4ML. Pkt. 15c Orange Lady. New deep bright oran ZIN-4OL, Pkt. 15c ZIN-4SD. Pkt. 15c -White Light ZIN-4WL. Pkt. 15c "All-American ".
-Mixed Fantasy. ZIN-4X. Pkt. 15c

Super Fantasy. ZIN-20. Pkt. 15c; cz. \$1.00
Flowers are 3-in. in diameter, shaggy-petaled and on long stems, making excellent cut flowers. They are strikingly beautiful.

LILLIPUT, POM POM

They are among the most popular Zin-nias for cut flowers use; the flowers are small, compact and symmetrical, on strong stemmed 1½-2 foot plants. This strain has beautifully formed double flowers.

Black Ruby.

Canary Gem
Crimson Ger ZIN-39. Pkt. 15c ZIN-5CG. Pkt. 15c ZIN-26. Pkt. 15c; ZIN-27. Pkt. 15c; Gem Dainty Gem. A new dainty bicold Golden Gem. Beautiful golden ord ZIN-28. Pkt. 15c;

an Gem. ZIN-28. Pkt. 15c; ifful golden orange color.
en Orange. ZIN-29. Pkt. 15c; Gem. ZIN-51G. Pkt. 15c Gem. ZIN-5PG. Pkt. 15c le Gem. ZIN-5PG. Pkt. 15c bud. ZIN-5RB. Pkt. 15c ion Rose. ZIN-38. Pkt. 15c; orange. ZIN-31. Pkt. 15c; oz. \$1.00 orange. Beautiful golde -Golden Orang Pink Gem Scarlet G -Valencia.

Pastel Shades. ZIN-32. Pkt. 15c; ZIN-33. Pkt. 15c -Tom Thumb Plants 6-8-in. tall, crell formed flowers color range thru red, ose and other pastor pot plants and bo compact, covered with of the Lilliput Type. orange, yellow, pink, tel shades. Excellent

Cupid. Tiny Tim. ZIN-TT. Pkt.. 15c 6" high, splendid little Zinnias for

-Elega as pumila. ZIN-34. Pkt. 15c: ox. \$1.10
The Cut and the best pasted richer in color ordinary.

Double Sunshine Tints. The Cut and Come Again type, in the best paster shades. Sunshine Tints are richer in colorand more full bodied than ordinary types and include many autumn tints of bronse and salmons predicted to the control of the color of the c

ZIN-35, Pkt. 15c g single; orange, li ork center; pretty for

-Haegeana. ZIN-36. Pkt. 15c
Double Choice Mixed. Smail flowers,
or bedding, making a brilliant display yet
aving stems long enough to make fine
outquest for small vases and bowls. Connine many attractive colors and combinaons. 1.11 for. ouquets for sma ins many attractions, 1-11/2 foot. gracilli

ZIN-37. Pkt. 15 Double (coccined), Red Riding Hood, ompact form and covered the entire seam with double scarlet flowers, I-inarcss; they are effective in the border or ould make a beautiful hedge, I-ft.

-dahleasflora.

This species is from India, double is species, pale yellow and the seed is refulutive and not like common Zinnias; have no further description at this ZIN-40. Pkt. 15c

IN THE MAIL

(Continued from Page 1)

oil plantings and at his age, 91 years, this was an exceptional undertaking; his acident must have disappointed him greatly and we

trust he wil Irecover quickly.

While here he mentioned his time
at college and had recently come across a notice from a bank in Grand Haven, Mich., advising him that his note for \$10.00 would be coming due on such a date. This \$10.00, or to be exact, \$9.00, for \$1.00 interest was taken out first, was the money Dr. Bailey started college on, Many of our leaders had. college on. Many of our leaders had such experiences and they earned their education, something a great many students are not doing today, and we wonder if the present con-ditions are not wrong.

Subscriptions

The charge for the Catalog has been \$1.00 for 12 issues; this is be-low the cost of printing and mailbeen \$1.00 for 12 issues; this is below the cost of printing and mailing and we shall soon have to increase this price to \$2.00. If you wish every copy, please send in \$1.00 so that none will be missed; we canot send back issues.

There is an increase of 8 pages this month and in the next issue, there will be considerable information on the germination of seeds:

a new suggestion on flower grows.

a new suggestion on flower growing in the small back year, that should help the small grower considerable. We have many items on perennials which will express he perennials which will appear be-fore the summer perennial plant-ing begins and any of these issues should be worth \$1.00. Each month many names are dropped from the mailing list, where nothing has mailing list, where nothing has been heard for a year; we do not want to drop any name if it is an interested one, but expenses force these doings.

Gladiolus species

One of our friends in Canada, is One of our friends in Canada, is starting experimental investigation on Gladiolus species and would like to secure as many of them as posible. If any of our readers are possible. If any of our readers are growing any of the hardy species we would appreciate hearing from them and trust they can spare a bulb or two for this work at the Ontario Experiment Station at Guelph.

Vacciniums

Dr. Corbin of Portland, Ore. wishes several species of this wishes several species of this flower many of which we happen not to have at present. We would appreciate hearing from any of our readers who are growing them as well as Faultheria humifusa, Gaylussacia in species.

African Violets
At last this seed has come thru
and Mrs. Irene Friedman of Burbank, Calif., expresses her pleasure
in receiving her seed, saying, "I
received the African Violet seed and it was worth waiting for for they are already coming up after about 5 days planting." We expect to have seed of another kind soon.

Many New Seeds

There has been added many hun-There has been added many hundred new seed listings this month and we trust you will check them carefully. In many kinds, there has been a quite exended list in colors added, so many readers wishing seperate colors, rather than mixtures. In every case, they represent the best strains, and are grown by the best flower seed breeders. Please order as early as possible, so as to avoid the rush period, when it sometimes is impossible to get the orders out promptly.

Mulching your Plants

Mulching your Plants

The winter, at least here in Michigan, has been warm and then cold, and so much so, that late planted seedlings will be heaved out of the ground, unless they have been mulched. If you did not protect your seedlings this fall, check them ever and if they are control. them over and if they are out of the soil they should be covered at once, so as to save them and as soon as the soil thaws, the plants should be pressed back into the soil. Be careful in mulching Dian-thus, they won't stand being cover-ed up. ed up.

Gourds

Too few are growing this interesting vine. If you have young folks to be interested, there is no plant that will interest them as will the Gourds. Now that we are

Chirita Report

My last seed order included a package of Chirita which was marked species, so the seed was planted June 22nd. It came up in less than two weeks (use a reading planted June 22nd. It came up in less than two weeks (use a reading or magnifying glass to see seedlings). They now have their second and third pair of leaves and are still miniatures, so I will carefully move a few into small pots. and put a dozen or so into large pots so they won't dry out easily I use large square or oblong jars such as coffee and mayonnaise come in, and put a layer of sand and peat in the bottom, then a layer of baked leaf mold for the seed bed. Moisten carefully so it layer of baked leaf mold for the seed bed. Moisten carefully so it will not be soggy and then sprinkle seed on the top. Just press it in gently and keep in a warm place until the seed germinates. Directions were given in "The Home Garden" December 1947 issue for this method to plant Saintroulia. Garden" December 1947 issue for this method to plant Saintpaulia seed. I have found it fine for Gloxina, Petunia and the finer Primula seed also.

I find your seed list cultural di-rections very interesting and use-

(Mrs.) Frank H. McKay, (Wash.)

getting seed from Europe, the assortment of varieties are larger and with the many hybrids that also appear, there is no limit to the "finds" in a single planting. More about cultural direction in a future issue.

Orchid Cultures

We have gone to considerable expense in making up these cultures, but there has been considrable difficulty in getting the cultures delivered. About 75% or better of the tubes get such rough handling that the agar is broken loose from the tube. Until some method can be worked out so that this will be prevented, we do not expect to make any more shipments, rather than disappoint our customers as the last schipments have. We would like to hear from anyone having practical experience in shipping orchid cultures. We have gone to considerable ex-

GLADWYNE

(Continued from Page 1)

eolumn. You may notice, too, that several species have been discontinued this month due to the seed lowed to burn up in a dry supply running out; we are sorry The dwarf bearded forms, and for this, but hope that by next season we can have them all back in the list.

Welursschia Midabillis

We list this month a rather rare plant from Africa of which Dr. Abraham A. Bernhardt, M. D., of Brooklyn, writes as follows: "It is an indoor plant of the succulent type, to be kept on the dry side and in full sun. It would be safe to grow it outdoors in frost free regions, with good drainage and where rainfall is at a minimum. It is classed as a tree, the oldest speciments having a woody trunk that rises a little over a foot above the ground and measures several feet in circumference. The leaves are very long and wide, undulating at times and last the full life of the plant.

This plant is mainly for mild We list this month a rather rare

This plant is mainly for mild dry climates or in the North, under glass. It is a very odd plant and belongs to the primitive types because it bears cones like the Cycad."

We have some seed of the East African plant and for those having some glass it would be an odd plant for your collection.

IRIS

(Continued from Page 1)

perverse western American species, the seedlings will prosper far more than will purchased plants.

than will purchased plants.

Seed may be sown at any time, though early spring or very late fall is perhaps best. An open bed of good garden soil, in sun or very light shade, is all that is needed, though in the case of very rare and expensive species the cautious gardener will prefer to sow in pots or cans. Germination will start in about three weeks, if weather conditions are favorable. It is are very erratic in germination, however, and some seedlings from the same packet may not appear for a year. In fact, there is a record of seeds of a very rare. In fact, there is a record of seeds of a very rare Iris germinating after 12 years—in an English garden, of course; few: Americans would have that much patience. However such delayed germination is the exception, and need not worry anyone. worry anyone.

As soon as the seedlings appear As soon as the seedlings appear they are quite husky babies, well able to look after themselves if kept free from weeds and not al-lowed to burn up in a dry spell. The dwarf bearded forms, and some others, will flower the spring after germination; most others the econd year.

FLOWER SEED BLENDS

FLOWER SEED MIXTURES

The flower seed mixtures which we here are all of special value espec for those who wish to grow and obe many different flowers. The most pure to be gotten from these mixtures sow them in a seed flot or bed and transplant the seedlings into nursery vin the graden, from where they may retransplanted after they reach some and you can tell what they are talso be easier if the seeds are screened different sizes, which will get the species into the same group for plar and then too the smaller seeds reach different care in the seed beds than

ANNUAL CLIMBING VINES.

MIX-2. Pkt. 10c; oz. 40c; lb. \$5.00

Especially interesting and valuable for a long fence and with a proper seed bed made they can be sown in their permanent position. It will be best to plant part of the seed in April and the balance late in May, so as to be sure to have the tender ones growing too, especially if you are unable to tell the seeds apart.

CALIFORNIA WILD FLOWERS.

MIX.-7. Pkt. 15c: Oz. 60c
A choice blend of native Californian wild
lowers, containing many different kinds;

CUT FLOWER MIXTURE.

MIX-1. Pkt. 10c; oz. 45c; lb. \$4.00

A large assortment of annuals with long stems, especially suitable for cut flowers and effective as well in the flower border; we recommend them especially to be planted in rows, thinly, in the garden using a few radish seeds mixed in to show the rows for early cultivation, thin plants out as they grow and begin to crowd.

HARDY BORDER BLEND. Pkt. 10c; ½ 2c. \$1.50 ntains over 100 distinct varieties suit for plants for the perennial border the seeds much as for Rock Garden

HOUSE PLANT BLEND. MIX-8. Pkt. 25c Nearly 100 desirable species, many of them rare and hard to find, make up this blend and all suitable for bouse plants, a wonderful find for shuthis and those wish-ning to grow pot plants; many kinds. Sug-jest the seed splanted in small pots with glass

Plet 10c; ca. 25c; lb. \$2.50

This contains a mixture of about every pe flower and especially recommended recommended ontains all of the cover waste plants. GENERAL MIXED FLOWERS.

INDIA SEED BLEND. MIX-7, Pkt. 25c

ORNAMENTAL GRASSES. MIX-10. Pkt. 20c Made, up of all the various gr

ORNAMENTAL GRASSES: MIX-DG. Pkt. 15c Dwarf kinds of ornamental grasses,

ORNAMENTAL GRASSES: MIX-TG

Pkt. 15c Tall kinds of ornamental grasses, 4 ft. nd higher. ROCK GARDEN PERENNIAL BLEND.

MCCK GARDEN PERENNIAL BLEND.

MIX-3. Pkt. 25c: 1/16 oz. 60c

This is a real find for the Rock Garden rower; contains over 300 Rock Garden rower; contains over 300 Rock Garden remnials, many of them rare and difficult to obtain; we recommend the seed sing screened to get them into different 18s, planting them thinly in rows in a ct and carefully pricking them out as ne seedlings form their second pair of varves. Keep seed flat covered with a came of glass, being careful to vontilate as the seeds germinate, as many kinds any require a month to germinate.

ROCK GARDEN ANNUAL BLEND.

MIX-4. Pkt. 15c; oz. 85c.

Contains only low growing annuals suitable for the Rock garden; while they can be sown broadcast over a rocky waste and thus making an unsightly spot becuratiful, they can also be grown the same as early started annuals and transplanted.

Vegetable Seeds of Best Strains The

bringless; seed chocolar color.

Dwarf Horifutiural
Pitt. 25r; lb. 45e; 5 lbs. \$2.00
54 days Pods 5 in-has long, fint, almost
strinitess when serior. The pods are splashed
with red
mixing the product of the pods are splashed
with red
display; best early green shell
bean. Also called bush Cranberry Bean.
They are good for dry beans.
Giant Stringless Green Pod
Fitt. 25e; lb. 45e; 5 lbs. \$2.00
51 days. A meaty round podied sort,
very popular all over the U. S. and excellent for all uses, strong grower; seed
brownish-red.
Red Valentine

Brownish-red.

Fkt. 28c; lb. 45e; 5 lbs. \$2.00

49 days. One of the main round podde socied of socied sorts in the south. It making conditions; string beans under adverse conditions; very popular in the mountain regions also; eligntly strings; seed red. marbied.

Frindry atringy; seed red, murbled.

Frindrykeren
Pkt, 25:; lb. 45c; 5 lbs. \$2.00

\$2 days. An extra good quality round
podded sort, excellent flavor and very popbuller everywhere; seed builsh, mottled.

Tennessee Green Pod
Pkt, 25c; lb. 45c; 6 lbs. \$2.00

49 days. A popular flat green pod, with
strings, mainly in the mountain sections
of W. Va., Ky., and Tenn., where it
seems to do best under the mountain cilmate where the stringless sorts seem sort
inpen or "get tough" easily. Pods very
long. Seed brown.

ripen or get cough long. Seed brown.

WAX OR YELLOW PODDED SORTS:

Pencil Pod Black Wax

**Pit 25c; lb. 55c; 5 lbs. \$2.25

52 days. The cought of the round of the very cought of the round podied wax varieties; always a sure bearters of the cought of the very loads.

Saier's Golden Wax

**Pkt. 25c; lb. 55c; 5 lbs. \$2.35

52 days. The most popular flat podded wax variety; pods. flat, 5 inches long. stringless, of good quality, rust proof.

BEANS. Pole or Stick Sorts.

The pole beans require supports for the best crop; grown mainly in the South where the seasons are longer. Pods generally are more fieshy than the bush types and can be sed in a much more advance stage. Plant in hills, 2-3 seeds per hill, usually, 3 feet apart and on three stacks, the tops being tied together for suppose, Placket will plant 100 hills, or 130 footrow; bushel per acre.

Kentucky Wonder

row; bushel per acre.

Kentucky Wonder
Pkt. 25c; lb. 50c; 5 lbs. \$2.25
65 days. This is the most popular varicty of the pole benns; pods 7-9 inches, round, meaty and excellent for realing as well as for all other uses; stringless when young. Seed tan. Also called Old Homestead.

fomestead.

Pict. 25c; ib. 50c; 5 ibs. \$2.25

65 days. Very productive late variety,
sods \$\vec{v}\$ inches long, flat, tough and stringy
but a very popular variety in the South,
seed light flesh, peppered brown. Also caled Noxall.

led Noxall.

Lazy Wife
Pkt. 25c; lb. 50c; 5 lbs. \$2.25
72 days. A late productive sort with 5-6
inch pods, flat, stringless, very fleshy,
brittle, attractive and excellent quality,
very popular, seed round and white.

very popular, seed round and white.

London Horticultural
Pkt. 25c; lb. 50c; 5 lbe. \$2.25
70 days. Also known as October Bean.
Hardy, productive, pods 5-6 inches long,
flat. stringless, good quality; it is used
very much as a green shell bean, but good
also for snap or dry shell beans. A berry
bean; seed white or light tan streaked with red.

ty.
Striped Creaseback
Pkt. 25c; lb. 50c; 5 lbs. \$2.25
72 days. Also called Nancy Davis and
Scotis. A very hardy and productive cornfield bean, pods round, 6½-7 inches long.
crease-backed, slightly stringy, very flesh,
good quality. Seed olive green with dark

Stripe.

White Creaseback

Pkt. 28c; b. 50c; 5 ibs. \$2.25

63 days. A very hardy, very early, round
podded sort, 5-6 inch pods, slightly stringy,
brittle and fine grained; quality fair, very
popular white seeded sort.

popular white seeded sort.

White Kentuck Wonder
Pkt. 26c; Ib. 50c; 5 lbs. \$2.25
64 days. Also called Burger's Green Pod.
Very high quality white seeded sort
German origin, pods 67 inches long
overy tender, fleshy and taringless, foliace
distinctively dark green and much crumpi-

ed.

Wax Kentucky Wonder
Pkt. 25c; b, 65c; 5 lbs. \$3.00
70 days. The pods are yellow or wax,
7-8 inches long, flat, decidedly crease-backed, very fleshy, brittle but stringy, attractive, quality fair.

LIMA BEANS

Limas are easily grown in any rich well drained loam, pole sorts require stakes or supports but the teach of the construction of the require bush port can be grown same as the regular bush beans, except when the require bush beans, except when planting; them a little more room when planting; whe possible you can plant the seed with the eye down, for better germination. Plant only when the soil is warm and after all danger of frost is passed. The beans are used in the green state or they can be left for dry beans. The seed being very large, it requires from 2-3 times more seed per given space than for the regular bush beans. 2 bushels per acre.

than for the regular bush beans. 2 busness per acre.

Firthook Bush

Fit. 25c; lb. 50c; 5 lbs. 32.39

75 days. Exceedingly popular, especially as a market sort; best quality, productive good flavor.

Improved Bush

Fit. 25c; lb. 50c; 5 lbs. 32.25

75 days. An insproved type of the old Burpes Lima, with larger beans and pods,

All prices as post paid, unless mentioned the sewing. Quarter and half pound lots, to pound rate. We will be pleased to pound rate. We will be

Limas.

King of the Garden
Pkt. 256; lb. 50e; 5 lbs. \$2.25

88 days. The best pole Lima an improved strain of the Large White; 3-4
large beans per pod, vigorous and productive. Requires supports for best growth.

the pods and store lot when the pods and store lot when the Med Kidney Pkt. 25c; lb. 50c; 5 lbs. \$2.25
95 days. Light red type. Seed is nearly at larks as a lima. They make the best of dry winter beans.

BEETS, TABLE

Table beets can be sown as early in the spring so the ground can be worked and other by the spring so the ground can be worked and other the spring so the source of the spring so the spring spring so the spring s BEETS, TABLE

to mature just before frost for beat yr roots. Oz. plants 50 ft.; 5 lbs. per acre.

Early Blood Turnip
Fkt. 5c; cz. 20c; lb. \$1.50
56 days. Excellent for both home or market gardening and can be used for greens or small bunching beets; it is productive and hardy and does well under adverse conditions.

Detroit Dark Red. 5c; cz. 20c; lb. \$1.60
68 days. One of the very best for home gardening or canning. Roots globe shaped, dark red, small tops and especially free from zancs.

Crosby's Egyptian
Fkt. 5c; cz. 20c; lb. \$1.60
55 days. Usually grown for the early forp, roots flattened globe-shaped, fairly dark red, small tops. Popular sort.

Early Wonder [Tail Top Strain]
Fkt. 5c; cz. 20c; lb. \$1.60
55 days. Green top strain. Best bright green topped whiter shipping beet; is preferred above all other types for the winter shipping best grown in the South.

Early Wonder (Tail Top Strain)
Fkt. 5c; cz. 26c; lb. \$1.80.
55 days. A very popular variety producing uniform roots and large bright green tops, especially desirable for those producing button beets and greens for the early spring market.

CHARD, SWISS

GHARD. SWISS
Grow Chards same as you do Beets. The tops can be cut off when tender and a new growth will come on if the soil is rich and growing conditions facorable. It also makes excelent feed for young poultry or baby caives during the hot summer.

or baby calves during the hot summer months.

Fordhook Giant

Pkt. 5c; oz. 15c: ib. \$1.20

Leaves dark green, crumpled, savoy-leaved with broad white mid-rib.

BROCCOLI

Sow seed indoors or in cold frame same as for early cabbage setting them out in the garden about May 1st. Set plants about 18 inches the part in 2½ foot rows. They do be in the cooler parts of the season. Oz. seed produces 2000 plants.

Halian Green Sprouting Pit. 10c; oz. 36c; 1b. \$3 10 55-60 days, from transplanted plants to first cutting. The heads are much like Cauliflower and it is used much in the same way. It is excellent frozen. It should be in every garden and is much easier grown than Cauliflower. Grow same as you would late cabbage.

grown than Caulitiower. Grow same beyon would late cabbage.

CABBAGE—Earliest Heading
Cabbage should be started indoors or in cold frame for the early market, but for winter, they should be started outdoors remove the started outdoors later, from May 20th to June 1st, They grow best in the col fall weather. For early crop start them about March 1sth transplanting the seedlings into fals, and hardening them off promptly to the field May 1st. Plants of the field May 1st. Plants on the field fines in first the soil should be rich for best results. The soil should be rich for best results, Days given are from transplanting to maturity, allow 30 more days from the planting of the seed. Winter cabbage should be set out not later than July 15th. Where the Yellows affect cabbage, plant the Yellow Resistant varieties, but if not troubel strains, Oz. produces 2000 plants.

Early Jersey Wakefield

in this, the best to plant the regular strains, Oz. produces 2000 plants.

Early Jersey Wakefield Pkt. 10c; oz. 46c; lb. \$3.40
65 days. The most widely grown extra early pointed head variety; heads solid and should be grown for the early crop.

Early Flat Dutch Pkt. 10c; oz. 45c; lb. \$3.40
80 days. An excellent medium early short stemmed variety with large flat heads. This makes a good variety in the South where large heads are wanted.

Copenhagen Market Pkt. 10c; oz. 40c; lb. \$3.40
68 days. A good medium early variety with medium large round heads, solid and uniform; a popular market sort.

Golden Acre Pkt. 10c; oz. 45c; lb. \$3.40
62 days. An extra early selection from Copenhagen Market; small and compact plants, excellent quality; of special value for early market.

Althead Select
75 days. An ideal second early cabbage.

Aithead Select Pkt. 19c; os. 50c; lb. \$4.35 75 days. An ideal second early cabbage, round heads weighing 6-8 lbs. and of excellent quality both for summer and winter use.

Glory of Enkhulsen
Pkt. 19c; oz. 35c; lb. \$2.85
78 days. Large globe-shaped second early
Cabbage with excellent keepink qualities;
heads weigh 6-8 Nos.

CABBAGE—Late or Wini

Panneti Ballhoad Pitt. 10e; es. 40c; > 35.20 120 days. The leading late tail stem variety in most sections of the country; heads solid, round, 10-12 lbs, each and the best of winter keepers.

Pkt. 10c; os. 45c; ib. \$3.74
YELLOW RESISTANT CABBAGE
Where the soil is infected with the "Yel-lows" disease, the resistant varieties should always be planted, but if your soil is not infected it is best to use the regular strains.

minfected it is best to use the regular strains.

Marion Market (Yellow Res.)

Marion Market (Yellow Res.)

Pkt. 10c; ox. 50e; 1b. \$4.10

.75 days. Marion Market is a selection fram Copenhagen Market but at little larger and later; heads round and of excellent quality.

Early Flat Dutch. (Yel. Res.)

Pkt. 10c; ox. 45c; 1b. \$3.69

30 days. Similar to the popular Early Flat Dutch strain and an excellent kraut variety; heads 6 lbs. each.

Wis. Hollander (Yel. Res.)

Pkt. 10c; ox. 50c; 1b. \$4.10

105 days. A Yellow Resistant strain from Danish Bailhead; heads round and sold; best resistant winter variety.

Wisconsin Ali Season (Yel. Res.)

92 days. A splendid late or winter yariety, heads rather flat, 9-10 lbs.

CABBAGE, CHINESE OR CELLERY

CABBAGE, CHINESE OR CELERY
Chinese Cabbage is a wine vegetable,
either cooked like Cabbage or used as a
salad. A heavy yielder and rich in food
value. Sow seed during July or August
as it grows best during the cool fall
months. Oz. will sow s. 200 ft. row.

Chilbitt.

Pict. 10c; os. 30c; lb. \$2.00

70 days. Chi-hi-li, a most popular variety and very dependable heading sort, heads 18-20 inches in length, 5 inches thick at base.

CARROT

Carrots can be sown early in the spring and again every two wees for a continuous crop for young bunching roots; for winter crop, best to sow in July. Best in a deep with a very few seds about ½ in, deep with a very few addish seed mixed in to mark the rows for early cutlivating as Carrots do not germinate readily. Rows can be 12 inches apart and the roots should be thinned to 3 in, apart in the row; for young roots seed can be sown as late as Aug. 15th. Oz. plants a 125 ft. row.

Country and Aug. 15th. Oz. plants a 125 ft. Chanteney

Pkt. 10c; oz. 25c; lb. \$2.00

70 days. A fine large thisk stump rotted sort, orange skin and fine quality. It is good for all purposes and especially for winter use.

Danver Haif Long

The country and the country and the country land any other variety, skin rich orangered olor, root 7 in. long, tapering to a blunt point. It is of the zest quality and especially good for winter use.

Scarlet Nantes

Fkt. 10c; oz. 30c; lb. \$2.30

68 days. A valuable stump rotted variety, with the root rather even in thiskness for its entire length; it is especially valuable for bunch Carrots as well as for all other uses.

CAULIFLOWER.

CAULIFLOWER
For an early cop sow the seed in hot bed or greenhouse during January or February; for fall crop, start in the open same as for cabbage. Maturity dates are from transplanting, add 30 days from seed gowing. Oz. produces 1500 plants.

Early Snowball

Pkt. 10c; jb. \$2.40

Early Snowball

Pkt. 10c; lb. 32.44

85 days. An improved Dwarf Erfurt producing snowy white heads; early and of the best quality, extensively grown eyerywhere; outer leaves erect.

erywhere; outer leaves erect.

CELERY

For early Celery start seed indoors in February and for late crop about April 1st. When seedlings are 4 inches tall, cut back about 1 inch and transplant to rows 3 ft. apart and plant 6 inches apart in the row. Seed can be sown about ½ inch deep. Add about 55 days to maturity dates when figuring from planting seed.

Golden Self Blanching Pitt, 10c; 0x. 70c; 1b. 36.00

115 days. Medlum sized stocky plants with thick solid crisp stalks and compact golden yellow hearts; an exceptionally fine flavor.

CUCUMBERS

For real eriy boxes about April 1st and transplanted to field when frost danger is passed. For regular crop plant about June 15th, ½-1 inch deep, in hills 4-6 feet apart. Fruits should be picked as soon as ready. Cucumbers will not stand any frost. Oz. plants 100 feet.

Chicago Picking.

55 days. Still the best picking Cucumber regardless of all the new varieties or new names. Our strain is early, prolific, uniform and perfect picking type. Black spine. It is also of value is a siter for the home garden.

Early Fortune
Pkt. 5e; oz. 26e; lb. \$1.96
66 days, Fruits 9-9 inches long, blunt atboth ends and an excellent sileer and especially of value for dill pickles, its shape
being perfect for this use, Good far the
market, too. White Spine.

being perfect for fins use. Good fail the market, too. White Spine.

Early Green Cluster

Fkt, 5c; oz. 20c; lb. \$1.85

55 days. Similar to Chicago Pickling but a little smaller. Is very popular for home gardening. The fruits form in clusters more than other varieties. Black spine.

Early White Spine

Fkt. 5c; oz. 25c; lb. \$2.60

60 days. An excellent medium sized Cucumber, producing early and abundantly; fruits slender and dark green, fleah solid white.

60 days.

cumber, producing early fruits slender and dark green, flesh some white.

Improved Long Green

Pkt. 18e; ez. 39e; lb. \$2.50

75 days. Our strain of this valuable variety is of the very best; fruits are dark green, long and tapering at both ends, 12-14 inches long. Being black spined it can also be used for pickles for the home garden as well as the most valuable sileer.

White Wonder

Pkt. 10e; ez. 39e; lb. \$2.40

White Wonder

To days. A blocky white skinned variety that makes an attractive slicing Cucumber. It is generally grown all over the country but in limited amounts; strictly a home garden sort.

DILL

Long Island Manmoth

Pkt. 10c; ex. 20c; lb. \$2.90

(Anethum graveolens). Annual herb with feathery foliage, growing 4-8 ft. tall, praducing an abundance of aromatic seed which are used in pickles, preserves, soaps and sauces.

Green Curied

Pkt. 10c; os. 20c; lb. \$1.40

Best for general use; season 95 days.

It can be easily blanched.

It can be easily blanched.

EGG PLANT

Sow seed in bot bed or greenhouse in March or April and transplant when an inch high warm; they do not stand frost, about 3 ft. each way; allow 8-10 seeks for the production of plants before setting out time, Oz, for 1000 plants.

Black Beauty

Black Beauty

Black fruits of the best quality. This is probably the best all around variety; is a vigorous grower.

a vigorous grower.

KALE

Kale or Borecole for early use should be sown early in the spring, for late fall or winter use sow the seed in June and transplant in July to rows 2 ft. apart and plants 2 ft. apart, Seed should be sown 4 inch deep; cultivate same as Cabbage.

Dwarf Sootch Curied

Pkt. 5c; oz. 20c; lb. \$1.40

60 days. Leaves are very large and deeply cultivate deeply and deeply cultivate same as Cabbage.

60 days. Leaves are very large and deeply cultivated and fringed and of desirable rich buish green color; plants dwarf, even growth with leaves hugging the ground, with some shocks.

Siberian

Pkt. 5c; oz. 20c; ib. \$1.40

65 days. Green, curly leaves, tender and
of delicate flavor; es especially good for
late fall and winter growth.

late fall and winter growth.

LETTUCE—Leaf or Loosehead
Lettuce should be sown early in the spring as soon as the soil is ready to work and followed every 2 weeks by other sownings so as to keep a continuous crop fresh, tender leaves. For fall crestarted indoors or in rold fresh county, transplanting some sound as possible. In fact you will be the present of the county of the c

plant 50 ft. or more; or. 500 ft.

Black Seeded Simpson
45 days. The most popular loose leaf
lettuce, producing a compact mass of
crumpled light yellowish green leaves of the
very best quality.

Early Curted Simpson
45 days. White seeded; forms close mass
see of light green crumpled leaves, brittle
and of best fisvor; and a good variety for
Prischead

Prischead

Pkt. 5c; oz. 20s; ib. \$1.85
45 days. A very high class loose leaf
Lettuce with growth similar to B. S. Simpson but with a reddish tinge to all the
leaves, giving it an attractive appearance.

Grand Rapids

Grand Rapids Pkt. 5c; oz. 29c; ib. \$1.30
42 days. White seeded; quick maturing, large loose heads, upright growth and showy; leaves bright green crimped at edges. Best quality.

Pkt. 5c; es. 3ec; lb, \$2.75
78 days. A very popular variety forming
a solid heart of rich yellowish green; this
is good for cool seasons only. It is of
very good quality.

MANGELS

Mangels are the most important root crop for stock feeding, forming the very best food for cattle, hogs or poultry and at so little cost. 50 each value is near to that of grant and the feed value is near to that of grant and the feed value is near to that of grant and the special value is near to them cattle food the spring, in rows 2-2½ ft. apart, thinning the plants to at least 6 inches apart as soon as they are 2 inches light. 8-8 lbs, of seed required per acre.

Mammoth Long Red

110 days. The most popular variety, easily grown and harvested; the roots are red, flesh white; smooth and grows well out of the ground making it easy to pull.

MUSKMELON

Muskmelons grow best in a light soil, planting them so that the seedings will not bounded by any frost; plant either ways of ft. apart with the seeds every foot or they lan be planted in hills 6 ft. apart each way so as to be able to cultivate both ways. Thin plants in the row to 2 plants per hill or in the hill system, to 4-5 plants per hill. Plant seeds ¼ inch deep. Oz. plants 60 hills; 2-3 lbs. per acre.

Banana Pkt, 10c; oz, 25c; lb. \$2.50 98 days. Fruits: 18 inches long by & inches in diameter, smooth gray-green to lemon color with the flesh salmon.

inches in diameter, smooth gray-green to lemon color with the fiesh salmon.

Golden Champlain.

2 days. Also knows as Lake Champlain, the earliest melon, almost round, 6 inches across. 5½ deep, moderately netted, deeply ribbed; fiesh sweet, golden orange: productive and on account of its earliness is especially good for early market and home gardens.

Hale's Best, No. 36

Fixt. 18c; 0z. 25c; 3b. 32.16

86 days. Early salmon fiesh melon, well ribbed and netted skin; flavor especially sweet and with a somewhat musky tang. Fruits almost round and especially right for crating.

Hearis of Gold

7kt. 19c; 0z. 39c; 1b. 32.16

80 days. Nearly round, 4-5 inches thru, deep orange fiesh, closely netted and of the very best flavor.

Honey Eock

Fixt. 19c; 0z. 39c; 1b. 32.16

85 days. Skin gray-green coveced with sparce coarse netting; flesh orange salmon, green rind beneath the skin. Best market melon and of high quality, productive.

New Yorker

Rockford No. 45
Pkt. 10c; es. 30c; ib. 32.16
90 days. Almost round, with heavy netting, flesh green and of a distinctive flavor.
Tr.
Tep
Pkt. 10c; es. 28c; ib. \$2.16

thinly in rows 1½ ft. apart. covering seeds about ¼ inch. Oz. will plant 100 ft. Ffordas Broadless ft. 5c oz. 15c; ib. \$1.50 43 days. Large, upright, leaves very large and thisk; bright green, smooth pale green mid-rh. Desirable because of the case in preparing the smooth leaves. Fordbook Francy Pkf. 5c; ox. 15c; ib. \$1.50 40 days. Dark green, deeply curied and fringed; flavor mild and especially good for greens or salads; stands a long time before bolting to seed. Southern Giant Curied Pkf. 5c; ox. 15c; ib. \$1.50 5days. Very popular curied less mustord for spring or fall planting; leaves are bright green, pleasing mild Hayor. Leaves large, fringed and curied at magins. Tendergrees Pkf. 5c; ox. 15c; ib. \$1.50 12c; ib

OEEA
Okra is a valuable regetable, used we the pods are young; it is also fine cutting up in soups; it is also fine cutting up in soups; store, catsup and er. relishes. Sow when the soft is war up as they will not stand any frost rows 24 inches apart, thinning to 6-8 never seed about ½ inch.
Perkin's Marmoth
Pikt, 10c; os. 15c; the 68 days, Dark green, pods fleshy tender, tapered and ribbed, 4½ flesty popular.

OMION
Winter onlons are sown early in spring, in rows thout 18 in. apart when seedlings are 3-4 in. to the thinned to 2-4 inches and Prizetaker be started indoors in February and to



PEPPERS
Sow seed of Peppers Ind
8-18 weeks to produce plar
set out, when the weather
as they do not stand any
plants 18-24 in, in rows,
apart. They do best in a s
light soil. Maturity days us
leafy are from transplantin,
and 8-10 weeks from the p

ns at corn plantin g ill not be topched by in hills 6-8 rt. each cultivate both way inted in 8 ft. rows, is every 3-4 feet. Pitt. will plant ab

inches, hard, nge, flesh yel-uriety especially rge producer.

days. Fruits 12 by 14 mones, mare, ribbed, deep orange, flesh yel
k ver y popular variety especially a corn beit and a large producer.

Striped Cushaw

Pkt. 10c; ox. 15c; lb. \$1.25

days. Fruits 20 inches long, 10 thru part with a tapering crooked neck gin a bail. Color ligh green with striping intermisted. This is very ar in the Ohio Valley and south, a large yielder.

Cheese Pkt. 10c; oz. 18c; lb. \$1.25 days. Fruits are 6 by 12 inches, ribbed, cream color, flesh departiety.

Sugar or Pie
Byt. 10c; oz. 18c; lb. \$1.25 days. Fruit.

Sugar or Pie
Sugar or Pie
Sugar or Pie
days. Fruits are 8 by 10 inches,
hard smooth, ribbed, thick flesh,
yellow. This is the best all around
y and especially for the home garhere they are wanted for pies.

Hese can be sown the first in the and should be followed every says by other planting so as to fresh, tender roots at all times. The same should be varieties are best y planting but for summer growth ger types are better. The winter s are excellent and should be ever y garden; requiring a cool ever y garden; requiring a cool to the same should be summer for fall that the section of the same summer for fall, that could be summer for fall, that could be summer for fall; thin these ches apart. Pkt. will sow 20 ft. 10 ft.

Glo

Pkt. 10c; ez. 15c; ib. 90c days. Roots 5½ inches long tapering point, is the best for summer grow-and will stand a reasonable long time, and flesh white.

and flesh was a series of the control of the contro

Pkt. 10c; oz. 15c; lb. 80c

SALSIFY or OYSTER PLANT

Salsify is so easily grown and such a
lelicious vegetable that it should be in
very garden. Sow the seed in rows 1½ ft.

typart, very early in the spring, covering
he seed about ½-1 inche deep and when
leedings are 2 in high thin to stand
-15 inches apart. The roots can be used
ate in the fall, stored for winter use or
hey can be left in the ground over the
winter and dug real early in the spring.
Delicious when used in soups, pancakes,
tritters, diced or mashed or fried same as
Parsnips. The flavor is much like that of
oysters. Pkt. will sow 20 feet; oz. 100 ft.
Sandwich Island Mammoth
Pkt. 10c; oz. 46c; lb. \$3.90

120 days. Smooth thick roots 9 inches
ong with shoulder 1-1½ in, diameter, fiesh
white and of the very best quality.

INACH is oline of the very best greens of should be in every gaden. It is also bellent for quick freezing. It grows it in the cool part of the season, earlying or late fall. Sow seed very early, her broadcast or in rows, 18-24 in. art, covering seeds I inch, and thin mits to 5-6 inches apart, Make odditional initings every 10-14 days till June; for lue plant again in August and where winters are mild, sow in the fall with few inches of hay or straw for very ly spring crop. Pkt. plants 25 ft.; oz. ft.

dale Savoy

Pkt. 10c; ex. 15c; lb. 50c
ays. A quick growing hery spianed
nee of the most popular for home and
Glossy green leaves, much crinkled
ery heavy texture. Valuable for
or fall planting.

SQUASH—Summer Varieties
All squash should be planted when danger of frost is over and weather is warm, usually planted in hills 6-8 feet spart each way, leaving 6-5 seedlings per hill. The way, leaving 6-5 seedlings per hill. The term of the winter types, The summer varieties are used when immature, usually when very small and especially the White Bush Scallop. The bush varieties require less space in the garden and can be planted 4 ft. apart. Oz. will plant 50 hills. The winter varieties rekuire a fertile soil and an oz, will plant 30 hills.

Early Summer Crookneck

ant 30 hills.

mer Crookneck
 Fit, 10c; os. 20c; Ib. \$1.45
 Very popular variety, fruits
 ches.

te Bush Scalloped
 Pit, 10c; osr 20c; th. \$1.35
 The white Patty Pan or Cymcreamy white, very good; use
 small.

SQUASH—Summer and Wind Acorn or Table Queen Fit, 10c; oz. 58 days. Also called Tabl dark green skin, 6-7 in, lon diameter. Flesh orange and squash for fall and early w fruits are just right fir indiv

SQUASH—Winter Varieties Blue Banana

Pkt. 10c; og. 20c; lb. \$1.90 ruits 20 in. long by 5 in. in e-gray color; flesh yellowish, grained, excellent quality,

Blue Banana Pkt. 10c; oz. 20c; lb. \$1.90 105 days. Fruits 20 in. long by 5 in. in diameter, slate-gray color; flesh yellowish, thick and fine grained, excellent quality. Blue Hubbard Pkt. 10c; os. 25c; lb. \$1.85 110 days. Fruits are large round and pointed at both ends, hard blue gray shell and excellent winter keeper and of the very best quality. Pkt. 10c; os. 25c; lb. \$2.10 102 days. Fruits 11 x 8 inches, top-shaped, skin orange, flesh orange and thick; best quality.

102 days.

ed, skin orange, flesh orange
best quality.

Green Wartted Hubbard
Pkt. 10c; oz. 25c; lb. \$1.85

110 days. Fruits 13 x 9 inches, pointed
at each end, dark green shell, flesh orange
and the very best of keepers.

and the very best of keepers.

TOMATOES—Red Fruited
Tomatoes can be started in the hot-bed
or indoors in shallow box, allowing 6-8
weeks to produce plants for setting out,
which should be early in June, after danger from frost is pase. Transplant the
seedlings when they are 2 inches high,
spacing them 2 inches in flat or they can
be potted into 3 inch pots. In the com
belt seed can be planted in cold frames or
directly in the out-door seed bed as early
sa April. Pkt, will produce 200 plants; oz.
2000. Maturity days given are field set
plants to first ripe fruits; add 6-8 weeks
from seed.

Pkt. 10c; oz. 85c; lb.
80. days. Known also as Crimson (
ion, the largest red fruited tomato, so
red skin, sub-acid flavor, and a fav
with home gardeners.

Bonny Best

Bonny Best Pkt. 10c; ez. 80c; lb. \$5.20

66 days. Most popular second early sort for both home gardening for for market and canning; fruits scrilet, flattened globe shape, and a fine northern section variety.

Chalks Early Sevett 10c; ez. 80c; lb. \$6.00

56 days. Open spreading plant, fruits flattened, medium size, red and the first early general purpose tomato.

Earlians

Pkt. 10e; oz. 50e; lb. \$5.50
76 days. Vigirous, heavy foliage, resistant to blight, fruit red, medium large, semi-globe shaped, solid, the most widely used main crop tomato.

Marglobe

Margiobe
Pict. 10c; oz. 60c; lb. 5.50
Si days. A favorite late main crop tomato; fruits deep fiattened, welghing 6-7
oz. It is an old favorite for the home garden and for canning, yielding large crops.
New Stone

Pkt. 10c; oz. 65c; lb. \$5.70 76 days. Scarlet Topper. Self topping, re-sistant to fusarium and nail head; fruits red with thick walls, semi-globe. Popular.

Rutgers

Pkt. 10c; oz. 55c; lb. \$4.70

86 days. Plant large with thick stems;
fruits red, globe shaped, excellent for canning; fruits ripen from the interior outwards

Pkt. 10c; oz. \$1.00; H. \$10.00 90 days. Fruit heart-shaped, thick flesh, meaty, pink color and with few seeds; fa-vorite for table use.

TOMATOES—Yellow, Orange

Jublice
Pkt. 10c; oz. 90c; lb. \$8.00
90 days. Deep orange flesh, thick and
mid non-acid flavor. It is a very excellent
variety.
Golden Oxheart
Pkt. 10c; oz. 90c; lb. \$12.00
88 days. Fruits egg-shaped, orange in
color, thick flesh and of the very best
quality. This is high in vitamin C.

TOMATOES-Small Fruited

Yellow Plum

Pkt. 10c; az. 75c; lb. \$6.50

70 days, Plants dwarf but with an enormous amount of fruits about 1½ inches through; used in preserves.

through; used in preserves.

TURNIPS

Turnips are very easily grown, especially when most of their growth is made in the cool part of the fail, frost even improving their flavor, Sow the Milan and ollings types in the spring as soon as the soil is in snape in rows 12-15 inches apart, thinning seedings to 3-6 inches apart and make succession plantlings every two weeks. For the fall and winter crop, sow in rows or broadcast, 3 months before your first hard frost. The follage type, mainly Sever Tops, makes excellent turnip greens and is widely used. Pat, will plant about 50 ft. Curple Top Stran Leaf

oz. 250 tt.
Purple Top Strap Leat
46 days. White files, tops medium small,
upright, roots flat with purple top and
white below; most popular flat purple

46 days. White fluss, tops medium small, utrigist, roots flat with purple top and white below; most popular flat purple top turnip.

Purple Top White Chibe

Fig. 10c; oz. 15c; lb. 80c

57 days. This is the most popular turnip and probably planted 90% of the time.

Fiean white, tops dark green; roots globe-chaped purple at top and white below. The best fall and winter variety.

Pkt. 10e; or. 20e; lb. 60e variety grown especially for its greens. Grown mainly in the outs not usable.

Water melons rost is over, a ng time. Plant ATTELEMENTON
With the planted after
With the property and the intra-than corn planttone. I all the intra-than corn planttone. I all the intra-than corn planttone in the planted in a state of the ways, or thew can
planted in 8 ft. rows making the hills
little closer. Cover seeds 14 inch and aftr the seedings are well started thin to
3 per hill, Rich, rather sandy soil is
te ideal Watermeion patch. Pit. v. Il plant
hills; oc. 30 hills; 2 lbs. per acre. First
gure in size is length, 2nd, distance
rough.

Ole's Early
Pkt. 10c; oz. 20c; lb. \$1.35

50 days. Also colled Harris Early. 10

ches long by 8½ through, ficsh red,
seds black and a top rate home garden
ariety, especially for North.

Dixle Queen
Pkt. 10c; oz. 25c; ib. \$2.25
86 days. 15 by 12½ inches, skin light
green alternately striped with dark geen,
thin rind, tough, flesh dark pink with a
few white seeds; good shipper.

Pice. 10e; oz. 25c; ib. \$2.25 85 days. Also called Russian Red, Kan-

Good Plants Come



From Good Seed

sas Queen, 15 by 13 inches, dark green with alternate stripes of lighter shade, flesh red with brown seeds. A favorite in the South. Fruits average 30-35 lbs. each.

Georgia Rattlesnako
Pit. 10e; oz. 20e; lb. \$1.35
92 days. 21 x 9 inches, light green with
dark stripes, flesh pink, seed white. A favorite market meion for southern growing;
fine shipper.
Ice Box
Pke. 10e: oz. 25e; lb. \$2.25

Pke. 10e; or. 25e; lb. \$2.25
78 days. Nearly round fruits 6 inchesthrough, dark skin with faint stripings with very thin rind and they ripen very quickly. Flesh is especially sweet, seeds black. They are especially valuable in the small garden and for use where they can be placed in the refrigerator similar to Muskmeions. Tryt hem, they are all right.

right.

Irish Gray

Pkt. 10c; oz. 20c; lb. \$1.45

90 days. 22 x 11 inches, skin tough, light gray-green, flesh dark pink, seeds white. A favorite for southern growing.

Imp. Kieckley Sweet

Pkt. 10c; oz. 20c; lb. \$1.45

88 days. Also known as Wondermelon.

24 x 12 inches, weighing as much as 40 lbs. Skin attractive bluish green, flesh dark red, seeds white with some brown. It is tops for the home garden as well as for the market.

Klondike No. 7 B. S.

Pkt. 10c; oz. 20c; lb. \$1.60

90 days. 14 x 10 inches, dark skin, flesh thisk, blood red, seeds small and black. A resistant strain.

Pecriese or Ice Cream

Pkt. 10c; oz. 15c; lb. \$1.45

85 days. A very early medium sized melon, short oblong form. Rind light green, thin, mottled and finely veined with darker shade, flesh bright scarlet and very sweet; sceds white. One of the best varieties for the North.

Stone Mountain

Pkt. 10c; oz. 20c; lb. \$1.45

the North, Stone Mountain Pkt. 10c; oz. 20c; lb. \$1.45
88 days. 17 x 14 inches, darkg reen skin, flesh bright crimson, seeds white tipped with black. Very prollife and one of the best shipping varieties.

Tom Watson Pkt. 10c; oz. 20c; lb. \$1.45.

Pit. 10c; ex. 20c; lb. \$1.45

92 days. 22 x 12 inches, rind is green, tough, seed brown with some moting; grows to a care large size; flesh red and of good quality and is one of the best shipping varieties.

Fordmook

Pordhook

Pkt. 10c; oz. 30c; lb. \$2.10

95 days. Orange flesh, large oval fruits
veighing 4-5 lbs. each; flesh is thick and
weet; excellent home garden variety.
Where Oz. prices are 50c or more, ½ oz.
t same rate; where \$1.00 or more ½ and
½ oz. at same rate.

% ox, at same rate.

SWEET CORN
Sweet corn for green ears can be planted as soon as the soil is warm and frost danger is passed and succession plantings can follow evergent and succession plantings can follow evergent in the sound of the second planting and planting the second planted at the same time for a funceession of green ears. Try to plant in blocks of 4.5 rows, rather than in one long row so as to better the pollination and thus have well filled ears. Fitt. will plant 200 hills; 8-10 lbs. per acre.

hills; 8-10 lbs. per acre.

Country Gentieman
Pkt. 25c; lb. 45c; 5 lbs. \$2.00
Pkt. 25c; lb. 45c; bbs. \$2.00
Pkt. 25c; lb. 45c; lb. 45c; bbs. \$2.00
Pkt. 25c; lb. 45c; bbs. 25c; lb. 45c; bbs. \$2.00
Pkt. 25c; lb. 45c; lb.

quanty Our opinion is that it is a better Swect Corn than any of the hybrids. Stowell's Evergreen

Pit, 25c; ib, 45c; 5 lbs. \$2.00

95 days. The most popular late white Sweet Corn, both for canning and for the home garden; ears 7½-8 inches long, 16-20 rows of deep, meatly kernels of the very best quality; 7-8 ft. tall; used very much for canning.

Adams Early Pkt. 25c; lb. 40c; 5 lb. 75 days. White dent roarting cormainly south of the Ohio Rivehroughout the South. Hardy ears ong, 12-14 rows, stalk 6½ ft. ta

Trucker's Favorite

Pkt. 26c; lb. 40c; 5 lbs. \$1.85

75 days. Not a sugar corn but a white roasting ear type, very much planted in the South. Ears 9-10 in, long, seed white and dented, stalk 7-8 ft. tall.

Hickory King R. 28c; 1b. 35c; 5 lbs. 100 days, This ls strictly a sourcasting ear corn, late large yielder, very large but 8-rowed. It is very sively planted in the South.

The hybrid corns have a great many claims and are very popular all over the country; they seem to be more uniform, ripen more evenly and yield good. We believe, though, that the regular varieties in most cases would be equally as good it as much attention was paid to their selection and growing.

Golden Cross Bantam
Pkt. 25c; ib. 75c; 5 lbs. \$3.33
85 days. Most widely used of the hybrids, for canning, market, freezing or home garden. Ears 7½-8½ in. long. 10-14 rows, gtalk 6-7 ft. tall. Extra good quality.

GARDEN PEAS
There is one important point in growing peas and that is they should be planted as early in the spring as possible. The wrinkle-varieties are usually grown, but for the very carliest planting when danger of freezing may be had, the smooth seed varieties will stand better, where the wrinkled sorts will rot in the ground. The packets offered hold about a half pound.

Early Alaska

Pkt, 25c; lb. 40c; 5 lbs. \$1.90

55 days. The most popular earliest smooth seeded pea; of special value where summers are short. It is excellent for canning or for the early market. Grows 2½ ft. tall, and ripens very evenly. Pods are 2¾ in, long, medium light green.

2% in. long, meaning green.

Little Marvel

\$\frac{1}{83}\$ days. The outstanding early dwarf
pea; grows 1½ ft. tall, pods 3 in. long
with 7-8 peas; is the most popular for
home, market and for freezing, being the
most important winter and spring shipping
pea in the South.

pea in the South.

Improved Gradus
Pkt. 28c; lb. 45c; 5 lbs. \$2.20
88 days. A tender sweet variety with
large pods, 4 in. long filled with 8-10 peas,
grows 3 ft. tall.

Alderman or Telephone
Pkt. 25c; lb. 45c; 5 lbs. \$2.20
74 days. This is the best variety of the
tall growing peas or pole peas. Vine grows
4½-6 ft., requiring support; pods 4½-5
in, filled with 8-10 extra large peas, very
productive and over a long season. We
would especially recommend this variety
where a small space only can be had for
peas.

Dwarf Gray Suvar or Felicle 7.2.

where a small space only can be bear.

Dwarf Gray Sugar or Edible Ped
Pkt. 25c; lb. 45c; 5 lbs. 82
65 days. Pods are cooked like snap be
when young, being stringless, brittle is
succulent; if passed at this stage, t
can be shelled same as the regular p
This variety is the earliest and most po
lar. Pods 2½-3 in., plant grows 2-2½
very prolific.

Dwarf Telephone
Pkt. 25c; lb. 50c; 5 lbs. 8:
76 days. Also called Dalsy. Plant gr
2 ft, tall, pods 4½ in, long, medium 1
green. A stocky grower.

Laxton Progress

16 days. Also cancer days. Plain grows 2 ft. tail, pods 4½ in, long, medium light green. A stocky grower.

Laxton Progress

Pkt. 25c; lb. 45c; 5 lbs. \$2.00
62 days. Also called Laxtonian and Hundredfold. Has the largest pods, 4½ in. long filled with 7-9 large dark green peas; vine grows 1½ ft. tail. This is a very high quality variety and fine for home or market as well as freezing.

Fremium or Little gem

Fkt. 25c; lb. 50c; 5 lbs. \$2.00
64 days. Grows 22 in. tail, pods 2½ in. long containing 6-7 peas of best quality. This has long been a popular variety for the home garden, it being early and of light quality and dwarf growing.

Thomas Laxton. Pkt. 25c; lb. 50c; 5 lbs. \$2.00

high quality and dwarf growing.

Thomas Laxton
Pkt. 25c; lb. 50c; 5 lbs. \$2.00
65 days. Always a heavy cropped and out-yielding many varieties; grows 2½ ft. tall, pods 3 in. long filled with 6-8 large tender peas of the best quality. A very popular variety.

GET EVERY ISSUE 12 ISSUES \$1.00

Podophyllum Emodi

Plant hunters, especially Kingdon Ward, led by the lure of strange and beautiful plant forms, have found the Himalayas an exciting hunting ground. Through

have found the Himalayas an exciting hunting ground. Through their eforts our gardens have been enriched and made spicy.

Transported over precipitous mountain trails, their slopes sparkling with the jewels of unkown Rhododendron blossoms, a cross turbulent torrents swollen by melting snow from lofty peaks, the yak and pony caravans of these men have brought to America and England treasure, bundles of roots and

and pony caravans of these menhave brought to America and England treasure, bundles of roots and seeds. For their multiplication and release to our gardens, we are thankful.

One plant to travel this route is Podophyllum emodi, exotic Himalayan mandrake, cousin of our native Podophyllum peltatum. Hardy in Vermont, virtuall yunkown in this country, it is a woodland plant of perfection in plant form, spring flower, and autumn fruit. Grown in rich moist woodland soil, half shade to shade, in early spring its interesting bronzy red emfolded umbrellas push up on fifteen inch tems, then open with the sheen of a newly shed Python. Through a slit in the palmate leaf the solitary upfacing flower opens, a white, pink flushed cup with golden stamens.

The standard cup with goiden starmens.

It is autumn, in fruit, however, that it really treats the eye. To suddenly come upon a colony of the bronzy umbrellas sheltering the amazing glowing crimson fruit, in size and shape of a goose-egg, will halt a gardener in his tracks with a gasp of disbelief.

Grown to front for the skinny shins of the gracefully arching Polygonatum comutum, as a contrast and color spot before a massed planting of Pteretis nodulosa, or

ed planting of Pteretis nodulosa, or to cluster under Rhododendron and Pieris japonica, it is spectacular.

Fresh seed, planted in autumn to freeze, germinate surely, but slow-ly. o not disturb the flats, as six months or more may find seedlings pushing above the surface. Take a tip from our Podophyllum palta-tum, let the plants colonize helter kelter.

Note that the form of the state lama.

GET EVERY ISSUE 12 ISSUES \$1.00

Primula Kewensis

Primula kewensis is a hybrid that originated at the Royal Bo-tanic Gardens, Kew, England, over fifty years ago, and that, unlike most hybrids, freely produces fer-tile seed which breeds true. It developes basal rosettes of glossy, wavy-edged leaves, and flowers in winter. The yellow flowers are nearly an inch across, borne in one or two whorls on foot-high stems.

nearly an inch across, borne in one or two whorls on foot-high stems. This plant is usually regarded as requiring cool greenhouse treatment, but it can be grown with ease by anyone who has a sunny basement window where the temperature will remain above freezing. Seed should be sown in early spring (freezing will not hurt the seeds) in rich loam. When the seedlings have two or three small true leaves they may be potted up singly in very small pots, or spaced about an inch apart in flats. As the plants increase in size, they should be shifted to larger pots; a 4" one should be large enough for the plant at flowering time.

During the summer the young plants should be kept outside in light shade, and of course kept well watered; when frost threatens they may be moved into the basement window, where they will keep growing and will come into flower in late winter.

Double Pouched Calceolaria

Most Amazing Novelity

Calceolarias For Twelve Hardy Gardens

The seed of mixed species of Calceolaria received from Columbia is, of course, a grab bag, but one that will contain delightful surprises. Gardeners familiar with the incredible developments of the one that will contain delightful suprises. Gardeners familiar with the incredible developments of the florist type of Calceolaria, but who have never seen the wild plants at home, will be totally unprepared for the amazing variety of form and habit exhibited by this genus. There are types with basal rosettes like a plantain, over which are borne branching sprays of large or small pouchflowers in yellow, pink, or blackish purple, there are little creeping shrubs that cling to cliffs, and that, out of flower look almost exactly like Dryas; there are shrubby types, looking like a heath, decorated with a profusion of tiny pouches. Any, or all of these, may come from a single macket. Any, or all of these, may come from a single packet.

from a single packet.

Calceolarias vary as much in choice of soil and position as in habit of growth. The usual culture is in a cool peaty soil, with plenty of moisture. But there are many species which grow in nearly desert regions, for all the world like sage-brush on our western plains. These sorts will like dry soil, at least most of the year, and all the sun one can give them. It will probably be best to start the seeds in the usual fashion, in soil containing peat or leaf-mold, kapt containing peat or leaf-mold, kept rather cool; then as soon as the young plants develop, segregate at least part of them according to their looks. Those which are de-of sun. While most species re-

Length

4 inch 5 inch 6 inch

Issues

So many of our readers have sent in their dollar for the catawill hold our circulation the same dropping non-interested names for the new ones coming in each day, therefore if you find a letter "X" on your front page, please consider it as an expiration notice, this being the last copy.

veloping a basal rosette probably do best in a cool rich soil, in light shade, while the shrubby types will like a lighter soil, more sun and less water.

Price WS per Carton 1000

Directions For Using The Ferto Pot

FERTO-POTS may be plunged into the soil of greenhouse benches or hot beds or prepared in wooden or not been or prepared in wooden flats, or in clay pots. Seeds, bulbs, or seedling plants may then be started in the pots and, later, transplanted to open ground, FERTO-POT and all. This method

transplanted to open ground, FERTO-POT and all. This method gives quicker, better results with no wilt, no setback, to the plants in transplanting. Use a good friable potting soil such as is suitable for plants grown in clay pots. HOW TO PREPARE YOUR FLATS. First, place ½ inch of soil in bottom of the flat, then set in the FFERTO-POTS as closely as possoble, then fill in the pots and in between the pots, being sure to have the soil come up well over the pots as well as solidly in between and firm it well. FERTO-POTS are kiln dry and will take up twice theirweight in water. Therefore, soak them thorough after they are placed in the flats and again, daily, for several days; thereafter water as required. Flats may thus be prepared in advance of planting, watered well, and stacked for use as needed.

QUICK METHOD FOR LARG-ER INSERS A guicker way to fill

pared in advance or paramag, tered well, and stacked for use as needed.

QUICK METHOD FOR LARGER USERS. A quicker way to fill up flats that will appeal to large users is as follows: First, construct a frame just like a flat without bottom, being sure to have the inside surface perfectly smooth and make it about ¼ inch smaller, both width and length, than your regular flats. Now lay this form on a loose board and put in the FERTO-POTS bottom side up. This will make it much quicker and easier to fill in between the pots with soil which should be firmed well. Then take a regular flat and put it on top in an upside down position and turn the whole outfit over quickly so that pots and soil will drop out of the frame and into position in the flat. Fill the potswith water and let it soak away and then fill with soil for planting. After planting put a little more soil in to completely cover tops of pots.

YOU CAN USE CLAY POTS INSTEAD OF FLATS by putting either a No. 2½ or No. 3 in a 3-in. clay pot or a No. 3 in a 4-in. pot. Then soak well and proceed with planting. In transplanting simply life the FERTO-POT out of the

planting. In transplanting simply life the FERTO-POT out of the clay pot and put into the ground.

clay pot and put into the ground. PLANTING ROSES, SHRUBS, ETC. Break up 1 to 4 FERTO-POTS (according to size of plant) and mix the pieces into the soil underneath the roots of the plant. TULIPS, GLADIOLI AND OTHER BULBS. First, pot the bulbs up individually in FERTO-POTS after which pots and all go into the ground. Be sure to make the planting holes deen enough so into the ground. Be sure to make the planting holes deep enough so that tops of bulbs are proper distance underground, (4 to 6 in. for tulips and gladioli.) Set in the potted bulbs and fill the holes a couple of times with water and let it soak away. Then fill the holes and firm down the soil.

LIQUID PLANT FOOD. A quick easy way to make it for your house plants is to soak up a FERTO-POT in some water, dilute to the color of weak tea, and apply as needed.

FERTO-POTS have taken the

FERTO-POTS have taken the garden world by storm. Millions

GET EVERY ISSUE 12 ISSUES \$1.00

We have before us a most amazing novelty inasmuch as no Calceo-laria variety showed a double bloom like that one up to now, but just a little "rooflet" to pro-tect the pistil and the stamens as represented by the blossoms in the lower row of the drawing. In of tigered designers with the old blotched Calceolaries which re-sulted in a real innovation in 1946, soluted in a real innovation in 1946, the upper pouch equalling in many cases the size of the lower floret and even surpassing the latter. So the new flower makes the impression of a Pansy with aureola along the rim of the upper pouch and its big blotches on the lower one. This new feature is increased by a brilliant display of fascinating colors, red and yellow prevailing. There are also other odd markings that will attract greatest attention. The crop 1947 is to be had in spotted and blotched varieties mixed, whereas they will be grown separately for the crop 1949. The name is protected by patent, so the seed reproduction is not permitted. Cultural directions: Sow Calceo-

patent, so the seed reproduction is not permitted.

Cultural directions: Sow Calceolarias from July until September in seed-pans. The seeds being very fine, it is recommendable to sow very thinly and to mix the seek with fine sand and not to cover the seed after sowing. Keep the seed-pan moist and warm and put a glass-pane over it. After sprouting, prick off and plant in small pots, later. Shift once again, in the fall and overwinter them free from frost. In early spring plant in larger pots. Calceolarias prefer an airy and shady stand for blooming freely, if possible in the open, protected from rain and too much sun. They will bloom in May-June. You can have them also in a well aerated greenhouse or conservatory.

If sown early in spring, say in

If sown early in spring, say in February-March, you can bring them to bloom in an airy green-house during the fall but do not afford too much sunlight and keep them cool over summer.

The above article was written in Germany, thus the phrasing in a few cases. This Pansy Type Calceolaria is offered only by us, so far as we are aware, and it is a find for the florist. We have only limited amount of seed this

Rockbreaker

The Saxifrages are an indispensable part of every British rock garden, and rightly so, for their varied rosettes in green or grey, and delightful flowers, make them among the choicest of all rock plants. They have never become popular in this country, being all too often regarded as difficult, or even ungrowable. Such is far from the truth, at least for the northern states; the difficulty probably states; the difficulty probably comes from trying to handle them as the English do, in too sunny and dry exposures. Saxifrages are very shallow-rooted, and extremely sensitive (in spite of their hard and enduring appearance) to heat and drought. Grow them in light shade and see that they never dry out, and the prblem is solved, at least

and see that they never dry out, and the prblem is solved, at least for most species.

The easiest from seed, germinating quickly and forming flowering plants in a single season, are the "Mossies". These make domes of rather open rosettes of much-slashed green leaves, over which on stems of 4 in to 12, are a profusion of cup-shaped flowers over half an inch across in late spring, varying in color from white through pink to fairly deep reds. I must confess to having had no luck at all with named varieties I have purchased, which either die promptly or sulk forever, but from seeds there has been no trouble at all, and from a single packet the gar there has been no trouble at all, even and from a single packet the garmore den is populated with a wealth of delightful and varied plants. These may not be as good as the named varieties in some respects, but they are an endless source of pleasure.

Helleborus Or Christmas Rose

Fine as are all of the forms of. Helleborus, or Christmas Rose, all, I believe, must yield pride of place to H. niger St. Brigid. This variety was found many years ago in the gardens of an ancient castle in County Cork. St. Brigid has immense pure white flowers of exquisite shape, and there are invariably two of them ideally placed on a long, stout stem. It is a superb variety.

Three years ago some seed were sown which had been saved from St. Brigid, and as they were put in as soon as they were ripe, they germinated quickly. If seed is kept for any length of time it will dormant for a year before it germinates.

mant for a year before it germinates.

The seedlings raised from that seed flowered this year and all of them are good; some have flowers richly suffused with rose, and others are immaculate in their purity. I have one plant amongst them whose flowers are wholly pink or soft rose, and I look forward to seeing this flower again after the plant has gained a little more strength through age. The flowers are wonderful for such a young plant and many of them had two on a stem and several had six petals instead of the usual five. The beautifully formed blossoms are very lovely, and in the centre of each there is a green ring which, along with the boss of golden stamens, intensifies the purity of the flower.

Many crosses have been made between H. niger and H. orientalis, and the fine varieties known as the Lenten roses are the result, but for some reason little crossing has been done between the varieties of the Christmas rose.

The true Christmas rose, the forms of H. niger, last well when cut and put in water; in fact, few flowers can vie with them in this respect. The flowers will last for as long as a month in perfect and unsullied purity, and they then gradually assume a green tint. They may last for six weeks before showing signs of fading.

Christmas roses love a position in semi-shade, and will amply reverse with the state of the christmas roses love a position in semi-shade, and will amply reverse with the state of the christmas roses love a position in semi-shade, and will amply reverse with the christmas roses love a position in semi-shade, and will amply reverse will be a proper like the christmas roses love a position in semi-shade, and will amply reverse will be a proper like the christmas roses.

Christmas roses love a position in semi-shade, and will amply repay liberal treatment in the way of manure. After planting, all they ask for is to be left alone for a year or two.

The Mossies seem to like a fairly rich soil such as suits many Primu-las, and a fair amount of shade, though an occasional seedling will

though an occasional seedling will prosper in sun.

The Encrusted types requires a gritty soil and fairly sharp drainage, but the esentials are light shade and moisture. These make compact rosetes of grey leaves—green-grey, blue-grey, or just plain grey—with a beading of silver along the edge of each leaf. This beading is made up of tiny pite containing lime, from which it would at once be deduced that the plants require lime, but such is not the case, though most will be somewhat happier in a lime soil. In size the rosettes vary from ¼ in, to 6 in, aeroes, and quickly spread into fairly broad mats or humped domes. The leaves may be very narrow or fairly wide, straight or spoonshaped. The flowers are plentiful on stems of 2 to 12 in, pure white, white with red dots, pink or rarely yellow. This group hybridizes very freely and a parket will give quite a variety of types, regardless of the seed parent.

The Kabschias are the choicest

ent,

The Kabschias are the choicest of this huge family, making very tiny rosetes of leaves quite varied in shape, and bearing one or more flowers on almost negligible stems. In many varieties the individual flowers are larger than the rosettes that produce them! The color range is extensive, from pure white through yellows and soft pinks to reds and purples. This group prospers under the same conditions as the encrusted group, but being so much smaller and even more shallow-rooted, needs more careful attention.

There are many other types of Saxifrage, extremely varied in appearance, but the ones mentioned above complete th choicest and best. The Kabschias are the choicest

4 inch 1000 3 lbs. 50c \$3.41 UEL 5 inch 1000 3 lbs. 55c \$3.59 TCS 6 inch 1000 4½ lbs. 55c \$3.59 TCS 10 inch 500 2¾ lbs. 60c \$3.92 TLS 70c \$3.03 LTS \$PECIAL GARDEN STAKES — %" wide, painted white, all prices prepaid. 8 inch 250 2¾ lbs. \$1.10 \$2.28 WWS 10 inch 250 3¾ lbs. \$1.25 \$2.66 EES SPECIAL GARDEN LABELS — 1½" wide, painted white, prepaid. 12 inch 100 2¼ lbs. \$1.25 \$2.66 EES SPECIAL GARDEN LABELS — 1½" wide, painted white, prepaid. 12 inch 100 2¼ lbs. \$1.25 \$2.66 EES SPECIAL GARDEN LABELS — painted white, %" wide, prepaid. 12 inch 100 3¼ lbs. 50c \$1.75 CFSS COPPER WIRED TREE LABELS — painted white, %" wide, prepaid. 3½ inch 1000 3¾ lbs. 50c \$4.08 TOS Wholesale prices are for full cartons, none broken, and prices are NOT PREPAID; if wanted by parcel post add postage. On retail orders where above items are included in a "Not Prepaid" shipment, postage will be allowed.

Garden Supplies

Pot Stakes

 5%" wide. Prices prepaid, painted white.

 No to
 Wt. per
 Price

 Carton
 100
 1

 1000
 3
 1bs.
 50c

 1000
 3% lbs.
 55c

 1000
 4½ lbs.
 60c

 500
 2% lbs.
 70c

Sphagnum Moss

Milled Horticultural Grade Sphagnum is a high grade finely milled moss ideal for germinating seed; this comes in 5 lb. bags and every gardener should have a supply on hand. Each bag contains about 2½ bushels. Postpaid, per bag, \$1.75. Regular sphagnum in bales, per bale, \$1.75 by express only, not prepaid.

Vermiculite

Of special use for seed beds, for cuttings and in potting soil. All retail prices are post paid, postage will be allowed where shipped in collect shipments; wholesale prices are NOT prepaid.

4 qt. packages, 4 lb. 48c

12 pkgs. to Paper Carton, T.US

2 bushel package, 3 lbs. 93c

6 pkgs. to Paper Carton, T.FE

2 bushel package, 12 lbs. each C.FT \$2.30

Write for special folder on uses.

Perfect Garden Labels

Markings made with an ordinary lead pencil will last for years. It also can be changed by a stiff pencil eraser. They are a dull green color, do not spail the garden picture; are heavier than water and thus will not float away as wooden labels do, in the spring if you happen to have some high water for a short spell. In seed orders, we will be pleased to include even single labels, but where ordered alone in small quantities, please add 10c extra postage. Otherwise the prices are postpaid. Bordar Labels: length 5 in., width marking space, 2 in.—Doz. \$1.25. Show Garden Labels: length 7 in., marking space, 2½ in.—Doz. \$1.50. Tie-On Labels, with copper wire, for shrubs, trees, etc., 3½ in. long, ¼ in. wide, 5c each, Doz. 50c; 100, \$3.60.

Plant Flats

Made of Southern Pine, 18" long, 11" wide, 3" deep, not nailed up. Approximate weight per flat, 4 lbs. In bundles of 25 at 23c each, FOB Lansing, Mich. Less than 25 at 25c each.

Ferto - Pots

Organic pots which can be set in ground with plants, retains moisture, adds humus and manure to the soil. 12 pots to a box. No 2 size, 50c per box; No. 3, 75c per box; not prepaid.

Each bag contains about 2½ bushels. Pestpaid. per bag, \$2.25.

Rudbeckias

There are three common native species of an outspoken yellow, species of an outspoten yenow, similar in hue. They thrive naturally in the drier and poorer soils but reward you with a more golden abundance where the soil is heavier and richer.

ally in the drier and poorer soils but reward you with a more golden abundance where the soil is heavier and richer.

Golden Glow is the one that has been the most widely distributed. It makes a glowing spot in the officape but needs the support of low shrubs to hide its long legs. The foliage becomes heavily coated with mildew under the same conditions of weather when its parent, R. laciniata, nearby will not be mildewed at all. This is a point in favor of the latter, to whichmay be added a second one, that of more decorative value and individual beauty.

Black-eyed Susan is remarkably constant in the fixity of its species.

Is the cone flower R. purpurea, whose prominent blossems with drooping, purple rays quickly commands your attention. It's deep root guarantees a food supply when many other plants have withered from the August heat and dryness.

—Arthur G. Eldridge

ACACIA SEED

Seed of Acacia keeps for years and are most durable even in some species it has shown some viability after 68 years.

The seed has a hard coat and can be scarified, treated with hot water or soaked in sulfuric acid.

Try planting the seed in wood ashes, with some dirt.

In millions of flowers observed, there was no variation. In a field with several acres of blossoms, there was but one having partly maroon rays. Maroon variations are now available in the trade.

A vigorous member of the tribe is the cone flower R. purpurea, whose prominent blossems with drooping purple rays quickly com-

Birds and Flowers

In the recent issue of the Sair ing the largest seedlings, leaving Catalog of Rare and Popular Flow-er Seeds, I note with a great deal of interest, the article entitled Delphinium Suggestions.

Here is the remedy: Get the smallest mesh chicken wire, fold in the center to form an arched

tent, and place it over the row. This will not interfere with sun, air and watering and is high enough to allow plenty of room for growth.

Mrs. Harold M. Gould

FRANKLINIA

(Continued from Page 1)

mass of glowing orange stamens. The spicy, exotic fragrance is of the East, characteristic of the Thea the East, characteristic of the Inea family, to which Franklinia is related. From mid-August until frost the procession of flowers continues with the added color of crimson and gold leaves heralding Jack Frost's approach. Pick one with a leaf or two, occasionally, and float in a graph governable with for indoor. in a small crystal bowl, for indoor

delight.

In 1942, one tree sickened, dropped its foliage, and forced pruning destroyed the symetry. Blossoming was scant and foliage showed decided dissatisfaction with its diet and location. A stiff feeding of cotton seed meal, and light weekly applications of Vigoro in solution, appeared to keep the planting alive, but vigor and health did not return; no appreciable growth was made. 1943 failed to produce a single flower on either tree. A change of location appeared to be the only means of saving both

trees.
Early in 1944, the results of ex periments carried out by Dr. Frederick V. Colville, on rooted Franklinia cuttings came to my attention. The experiments were simple and conclusive: A number of cut-tings similar in growth and ap-pearance were selected. One half were planted in ordinary garden soil, the other half in strongly acid soil, the other half in strongly acid soil. The cuttings in acid soil grew, maintained vigorous leaf tone; for the ones in neutral soil, growth ceased and they began dropping foliage. Here was the answer to the problem, symptoms corresponded to my experience. To further prove the definite need for acid, part of the sick cuttings were potted in acid soil and immediately put out foliage and made new growth. growth.

Determined to test the proof of Dr. Colville's experiment, it was decided not to move the two trees, but to try a diet of Aluminum Sulphate and Vigoro on alternate week ends, beginning in early spring of 1944. The immediate ef-fect was startling! Both trees responded with vigor, deep green fo-liage, new growth, and an abun-dance of bloom which lasted until frost.

frost.

Little or no pruning is necessary but remember blossoms are formed on the season's new growth. Early spring is best for this work. Fine spring is best for this work, Fine feeding roots grow at the surface, take care in cultivating. Because of this surface mat of roots, a mulch of straw or leaves in autumn, and of humus and peat in spring is beneicial.

—D. Todd Gresham

Raising Holly

it will germinate in one to three years. Due to its hard seed coat and dormant embryo, germination is usually slow and difficult. None of the mechanical methods to has-

of the mechanical methods to hasten germination seems to be effective here.

Probably the best treatment is to sow seed in the fall, mulching it well during the winter. In the spring, if enough seedlings have responded, they may be transferred to permanent location, and the bed abandoned. However, if few orn os seeds have germinated, leave the bed, mulching it well again the second winter, and if necessary, the third, when the seed should have shown results of care.

With Ilex opaca, it is best to stratify the seed first for one month at 75 degrees before sow-

Like delicate butterflies poised for flight are the blossoms of the hardy cyclamen, as they brighten the garden in the dull days of late summer and fall. Dainty and small in leaf and flower, they lack the

Hardy Cyclamen

By C.R. Worth

summer and fall. Dainty and small in leaf and flower, they lack the obese glory of their greenhouse relatives, and are happily at home in the cooler spots of the rock garden and in light woodland.

There is a number of species scattered around the Mediterranean region, from the Swiss Alps to Asia Minor and the Caucasus. Some flower in fall, others in winter and early spring, and most are hard to come by. Not all are hardy in northern gardens, but the two lovliest are both hardy and reasonably obtainable.

Cyclamen europaeum has slight-

reasonably obtainable.

Cyclamen europaeum has slightly marbled leaves almost exactly like those of the greenhouse varieties on a smaller scale. On stems of at most four inches, flowers of bright crimson, inch-long, hover from August until late in the fall. Cyclamen neapolitanum has jag-

Cyclamen neapolitanum has jagged ivy-like leaves, beautifully marbled, which appear with the flowers and vanish in late winter or early spring. Its flowers are of clear rose pink or rarely an exquisite white; in size of bloom and in height they match C. eropaeum. Less frequently available is C. coum, a tiny plant with much smaller flowers of intense magenta in very late winter or earliest spring. Its hardiness is questionable, but it, or a plant close to it,

m very rate winter or earliest spring. Its hardiness is questionable, but it, or a plant close to it, lived for some years in the open in central New York. C. repandum has never survived to flowering in my alpine house, and other names which may be met are of even less reliably hardy species; all of these should, however, be completely hardy south of Philadelphia. phia.
Seeds of the hardy cyclamen all

Seeds of the hardy cyclamen all too often cause disappointment by failing to germinate, yet all that is necessary to secure a good stand is to soak the seeds in luke-warm water for 4 hours before sowing. They should be planted in pots containing an inch of drainage terial at the bottom, and filled with a mixture of equal parts loam, sand and either leafmold or peat; a quarter inch of covering is ample. The pot should be covered with glass or building paper to preserve moisture, and set in a cool place; freezing is unnecessary, but does not seem to be harmful, In two to three months, after a tiny translunot seem to be harmful, In two to three months, after a tiny translu-cent brown corm has been formed, a single true leaf will appear. Now the pot should be uncovered and set in a lightly shaded position, and the young plants should be kept growing as long as possible the first season. Eventually the cormlets will go dormant, and will remain in that condition until the cormlets will go dormant, and will remain in that condition until the next summer; during dormaney, they must never be allowed to dry out. It is probably best not to remove them from the seed-pot until the little corms are at least ½ inch across, when they are ready to be put in their permanent positions. They will flower in two to three years, depending on the amount of development made the first season.

amount of development made the first season.

Cyclamen prefer soil rich in leafmold and lime, as well as some shade. Here they are grown at the base of the rock garden, on the north side of rocks. In England, they are often planted under trees and in shrubbery, where the corms eventually grow to immense size and produce hundreds of blooms. As yet they are too scarce and precious in this country to be trusted in any but the choicest of positions, which must be carefully marked to avoid disturbance of the plants during their early summer plants during their early summer dormancy.

MEDICINAL HERBS - GARDEN AND

ANGELICA (an-IEL-i-kah)

to 6 ft. growing on low gro a striking picture by side annial. Pkt. 20c; Oz. 60c.

ANISE (AN-is)

(Pimpinella anisum.) Parsley Family, the leaves and seeds used for flavoring in cookery and also in medicine. Annual to 2 ft. and easily grown. Sow seed in April in rows where plants are to grow. Pkt. 20c; Oz. 60c.

BALM, LEMON

(Melissa officinalis.) An aromatic sweet herb of Mint Family, used in seasoning, in liquors and medicine; grows 2 ft. tall, leaves have a decided lemon odor and flavod. Easily grown from seed sown late in foll or early in spring. Pkt. 20c; Oz. \$1.00.

BASIL, Bush or Dwarf.

(BAZ-il). (Ocimum basilicum minimum)
Sweet herb of Mint family esteemed for
flavoring; is an annual, tender and should
be planted after 'nyst danger is past.
Easily grown from seed, started indoors or
planted directly to garden, thin plants to
6-12" apart and in rich soil plants will
continue to develop leavos after being out.
Continue to develop leavos after being out.
In bundles to dry; plants can be lifted in
fall for green leaves during the winter.
This type grows 2 it, tail. Pkt. 15c; oz. 36c.

in a commercial way by marked gar ect. Pkt. 15c; ox. 30c; 1/4 lb. \$1.30.

BORAGE (BUR-ahl)

h to salads. Space plants 2-3 ft. y annual. Pkt. 10c; Oz. 50c.

(Carum carvi.) An annual or twhose seeds are used to flavor cakes, confections and cheese; grown from early spring sown where plants are to stand, for two strey young shoots and leaves may to flavor salade. Sow few radiah mark your row. Pkt. 15r Oz. 35c.

CARDOON (kahr-DOON) Smooth Spanish Cynara cardunculus). Grown for its branched stalks can thick main root, sow stalks are the main root, sow stalks are the main root, sow sow sow the main root, sow sow the main stalks are the main root, sow sow the main stalks are the main root of the main root

CELERY, SOUP

Plain leaf type best suited for use in flavoring soups, either in green state or dried. Pkt. 10c; Oz. 35c.

CHERVIL (CHUR-vil)

CHERVIL (CHUR-vil)
(Anthriscus cerefolium.) Plain leaf Cher.
(1), of Parsley Family, whose parsley-like saves are used for, flavoring salads. incows 18-24". Sow seeds in early spring rate fall, in any good garden soil, some hade best and produces leaves for use 16-10 weeks. Pkt. 10c; Oz. 40c.

CHERVIL (CHUR-vil)

(Anthriscus cerefolium.) Curled lec Chervil. Similar to the piain leaf Chervil except the curled leaves can be used mor for garnishing, similar to curled Parsley Pkt. 10c; Os. 40c.

CHICORY, Brussels Wittof

CHICORY, Brussels Witter

(Special Strain)

(Chicorium intybus). A perennial herb, the roots of which can be dried and used as a substitute for coffee; the leaves are used when young and tender as greens or those of the older plant are blanched much as is Celery. The leaves are forced during fall and winter to praduce loose white or pink leaves or witlef or French endive. Sow early in spring, thinly in rows 18" apart, thin to 6" in row. Dig roots in fall, cutting tops to 1" and store in pit or root cellar; for witlef, shorten the roots to 8-9", autling the lower end, bury upright in damp sand or soil covering tops with 6-8 inches of the soil and keep at

CHICORY, van Spronsent's Special Select.

special strain of Brussel Witlof. Pkt. ex. 35c; 1/4 lb. \$1.30.

(Allium scheenoprasum.) Perennial developing a thick grass-like tuft and valued for their mild onion-like flavor, the green stems being used in salads, soups, etc. The oftener the leaves are cut the stronger the plant will grow. Sow seeds early including in rows 2-3 it.

Grown in early spring or late a pot-herb or salad; seed sown in fall, some plants will get large if or fall use and the balance with ng can be carried over for early plants. Sow in early spring in 2 inches apart; they do not do well the hot summe: The leaves are mustard, pepper grass or as a salad. Pkt. 15c; Oz. 60c

(Lepidium sativum) Pepper Grass. Plain Leaved Annual growing quickly and making the best greens for garnishing and for salads; the richer the soil the better, plant in rows 12" apart in earliest spring and at weekly intervals till middle of May. Pkt. 10c; Oz. 25c; ½ lb. 35c.

—Curled or Double Leaved. Makes nicer leaves for garnishing as well as for salads. Pkt. 10c; Oz. 20c; ½ lb. 35c.

—Large Leaf French. A large leaf strain. Pkt. 15c; Oz. 25c; ½ lb. 40c.

CRESS, American Upland or Winter Cress, (Barbara vernaprocox), A hardy biennial; sown early in the Spring in rich soil, the leaves are ready in late mid-summer; being hardy they will be ready for use in the spring following cuttint before flower stems develop. Pkt. 15c; ox. 25c; ½ lb. 70c.

CRESS, TRUE WATEL

surfum officinalis.) Low trailing per growing in wet ground and springs grown from seed and best to in early spring or fall. Pkt. 20c greens in Oz. 90c.

Anethrum graveolens.) Of Parsley Fa grown for its seeds which are used roring of dill pickles. Sow early ing or late in fall, in rows 18" ap-uning to 8-10" in the row. When ri-the heads, drying them. Pkt. 10c; Oz. 20c; 1/4 lb. 35c.

FENNEL, Long Sweet

re.) Hardy per for its aromatic

(Foeniculum vulgare). Hardy perennic grown as an annual for its aromatic seed and fragrant young leaves, both seed flavoring seeds are personned to see the control of the seed of the see

SWEET FENNEL, Sicily.

Pkt. 15c; oz. 25c; 1/4 lb. 80c.

HOARHOUND

arrubium vulgare.) An aromatic per al with woolly white foliage and ish flowers; used mainly in flavoring lites; plant thrives in dry soil. Pkt. 20c

HYSSOP (HIS-up)
(Hyssopus officinalis.) Hardy perennial arown as a culmary (Hyssopus officinalis.) Hardy perennial herb or sub-shrub grown as a cultinary and medicinal herb and as an ornamental; grown from seed sown early in spring or late fall, transplant in early summer to 12-18" apart, limy soils best. Pkt. 15c;

LAVENDER, absinthium. onrubby plant and grown as a sfor absinthe, hardy and easily gr

(Layandula spica.) Not real hardy N. and must be protected with a question of the structure of the structure of the structure when grown in a dry, light, litricable soil in full sun, the soil not rich. Grown for an ornament as well for its leaves which are dried, giving its rich farquance for which it is value. Start early in spring indoors or try plaint in the structure of the

LEEK.

VAGE
Levisticum officinale). A perennial herh
levisticum officinale). A perennial her
levis and greenish-yellow flowers ir
bels, hardy as far N. as Pa. and Ill.
st in deep rich soil, easy to grow. Cul
tated for its aromatic fruits. Pkt. 15c.

RHUBARB.

-Goliath.

A red stem variety that is used uch. Pkt. 10c; oz. 25c; 1/4 lb. 80c.

— Queen Victoria,
An English variety, very popular.
10c; oz. 25c; lb. 80c.

ROCKET-SALAD

ens. Pkt. 15c; Oz. 40c.

ROSEMARY ROSEMARY
(Rosmarinus officinalis.) A hardy shrubby plant grown chiefly for its aromatic leaves used in secsoning as well as an oil used in medicines. Grows 6 ft. and lasts for years with a little winter protection; pre-

(Ruta graveolens.) Perennial shrubb plant to 3 ft. with yellowish flowers; ha medicinal properties as well as orna nedicinal proper nental. Pkt. 25c.

SWEET BASIL

(Coymum basilicum.) Easily grown ten der annual, I ft. Leaves delightfully clove scented and used eithe green or dried in seasoning soups, salads, cottage cheese chopped meats or sausages. Plant 6-10" apart, thrives in light warm soils. Cut in bundles to dry. Plants can be potted for winter growing. Pkt. 10c; Oz. 45c,

(Salvia officinalis.) Hardy perennial, easily grown; plant early in spring or in Nov. The leaves are dried and used as seasoning in meats, sausages, stuffings and cheeses. Space 2½.3 ft. Pkt. 15c; Oz. 80c.

SAVORY, Winter. (Satureja montana). A perennial herb or sub-shrub that is grown and used much like the Summer Savory. Pkt. 15c; oz. 65c.

SUMMER SAVORY

SCORZONERA (skaur-zoh-NEE-rah).

used in salads. Grow it the sam Parsnips or Salsify, Pkt. 15c; oz. 1/4 lb. \$1.25

SCURVEY GRASS

Cochleatia officinalis.) A small berb of Mustard Family grown for its smedicinal properties also as a salad; prefers cool and partially shaded soi Pkt. 15c.

SORREL, Mammoth Lyon.

Rumex. Low growing perennial with ur leaves used in salads or to flavor lads. This is an improved variety much ed in Europe and well worth growing here a market is available. Pkt. 10c; . 40c.

SWEET MARJORAM

WEET MARJORAM
(Origanum marjorana) Perennial best
own as an anaual in the N.; leaves used
een in summer and dried for winter,
cellent for salads when green and for
casoning soups, meats, poultry an
esese when dried. Seeds are small and
sat started in seed pan and transplanted
tt, 12.15" apart. For drying gather
aves just before they flower. Pkt. 20c;
z. 85c. leaves ju Oz. 85c.

Pkt. 15c; Oz. 80c.

TANSY French

WORMWOOD

From Seed

The seed of Ilex or Holly can be stratified in moist sand. In nature

The SAIER SEED CATALOG

of RARE FLOWERS with

Complete Vegetable List

U.S. Department of Agriculture Librarian Washington 25, D.C.

RETURN POSTAGE GUARANTEED
PLEASE GIVE FORWARDING ADDRESS HERE

SEC. 34.66 P. L. & R.
U. S. POSTAGE
PAID

DIMONDALE, MICH.
PEMIT NO. 1